



US Army Corps  
of Engineers  
Construction Engineering  
Research Laboratory

AD-A227 946

DTIC FILE COPY

# Scheduling for Cost-Plus Construction Projects, Volume II: PROMAN Source Files

by  
E. William East

In cost-plus fixed fee contracts, the contractor is paid based on the actual costs incurred plus some graded incentive fee, rather than on a fixed bid. The larger the project, the more critical it becomes to ensure that the impact of all schedule changes be efficiently analyzed, so that the contractor can complete intermediate milestones as well as the entire project on time. Commercially available scheduling software does perform many of the necessary analyses, but cannot filter data in ways that are useful to schedule reviewers. In planning large projects, there is an acute need for supplemental software that can process scheduling data to make it immediately useful to schedule reviewers. The PROMAN (PROject MANagement) microcomputer-based schedule analysis software was developed by the U.S. Army Construction Engineering Research Laboratory (USACERL) to provide several tools to help evaluate progress of the construction project, to assess the impact of schedule changes upon the project, and to provide other assistance in construction schedule management.

In this study, PROMAN was employed on a large cost-plus project undertaken by the Corps of Engineers in the construction of the National Test Facility (NTF) in Colorado Springs, CO. USACERL provided regular consulting services to NTF, to monitor the contractor's progress schedule and to identify requirements for additional schedule analysis tools. Volume I of this report includes specific recommendations for the National Test Facility Resident Office and future cost-plus projects to assist in evaluating progress schedules and documentation to guide in the installation and use of PROMAN scheduling software. Volume II includes source code for the PROMAN software. The results of this study apply to all cost-plus construction projects and may also be applied to other large Corps construction projects.

DTIC  
ELECTE  
OCT 16 1990  
S E D  
(KRL)

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official indorsement or approval of the use of such commercial products. The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

*DESTROY THIS REPORT WHEN IT IS NO LONGER NEEDED*

*DO NOT RETURN IT TO THE ORIGINATOR*

## Notice to Program Recipients

This program is furnished by the U.S. Government and is accepted and used by the recipient with the express understanding that the Government makes no warranty, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the information and data contained in this program or furnished in connection therewith, and the United States shall be under no liability whatsoever to any person by reason of any use made thereof.

The program belongs to the Government. Therefore, the recipient further agrees not to assert any proprietary rights therein or to represent this program to anyone as other than a Government program. The recipient also agrees that the program and all documents related thereto, including all copies and versions (except when expressly authorized otherwise) in possession thereof, will be discontinued from use or destroyed upon request by the Government.

The program is to be used only in the public interest and/or the advancement of science and will not be used by the recipient to gain unfair advantage over any client or competitor. Whereas the recipient may charge clients for the ordinary costs of applying the program, the recipient agrees not to levy a charge, royalty, or proprietary usage fee (except to cover any normal copying and/or distribution costs) upon any client for the development or use of the received program. Recipients desiring to modify and remarket the program will be required to comply with a separate agreement. Only minor or temporary modifications will be made to the program (e.g., necessary corrections or changes in the format of input or output) without written approval from the Government. Should the program be furnished by the recipient to a third party, the recipient is responsible to that third party for any support and upkeep of the program. Information on the source of the program will be furnished to anyone requesting such information.

The accuracy of this program depends entirely on user-supplied data. It is the user's responsibility to understand how the input data affects the program output and to use the output data only as intended.

All documents and reports conveying information obtained as a result of the use of the program by the recipient will acknowledge the Corps of Engineers, Department of the Army, as the origin of the program. All such documentation will state the name and version of the program used by the recipient.



Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input checked="" type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)	2. REPORT DATE September 1990	3. REPORT TYPE AND DATES COVERED Final	
4. TITLE AND SUBTITLE Scheduling for Cost-Plus Construction Projects, Volume II: PROMAN Source Files		5. FUNDING NUMBERS MIPR CAB938, October 1988, "National Test Facility Consulting"	
6. AUTHOR(S) E. William East		8. PERFORMING ORGANIZATION REPORT NUMBER USACERL TR P-90/31 Vol II	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Construction Engineering Research Laboratory (USACERL) PO Box 4005 Champaign, IL 61824-4005		10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) USACE, Omaha District 215 North 17th Street Omaha, NE 68102-4978		10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES Copies are available from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161.			
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.		12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) In cost-plus fixed fee contracts, the contractor is paid based on the actual costs incurred plus some graded incentive fee, rather than on a fixed bid. The larger the project, the more critical it becomes to ensure that the impact of all schedule changes be efficiently analyzed. In planning large projects, there is an acute need for supplemental software to process scheduling data to make it immediately useful to schedule reviewers. The PROMAN (PROject MANagement) microcomputer-based schedule analysis software was developed by the U.S. Army Construction Engineering Research Laboratory (USACERL) to provide several tools to help evaluate progress on Corps construction projects, assess the impact of schedule changes on the project, and provide other schedule management assistance.  PROMAN was employed in the construction of the National Test Facility (NTF) in Colorado Springs, CO. Volume I of this report includes recommendations for the NTF Resident Office and future cost-plus projects to help evaluate progress schedules, and documentation for the installation and use of PROMAN. Volume II includes source code for the PROMAN software. The results of this study apply to all cost-plus construction projects and may also be applied to other large Corps construction projects.			
14. SUBJECT TERMS PROMAN source files		15. NUMBER OF PAGES 202	
		16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT SAR

## FOREWORD

This study was performed for the U.S. Army Corps of Engineers (USACE), Omaha District, under reimbursable project MIPR No. CAB938, October 1988, "National Test Facility Consulting." The project monitor was Mr. Aly Samahy, Resident Engineer at the National Test Facility Office, Colorado Springs, CO.

Special appreciation is expressed to the following members of the Engineering Staff at the National Test Facility: Mr. Larry Pierce, Mr. David Balding, and Ms. Veronica Rovera.

This work was performed by the Facility Systems Division (FS) of the U.S. Army Construction Engineering Research Laboratory (USACERL). Dr. Michael O'Connor is Chief of FS. The USACERL technical editor was William J. Wolfe, Information Management Office.

COL Everett R. Thomas is Commander and Director of USACERL, and Dr. L.R. Schaffer is Technical Director.

**SCHEDULING FOR COST-PLUS CONSTRUCTION PROJECTS  
VOLUME II: PROMAN SOURCE FILES**

```
*:*****  
*:  
*: Procedure file: PROCS.PRG  
*:  
*:      System: PROJECT MANAGEMENT TOOLS  
*:      Author: ASC/RCE and USA-CERL  
*:      Copyright (c) 1989, USA-CERL/ASC/RCE  
*:      Last modified: 04/27/89      7:34  
*:  
*: Procs & Fncts: DISPERR  
*:      : CHECK  
*:      : ACTST  
*:      : CODEST  
*:      : PRECST  
*:      : PROGST  
*:      : FILENAME  
*:      : OPENFILS  
*:      : OPENNTFS  
*:      : CLOSEFIL  
*:      : TOTOP  
*:      : CERTIFY  
*:  
*:      Documented 04/27/89 at 10:38      SNAP! version 3.12e  
*:*****  
* Procedure file for Activities to Crash Module
```

```

*|*****
*|
*|      Procedure: DISPERR
*|
*|      Called by: CHECK          (procedure in PROCS.PRG)
*|                  : PAR_O.PRG
*|                  : NTFST.PRG
*|
*|*****
PROCEDURE disperr
PARAMETERS code,filename
*SET COLOR TO serrcol
IF code = 1
  @ ROW()+2,14 SAY filename+' has been used already -- WOULD YOU LIKE TO :'
  *SET COLOR TO smenucol
  @ ROW()+2,5 SAY ' 1) RETURN TO MAIN MENU?'
  STORE 2 TO ch
  @ ROW()+1,5 SAY ' 2) INPUT AN ALTERNATE FILENAME?  SELECT 1 OR 2 : ' GET ch PICTURE '9'
  READ
  IF ch=1
    option = 0
  ENDIF
ENDIF

IF code = 2
  @ ROW()+2,14 SAY filename+' has same modification/creation date as previous file.'
  @ ROW()+1,5 SAY 'WOULD YOU LIKE TO : '
  *SET COLOR TO smenucol
  @ ROW()+2,5 SAY ' 1) RETURN TO MAIN MENU?'
  STORE 2 TO ch
  @ ROW()+1,5 SAY ' 2) INPUT AN ALTERNATE FILENAME?  SELECT 1 OR 2 : ' GET ch PICTURE '9'
  READ
  IF ch=1
    option = 0
  ENDIF
ENDIF

IF code = 3
  @ ROW()+2,14 SAY 'FILE '+ filename +' DOES NOT EXIST.  WOULD YOU LIKE TO :'
  *SET COLOR TO smenucol
  @ ROW()+2,5 SAY ' 1) RETURN TO MAIN MENU?'
  STORE 2 TO ch
  @ ROW()+1,5 SAY ' 2) INPUT AN ALTERNATE FILENAME?  SELECT 1 OR 2 : ' GET ch PICTURE '9'
  READ
  IF ch=1
    option = 0
  ENDIF
ENDIF
ENDIF

```

```

IF code = 4
@ ROW()+2,14 SAY 'FILE '+ filename +' IS NOT A DBF FILE. WOULD YOU LIKE TO : '
*SET COLOR TO &menucol
@ ROW()+2,5 SAY ' 1) RETURN TO MAIN MENU?'
STORE 2 TO ch
@ ROW()+1,5 SAY ' 2) INPUT AN ALTERNATE FILENAME? SELECT 1 OR 2 : ' GET ch PICTURE '9'
READ
IF ch=1
    option = 0
ENDIF
ENDIF

IF code = 5
@ ROW()+2,14 SAY 'FILE '+ filename +' IS NOT A SCHEDULE FILE. WOULD YOU LIKE TO : '
*SET COLOR TO &menucol
@ ROW()+2,5 SAY ' 1) RETURN TO MAIN MENU?'
STORE 2 TO ch
@ ROW()+1,5 SAY ' 2) INPUT AN ALTERNATE FILENAME? SELECT 1 OR 2 : ' GET ch PICTURE '9'
READ
IF ch=1
    option = 0
ENDIF
ENDIF
@ ROW()-11,1 CLEAR TO ROW(),79
RETURN

```

```

*!*****
*!
*!      Procedure: CHECK
*!
*!      Called by: PAR_0.PRG
*!
*!      Calls: DISPERR      (procedure in PROCS.PRG)
*!
*!      Uses: &FILENAME
*!
*!*****
PROCEDURE check
PARAMETERS filename,iserror

STORE LTRIM(RTRIM(filename)) TO filename
IF .NOT. FILE(filename)
  DO disperr WITH 3,filename
  STORE 1 TO iserror
ENDIF
IF iserror <> 1
  IF SUBSTR(filename,LEN(filename)-2,3) = 'DBF' .OR. SUBSTR(filename,LEN(filename)-3,3) = 'dbf'
    STORE 0 TO iserror
  ELSE
    DO disperr WITH 4,filename
    STORE 1 TO iserror
  ENDIF
ENDIF

IF iserror <> 1
  SELECT 9
  USE &filename
  IF FIELD(14, <> 'FFL')
    DO disperr WITH 5,filename
    STORE 1 TO iserror
  ENDIF
  USE
ENDIF

RETURN

```

```

*|*****
*!
*!      Procedure: ACTST
*!
*!      Called by: REPN.PRG
*!
*|*****
PROCEDURE actst

SELECT G
APPEND BLANK
REPL act WITH activ_id
REPL TITLE WITH activ_dscr
REPL od WITH activ_dur
REPL dol_day WITH activ_cost/activ_dur
STORE SUBSTR(start_net,3,3) TO mo
REPL es WITH CTOD(%mo+'/' +SUBSTR(start_net,1,2)+'/' +SUBSTR(start_net,6,2))
STORE SUBSTR(finish_net,3,3) TO mo
REPL lf WITH CTOD(%mo+'/' +SUBSTR(finish_net,1,2)+'/' +SUBSTR(finish_net,6,2))
SELECT F

RETURN

```

\*|\*\*\*\*\*

\*|

\*| Procedure: CODEST

\*|

\*| Called by: REPN.PRG

\*|

\*|\*\*\*\*\*

PROCEDURE codest

SELECT G

SEEK activ\_id

REPL resp WITH responsibl

REPL claim WITH modnum

REPL area WITH workarea

REPL hammock WITH hamact

REPL breakdown WITH breakdwn

REPL weather WITH weathers

REPL TYPE WITH act\_type

REPL spec\_sect WITH spec

REPL buildsys WITH build

REPL calcode WITH calcd

SELECT F

RETURN

```

*!*****
*!
*!      Procedure: PRECST
*!
*!      Called by: REPN.PRG
*!
*!*****
PROCEDURE precst

SELECT H
APPEND BLANK
REPL act WITH actidpr
REPL suc WITH sucact
REPL rel WITH suctype
REPL lag WITH VAL(lagamt)
SELECT F

RETURN

```

```
*|*****  
*|  
*|      Procedure: PROGST  
*|  
*|      Called by: REPN.PRG  
*|  
*|*****  
PROCEDURE progst  
  
SELECT G  
SEEK actidprog  
REPL rd WITH VAL(remdur)  
STORE SUBSTR(actst,3,3) TO mo  
REPL as WITH CTOD(&mo+'/' +SUBSTR(actst,1,2)+'/' +SUBSTR(actst,6,2))  
STORE SUBSTR(actf,3,3) TO mo  
REPL af WITH CTOD(&mo+'/' +SUBSTR(actf,1,2)+'/' +SUBSTR(actf,6,2))  
SELECT F  
  
RETURN
```

```
*!*****:*****  
*!  
*!      Procedure: FILENAME  
*!  
*!*****  
PROCEDURE filename  
PARAMETERS filename,wherex,wherey  
  
filename = TRIM(UPPER(filename))+ "  
  
@ wherex,wherey  
@ wherex,wherey SAY "Enter Filename: " GET filename  
READ  
RETURN
```

```

*!*****
*!
*!      Procedure: OPENFILS
*!
*!      Called by: REPR.PRG
*!                  : REPS.PRG
*!                  : REPT.PRG
*!                  : REPU.PRG
*!                  : REPV.PRG
*!                  : REPW.PRG
*!                  : REPX.PRG
*!
*!      Calls: CLOSEFIL      (procedure in PROCS.PRG)
*!
*!      Uses: &NTFSCHED2
*!            : &NTFSCHED1
*!            : &NTFLOGIC2
*!            : &NTFLOGIC1
*!
*!      Indexes: &NTFSCHED2
*!                : &NTFSCHED1
*!                : &NTFLOGIC2
*!                : &NTFLOGIC1
*!

```

```

*!*****

```

```

PROCEDURE openfils

SELECT 4
USE
DO closefil
SELECT 1
USE &ntfsched2 INDEX &ntfsched2
SELECT 2
USE &ntfsched1 INDEX &ntfsched1
SELECT 5
USE &ntflogic2 INDEX &ntflogic2
SELECT 6
USE &ntflogic1 INDEX &ntflogic1
RETURN

```

```

*!*****
*!
*!      Procedure: OPENNTFS
*!
*!      Called by: MAINX.PRG
*!
*!      Calls: CLOSEFIL      (procedure in PROCS.PRG)
*!
*!      Uses: &NTFSCHED2
*!            : &NTFSCHED1
*!            : &NTFLOGIC2
*!            : &NTFLOGIC1
*!
*!      Indexes: &NTFSCHED2
*!              : &NTFSCHED1
*!              : &NTFLOGIC2
*!              : &NTFLOGIC1
*!
*!*****
PROCEDURE openntfs
CLEAR
@ 10,10 SAY "Generating indexes for reports R-X."

ntfsched1 = UPPER(ntfsched1)
ntfsched2 = UPPER(ntfsched2)
ntflogic1 = UPPER(ntflogic1)
ntflogic2 = UPPER(ntflogic2)

IF .NOT. AT(".DBF",ntfsched1) = 0
    ntfsched1 = STUFF(ntfsched1,AT(".",ntfsched1),4,"")
ENDIF

IF .NOT. AT(".DBF",ntfsched2) = 0
    ntfsched2 = STUFF(ntfsched2,AT(".",ntfsched2),4,"")
ENDIF

IF .NOT. AT(".DBF",ntflogic1) = 0
    ntflogic1 = STUFF(ntflogic1,AT(".",ntflogic1),4,"")
ENDIF

IF .NOT. AT(".DBF",ntflogic2) = 0
    ntflogic2 = STUFF(ntflogic2,AT(".",ntflogic2),4,"")
ENDIF

DO closefil
SELECT 1
USE &ntfsched2
INDEX ON act TO &ntfsched2
SELECT 2
USE &ntfsched1
INDEX ON act TO &ntfsched1
SELECT 5
USE &ntflogic2

```

```
INDEX ON act+suc TO &ntflogic2
SELECT 6
USE &ntflogic1
INDEX ON act+suc TO &ntflogic1
DO closefil
RETURN
```

```
*|*****
*!
*!      Procedure: CLOSEFIL
*!
*!      Called by: OPENFILS      (procedure in PROCS.PRG)
*!                  : OPENNTFS   (procedure in PROCS.PRG)
*!                  : REPR.PRG
*!                  : REPS.PRG
*!                  : REPT.PRG
*!                  : REPU.PRG
*!                  : REPV.PRG
*!                  : REPW.PRG
*!                  : REPX.PRG
*!
```

```
*|*****
PROCEDURE closefil
```

```
SELECT 1
USE
SELECT 2
USE
SELECT 5
USE
SELECT 6
USE
```

```
RETURN
```

```
*****
```

```
*|*****  
*!  
*!      Procedure: TOTOP  
*!  
*!      Called by: TITLE1.PRG  
*!  
*|*****  
PROCEDURE totop  
  
* DO WHILE LINE < 65  
*   ?  
*   LINE = LINE + 1  
* ENDDO  
*   ?  
? eop && Form-Feed Character  
  
RETURN
```

```

*!*****
*!
*!      Procedure: CERTIFY
*!
*!      Called by: SETPARMS.PRG
*!
*!*****
PROCEDURE certify

PRIVATE temp

@22,0 CLEAR TO 24,79

temp = 'Y'
@ 22,1 TO 22,79 DOUBLE
@ 23,1 SAY 'The values you have entered will be used for report '+TRIM(reportch)
@ 24,1 SAY 'Enter "Y" to accept, "N" to re-enter, or "Q" to quit: '
DO WHILE .T.
  @ 24,56 GET temp
  READ
  temp = TRIM(UPPER(temp))
  IF temp = 'Y'
    RETURN
  ELSE
    IF temp = 'N'
      option = 8
      RETURN
    ELSE
      IF temp = 'Q'
        option = 0
        RETURN
      ENDIF
    ENDIF
  ENDIF
ENDDO
RETURN
*: EOF: PROCS.PRG
^Z

```

```

*:*****
*:
*:      Program: MAINVARS.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      0:22
*:
*:      Called by: MAINMAIN.PRG
*:
*:      Documented 04/27/89 at 10:38      SNAP! version 3.12e
*:*****
** MAINVARS.PRG - Declare and Initialize Public Variables for PROMAN
*
PUBLIC path1,path2,path3,path4,datadate,MENU
*
STORE '' TO path1,path2,path3,path4  && For Critical path strings
datadate = DATE()  && Primavera "Data Date", needed for Report M
MENU = ''
*
SET COLOR TO smenucol
*
PUBLIC jan,feb,mar,apr,may,jun,jul,aug,sep,oct,nov,Dec
*
jan='01'  && Strings for month translations in PSSR files
feb='02'
mar='03'
apr='04'
may='05'
jun='06'
jul='07'
aug='08'
sep='09'
oct='10'
nov='11'
Dec='12'
*
PUBLIC code1,code8,code2,code3,code6,code7,code4,areacodes
*
code1='STND'  && Activity Code or Activity Code ID used
code8='RESP'
*code5='WAD'
code2='SORT'
code3='SUBS'
code6='AREA'
code7='SUAR'
code4='TYPE'
* Search string for all "AREA" ID Codes in Schedule
areacodes='123456789'
*
* Strings for individual "AREA" ID Codes

```

\*  
PUBLIC areav1,areav2,areav3,areav4,areav5,areav6,areav7,areav8,areav9

\*  
areav1='Site Work'  
areav2='Site Utilities'  
areav3='Administration Building'  
areav4='Research Building'  
areav5='Central Plant'  
areav6='ERROR - AREA 6 IS UNASSIGNED!'  
areav7='Pass & ID/Entry Control Building'  
areav8='Construction Support'  
areav9='Construction Office'

\*  
PUBLIC stndcodes, stndv01, stndv02, stndv03, stndv04, stndv05, stndv06  
PUBLIC stndv07, stndv08, stndv09, stndv10, stndv11, stndv12, stndv13, stndv14  
PUBLIC stndv15, stndv16, stndvdr, stndvpm, stndvpr, stndvsc

\*  
\* Search string for all "STND" ID Codes in Schedule  
stndcodes='01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,DR,PM,PR,SC'

\* Strings for individual "STND" ID Codes

stndv01='General'  
stndv02='Site Work'  
stndv03='Concrete'  
stndv04='Masonry'  
stndv05='Metal'  
stndv06='Wood and Plastics'  
stndv07='Moisture-Thermal Control'  
stndv08='Doors, Windows and Glass'  
stndv09='Finishes'  
stndv10='Specialties'  
stndv11='Equipment'  
stndv12='Furnishings'  
stndv13='Special Construction'  
stndv14='Conveying Systems'  
stndv15='Mechanical'  
stndv16='Electrical'  
stndvdr='Drawings'  
stndvpm='Prep Meetings'  
stndvpr='Procurement'  
stndvsc='Subcontract Award'

\*  
\* Search string for all "SUB-ARea" ID Codes in Schedule

\*  
PUBLIC suarcodes, floorv0, floorv1, floorv2, floorv3, floorv4, sortcodes

\*  
suarcodes='0123456789'  
floorv0='Basement' '&& Strings for "SUB-ARea" Codes  
floorv1='First Floor'  
floorv2='Second Floor'  
floorv3='Third Floor'  
floorv4='Roof'

\* Search string for all SORT Codes in Schedule (for Report M)

```

sortcodes='AA,AD,AF,AP,AW,CC,CD,CE,CF,CS,CW,DEMO,EC,ED,EE,EF,EG,EL,EP,EPL,ER, ';
+'ES,ESL,ET,EU,EW,EX,FA,FF,FP,FW,ME,MH,MT,PB,PD,PF,PG,PI,PP,PR,PS,PW,SD,SM, ';
+'SR,SS,UR'
*
PUBLIC srce, srss, srcc, srcf, srpr, srcw, srpb, srpd, srpf, srpg, srpi, srps, srpw, srad
PUBLIC srfa, sref, srew, sree, srmt, srff, srfp
*
* Strings for individual "SORT" Codes (in rough order of construction progress)
srce='Earthwork '
srss='Structural Steel '
srcc='Concrete '
srcf='Concrete Floors '
srpr='Rough-In '
srcw='Dampproofing '
srpb='Piping '
srpd='Subdrains '
srpf='Plumbing Fixtures '
srpg='Gas Piping '
srpi='Pipe Insulation '
srps='Sewer Piping '
srpw='Water Piping '
srad='Drywall '
srfa='Finish Arch. '
sref='Electrical Fixtures '
srew='Wire & Term. '
sree='Electrical Equipment'
srmt='Mech. Equip. '
srff='Carpet & Lino. '
srfp='Paint & Wallpaper '
*
PUBLIC respcodes, lvlscodes, typecodes, subscodes1, subscodes2
*
* Search string for all "RESP" Codes in Schedule
respcodes='ACEFMPSX'
* Search string for all "LVLS" Codes in Schedule
lvlscodes='D,DC,DP,DZ,JO,M,OUT,S,Z'
* Search string for all "TYPE" ID Codes in Schedule
typecodes='00,10,20,30,40,60,70,99'
* Search string for all "SUBcontractS" Codes in Schedule
subscodes1='ATR,CAFE,CARP3,CARP4,CEIL,CEIL4,CMU3,CMU4,COM3,COM4,COOL,CPCS,DOOR3, ';
+'DOOR4,ELEV4,EMCS3,EMCS4,ENT,FD3,FD4,FE,FP3,FP4,GEN,HALO,HVAC3,HVAC4,LAND,PAVE, '
subscodes2='PI3,PI4,PID,PNT3,PNT4,RFC,RFLR3,RFLR4,RFT,ROOF3,ROOF4,SEC3,SEC4,SEW,STUD3, ';
+'STUD4,T&B4,T&B4,TILE,WIND'
*
PUBLIC psr_done, sched_done, submi_done, processed, GET, output, print_ok
*
STORE .F. TO psr_done, sched_done, submi_done
processed = .F.
GET = ' ' && For testing getpsr, getsched, etc with ON KEY
output = 'V'
print_ok = .F.
*

```

```
PUBLIC yn,PRINTER,maxlinesa,maxlinesf,maxlinesg,maxlinesh,maxlinesi  
PUBLIC maxlinesj,maxlinesk,maxlinesl,maxlinesn,maxlineso,eop,intro_on  
PUBLIC intro_off,header_on,header_mid,header_off,footer_on,footer_off  
*  
RETURN  
*: EOF: MAINVARS.PRG  
^Z
```

\*:\*\*\*\*\*

\*:

\*: Program: SETFILES.PRG

\*:

\*: System: PROJECT MANAGEMENT TOOLS

\*: Author: ASC/RCE and USA-CERL

\*: Copyright (c) 1989, USA-CERL/ASC/RCE

\*: Last modified: 04/26/89 20:20

\*:

\*: Called by: MAINMAIN.PRG

\*:

\*: Calls: FILEDISP.PRG

\*:

\*: Uses: FILELIST.DBF

\*:

\*: Documented 04/27/89 at 10:38 SNAP! version 3.12e

\*:\*\*\*\*\*

PUBLIC filpssr\_pr, filpssr\_sc, filsched, filsucces, filsubmi

SELECT 1

USE filelist

GOTO TOP

filpssr\_pr=pssr\_proc

filpssr\_sc=pssr\_subs

filsched=schedule

filsucces=successor

filsubmi=submittal

USE

CLEAR

@2,2 SAY " "

TEXT

The files listed as defaults below indicate the last stored values for Submittal, Schedule, and Successor databases. These are typically either the last set selected by a PROMAN user or the last files processed by the system. If a file is marked as non-existent, it is mandatory that an existing file be entered before attempting to run reports. The PSSR files required for some reports are not displayed below. If new PSSR records for either procurements or subcontracts are moved to the PROMAN directory, use File Processing Options to create new PSSR databases. Indexes for each of the databases will be created if the files are required for selected reports or operations.

ENDTEXT

DO filedisp

@14,2 SAY " "

WAIT

RETURN

\*: EOF: SETFILES.PRG

^Z

```

*:*****
*:
*:      Program: MENUONE.PRG
*:
*:      System: PROJECT MANAGEMENT TCOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/25/89      13:05
*:
*:      Called by: MAINMAIN.PRG
*:
*:      Calls: FILEDISP.PRG
*:
*:      Documented 04/27/89 at 10:38      SNAP! version 3.12e
*:*****
option = 0
temp = 0
templ = "0"
CLEAR
@ 1,30 SAY "WELCOME TO PROMAN"
@ 2,30 SAY "===== "
@ 5,18 TO 14,57 DOUBLE
@ 6,22 SAY '1 - Run Batch Reports'
@ 7,22 SAY '2 - ASCII Standard File Import'
@ 8,22 SAY '3 - List Database Files'
@ 9,22 SAY '4 - Process New Project Files'
@ 10,22 SAY '5 - Change Active Project Files'
@ 12,22 SAY '9 - Exit Program'
DO filedisp

@ 17,22 SAY 'Please enter your selection.'

DO WHILE option = 0
DO WHILE temp = 0
temp = INKEY()
ENDDO
templ = UPPER(CHR(temp))
DO CASE
CASE templ = "1"
option = 1
CASE templ = "2"
option = 3
CASE templ = "3"
option = 4
CASE templ = "4"
option = 5
CASE templ = "5"
option = 6
CASE templ = "9"
option = 9
ENDCASE

```

```
temp = 0  
ENDDO  
RETURN  
*: EOF: MENUONE.PRG  
^Z
```

```

*:*****
*:
*:      Program: MENUTWO.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89    22:53
*:
*:      Called by: MAINMAIN.PRG
*:
*:      Documented 04/27/89 at 10:38          SNAP! version 3.12e
*:*****

```

SET TALK OFF

reportst = ''

exitflag = .F.

CLEAR

@1,5 SAY "PROMAN REPORTS"

@2,5 SAY "====="

@0,31 TO 22,79 DOUBLE

- @1,35 SAY 'A - PSSR/Schedule Matching'
- @2,35 SAY 'B - PSSR/Schedule 'PR' Code Matching"
- @3,35 SAY 'C - PSSR/Schedule; Date Comparison 1'
- @4,35 SAY 'D - PSSR/Schedule; Date Comparison 2'
- @5,35 SAY 'E - PSSR/Schedule/Submittal Comparison 1'
- @6,35 SAY 'F - PSSR/Schedule/Submittal Comparison 2'
- @7,35 SAY 'G - Resource Loading - Manpower Variance'
- @8,35 SAY 'H - Resource Loading - Funding Variance'
- @9,35 SAY 'I - Resource Loading - Time Variance'
- @10,35 SAY 'J - Logical Analysis'
- @11,35 SAY 'K - Activities to Crash'
- @12,35 SAY 'L - Delays in Design'
- @13,35 SAY 'M - Contractor Grading'
- @14,35 SAY 'O - Activity Slippage'
- @15,35 SAY 'R - Deleted Activities'
- @16,35 SAY 'S - Find Added Activities'
- @17,35 SAY 'T - Find PCT AS/AF Inconsistency'
- @18,35 SAY 'U - Find Changes in Description'
- @19,35 SAY 'V - Find Changes in Orig. Duration'
- @20,35 SAY 'W - Find Changes in Progress'
- @21,35 SAY 'X - Find Logic Changes'
- @23,35 SAY '\* - indicates selected reports'
- @17,5 SAY ' OTHER ACTIONS '
- @18,5 SAY '====='
- @19,5 SAY '1 - RUN REPORTS'
- @20,5 SAY '2 - PREVIOUS MENU'
- @21,5 SAY '9 - QUIT'
- @4,5 SAY 'REPORT SELECTION'
- @6,5 SAY 'Press a letter to'
- @7,5 SAY 'choose reports to'
- @8,5 SAY 'run.'
- @11,5 SAY 'Your Selection'

```

@12,5 SAY ">"
DO WHILE .NOT. exitflag
  rsval = 0
  DO WHILE rsval = 0
    rsval = INKEY()
  ENDDO
  rs = UPPER(CHR(rsval))
  scrpos = 0
  DO CASE
  CASE rs >= "A" .AND. rs < "N"
    scrpos = ASC(rs) - 64
  CASE rs = "O"
    scrpos = 14
  CASE rs > "P" .AND. rs < "Y"
    scrpos = ASC(rs) - 67
  CASE rs = "1"
    CLEAR
    RETURN
  CASE rs = "2"
    CLEAR
    reportst = ""
    RETURN
  CASE rs = "9"
    exitflag = .T.
  OTHERWISE
  ENDCASE
  IF scrpos > 0
    temp = AT(rs,reportst)
    IF temp = 0
      reportst = reportst + rs
      @ scrpos,33 SAY "*"
    ELSE
      reportst = STUFF(reportst,temp,1,"")
      @ scrpos,33 SAY " "
    ENDIF
    scrpos = 0
  ENDIF
  @ 12,5 SAY ' '
  @ 12,5 SAY '>'
ENDDO
*: EOF: MENUTWO.PRG
^Z

```



```

*:          : SCH2_ACT.NDX
*:          : SCH1_ACT.NDX
*:
*:          Documented 04/27/89 at 10:38          SNAP! version 3.12e
*:*****
** MAIN.PRG - Start Pro-Man
SET COLOR TO 6menucol

IF 'A'$reportst.OR.'B'$reportst.OR.'C'$reportst.OR.'D'$reportst.OR.'E'$reportst;
  .OR.'F'$reportst.OR.'M'$reportst.OR.'N'$reportst
  IF .NOT. FILE("pssr_pr.dbf")
    CLEAR
    @ 10,10 SAY "REPORTS A,B,C,D,E,F, AND M REQUIRE PSSR DATA."
    @ 11,10 SAY "YOU MUST USE THE FILE PROCESSING OPTION TO CREATE"
    @ 12,10 SAY "VALID PSSR_PR.DBF FILE OR YOU MUST COPY THE FILE"
    @ 13,10 SAY "TO THE PROMAN SUBDIRECTORY BEFORE ATTEMPTING TO"
    @ 14,10 SAY "RUN THESE REPORTS. YOU WILL BE RETURNED TO THE"
    @ 15,10 SAY "MAIN MENU."
    option = 0
    reportst = ""
    RETURN
  ENDIF
ENDIF
*
DO printset
* printer option selection

STORE .y. TO pssr_done,sched_done,submi_done          ** <*****
processed=.y.                                         ** <*****

* Prompt user for Report-specific responses:

STORE '1' TO rgcode,rhcode,ricode
STORE 10 TO refloat,ufloat,uparcent
STORE 20.0 TO rfpercent
STORE 20 TO rgmn,durat,reldur
STORE 1.00 TO rgsd
STORE 2000 TO rhdl
STORE 1 TO rhsd,risd
STORE 40 TO ridy
STORE '2' TO rjcode
STORE 5 TO mpl
STORE SPACE(20) TO filsch11,filshed2,filshed3,filshed4
STORE SPACE(20) TO filshed5,ntfsched2,ntflogic2
STORE filshed+SPACE(12) TO filsch21,filshed1,ntfsched1
STORE f1succes+SPACE(12) TO ntflogic1
STORE 'DR' TO stnd
STORE 'S' TO mch
STORE CTOD(' / / ') TO datadate
STORE 0 TO numfiles
*

```

```

* get the parameters for reports
*
DO setparms
IF option = 0
  RETURN
ENDIF

* Tell user about his output filenames
CLEAR
nn=1
STORE ' ' TO reportch
STORE 0 TO pdo
DO WHILE nn<=LEN(reportst)
  IF (SUBSTR(reportst,nn,1)<>'N') .AND. (SUBSTR(reportst,nn,1)<>'P') .AND.
(SUBSTR(reportst,nn,1)<>'Q')
    STORE reportch + SUBSTR(reportst,nn,1) TO reportch
  ENDIF
  IF (SUBSTR(reportst,nn,1)='P')
    STORE 1 TO pdo
  ENDIF
  nn=nn+1
ENDDO
STORE SUBSTR(reportch,2,LEN(reportch)-1) TO reportst
CLEAR
@3,10 SAY "Changing old SASREP.TXT names to SASREP.OLD."
RUN del sasrep*.old
RUN ren sasrep*.txt sasrep*.old
IF (output='B'.OR.output='D'.OR.output='A') .AND. (LEN(reportst)>0)
  fname='SASREP'
  @3,10 SAY 'Your output filenames will be : '
  nn=1
  reportch=' '
  DO WHILE nn<=LEN(reportst)
    reportch=SUBSTR(reportst,nn,1)
    ? SPACE(15)+'&fname&reportch .TXT'
    nn=nn+1
  ENDDO
  WAIT
ENDIF
* Set keyboard "off"
SET ESCAPE OFF
ON KEY DO keypress
* Do Initial file processing
SET STATUS ON
CLEAR
@10,10 SAY "Setting up files for All Reports."
IF 'A'$reportst.OR.'B'$reportst.OR.'C'$reportst.OR.'D'$reportst.OR.'E'$reportst;
.OR.'F'$reportst.OR.'M'$reportst.OR.'N'$reportst
SELECT B      && pssr_PR.dbf - Now merged with pssr_SC.dbf
USE
USE pssr_pr
INDEX ON activ_id TO pssr_act

```

```

ENDIF
SELECT D    && filsched
USE &filsched
IF 'G'$reportst .OR. 'H'$reportst                .OR. 'I'$reportst
    INDEX ON SUBSTR(act,5,2) TO schd_stn
ENDIF
INDEX ON act TO schd_act

IF 'E'$reportst.OR.'F'$reportst.OR.'M'$reportst.OR.'N'$reportst
SELECT E
USE &filsubmi
INDEX ON SUBSTR(nas,1,9) TO subm_nas
ENDIF
*
IF 'R'$reportst.OR.'S'$reportst.OR.'T'$reportst.OR.'U'$reportst.OR.'V'$reportst;
    .OR.'W'$reportst.OR.'X'$reportst
CLOSE DATABASES
DO openntfs
ENDIF

*
nn=0      && Generate all Reports
reportch='A'
DO WHILE nn <= 26
    IF reportch $ reportst
        IF output='B'.OR.output='D'.OR.output='A'
            SET ALTERNATE TO &fname&reportch
            SET ALTERNATE ON
        ENDIF
        IF output='P'.OR.output='B'
            SET PRINT ON
        ENDIF
        CLOSE DATABASES
        SELECT D
        USE &filsched
        SELECT B
        USE pssr_pr
        DO intro      && Do Intro to each Report
        SELECT D
        USE
        SELECT B
        USE
        DO CASE      && Replaced Macro-substitution for compiler purposes
        CASE reportch='A'
            SELECT B
            USE pssr_pr INDEX pssr_act
            SELECT D
            USE &filsched INDEX schd_act
            DO repa
            SELECT B
            USE
            SELECT D

```

```

USE
CASE reportch='B'
  SELECT B
  USE pssr_pr INDEX pssr_act
  SELECT D
  USE &filsched INDEX schd_act
  DO repb
  SELECT B
  USE
  SELECT D
  USE
CASE reportch='C'
  SELECT B
  USE pssr_pr INDEX pssr_act
  SELECT D
  USE &filsched INDEX schd_act
  DO repc
  SELECT B
  USE
  SELECT D
  USE
CASE reportch='D'
  SELECT B
  USE pssr_pr INDEX pssr_act
  SELECT D
  USE &filsched INDEX schd_act
  DO repd
  SELECT B
  USE
  SELECT D
  USE
CASE reportch='E'
  SELECT B
  USE pssr_pr INDEX pssr_act
  SELECT D
  USE &filsched INDEX schd_act
  SELECT E
  USE &filsubmi INDEX subm_nas
  DO repe
  SELECT B
  USE
  SELECT D
  USE
  SELECT E
  USE
CASE reportch='F'
  USE pssr_pr INDEX pssr_act
  SELECT D
  USE &filsched INDEX schd_act
  SELECT E
  USE &filsubmi INDEX subm_nas
  DO repf

```

```

SELECT B
USE
SELECT D
USE
SELECT E
USE
CASE reportch='G'
  SELECT D
  USE &filsched INDEX schd_stn
  DO repg
  SELECT D
  USE
CASE reportch='H'
  SELECT D
  USE &filsched INDEX schd_stn
  DO reph
  SELECT D
  USE
CASE reportch='I'
  SELECT D
  USE &filsched INDEX schd_stn
  DO repi
  SELECT D
  USE
CASE reportch='J'
  IF FILE("zzztemp.dbf")
    ERASE zzztemp.dbf
  ENDIF
  COPY FILE &filsched TO zzztemp.dbf
  SELECT D
  USE zzztemp
  DO repj
  SELECT D
  USE
  ERASE zzztemp.dbf
CASE reportch='K'
  SELECT B
  USE &filsucces
  SELECT D
  USE &filsched
  DO repk
  SELECT B
  USE
  SELECT D
  USE
CASE reportch='L'
  SELECT G
  USE &filsch2l
  INDEX ON act TO sch2_act
  SELECT F
  USE &filschl1
  INDEX ON SUBSTR(act,5,2) TO sch1_act

```

```

DO REPL
SELECT G
USE
SELECT F
USE
CASE reportch='M'
  SELECT F
  USE grading1
  SELECT G
  USE grading2
  SELECT B
  USE pssr_pr INDEX pssr_act
  SELECT D
  USE &filsched INDEX schd_act
  SELECT E
  USE &filsubmi INDEX subm_nas
  DO repm
  SELECT G
  USE
  SELECT F
  USE
  SELECT B
  USE
  SELECT D
  USE
  SELECT E
  USE
CASE reportch='O'
  IF numfiles > 1
    DO REPO
  ENDIF
CASE reportch='R'
  DO repr
CASE reportch='S'
  DO reps
CASE reportch='T'
  DO rept
CASE reportch='U'
  DO repu
CASE reportch='V'
  DO repv
CASE reportch='W'
  DO repw
CASE reportch='X'
  DO repx
ENDCASE
IF output='B'.OR.output='D'.OR.output='A'
  ?eop
  CLOSE ALTERNATE
ENDIF
IF output='P'.OR.output='B'
  ?eop

```

```
      SET PRINT OFF
    ENDIF
  ENDIF
  nn=nn+1
  reportch = CHR(ASC('A')+nn)
ENDDO
*: EOF: MAINX.PRG
```

```

*:*****
*:
*:      Program: REPNI.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/17/90      16:25
*:
*:      Called by: MAINMAIN.PRG
*:
*:      Calls: QUIT.PRG
*:             : REPN.PRG
*:
*:      Documented 04/27/89 at 10:38      SNAP! version 3.12e
*:*****

```

SET CONFIRM ON

CLEAR

@ 1,20 SAY 'REPORT N: ASCII INTERFACE'

@ 3,4 SAY ' '

TEXT

This routine converts project schedule data from an ASCII file format to the formats used in the Scheduling Analysis System (SAS). The ASCII file must have been previously been created in the format specified in the "Data Exchange Standard Goal" publication (This standard is designed as a standardized logical file format, into which any Project Management Software which has the ability to export data in ASCII format, can save data for each project into a single file.)

Refer to the SAS User Manual for instructions regarding how to create this ASCII file, or for more detailed information refer to the paper cited above.

If this ASCII file has not yet been created, you will need to exit SAS and create it.

ENDTEXT

exitnow= ' '

@20,15 SAY 'RETURN TO MAIN MENU NOW <Y/N> ? ' GET exitnow PICTURE '!'

READ

IF exitnow='Y'

RETURN

ENDIF

WAIT

CLEAR

@ 3, 5 SAY ' Assuming that this ASCII file has been created, you will be prompted'  
 @ 4, 5 SAY 'to enter the name of that file, and it will be converted to the file'  
 @ 5, 5 SAY 'formats required by SAS. This report will also ask you for the names '  
 @ 6, 5 SAY 'of the schedule and successor files to create. If these already exist '  
 @ 7, 5 SAY 'you will be given the option to exit and remove the files or choose a new'  
 @ 8, 5 SAY 'file name.'

```

STORE SPACE(12) TO asciifile
DO WHILE .T.
  @9,5 SAY 'INPUT THE NAME OF THE ASCII FILE CONTAINING PROJECT DATA : ' GET asciifile PICTURE
'!!!!!!!!!!!!'
  READ
  IF asciifile = ' '
    EXIT
  ENDIF
  IF .NOT. FILE(asciifile)
    @10,10 SAY 'THAT FILENAME DOES NOT EXIST IN THE CURRENT DIRECTORY. IF YOU HAVE'
    @11,10 SAY 'MISTYPED THE NAME, PLEASE TYPE IT AGAIN. HOWEVER, IF YOU HAVE TYPED'
    @12,10 SAY 'THE CORRECT NAME, YOU MUST EXIT SAS AND CREATE THIS FILE.'
    exitnow= ' '
    @14,15 SAY 'EXIT SAS NOW <Y/N> ? ' GET exitnow PICTURE '!'
    READ
    IF exitnow='Y'
      DO QUIT
    ENDIF
  ELSE
    EXIT
  ENDIF
ENDDO
IF asciifile <> ' '
  DO WHILE .T.
    STORE SPACE(8) TO schdfil
    @ 15,5 SAY 'INPUT THE NAME OF THE SCHEDULE FILE TO CREATE : ' GET schdfil PICTURE '!!!!!!!!'
    @ 16,5 SAY 'DO NOT INCLUDE THE .DBF ENDING ON THE NAME.'
    @ 17,5 SAY 'ENTER A SPACE IF YOU DO NOT WISH TO CREATE A SCHEDULE FILE'
    READ
    IF FILE(schdfil)
      @ 18,10 SAY 'THAT FILENAME ALREADY EXISTS. PLEASE USE A DIFFERENT NAME OF DELETE'
      @ 19,10 SAY 'THE CURRENT FILE WITH THAT NAME.'
      exitnow = ' '
      @ 20,10 SAY 'EXIT SAS NOW <Y/N> ? ' GET exitnow PICTURE '!'
      READ
      IF exitnow = 'Y'
        DO QUIT
      ENDIF
    ELSE
      EXIT
    ENDIF
    @ 15,5 CLEAR TO 19,79
  ENDDO

  @ 15,5 CLEAR TO 16,79

  DO WHILE .T.
    STORE SPACE(8) TO sucfil
    @ 15,5 SAY 'INPUT THE NAME OF THE SUCCESSOR FILE TO CREATE : ' GET sucfil PICTURE '!!!!!!!!'
    @ 16,5 SAY 'DO NOT INCLUDE THE .DBF ENDING ON THE NAME.'
    READ

```

```

IF FILE(sucfil)
  @ 17,10 SAY 'THAT FILENAME ALREADY EXISTS. PLEASE USE A DIFFERENT NAME OF DELETE'
  @ 18,10 SAY 'THE CURRENT FILE WITH THAT NAME.'
  exitnow = ' '
  @ 19,10 SAY 'EXIT SAS NOW <Y/N> ? ' GET exitnow PICTURE '!'
  READ
  IF exitnow = 'Y'
    DO QUIT
  ENDIF
ELSE
  EXIT
ENDIF
ENDDO
@ 15,5 CLEAR TO 19,79
ENDIF
CLEAR
STORE SPACE(12) TO submitfile
DO WHILE .T.
  @9,5 SAY 'INPUT THE NAME OF THE ASCII FILE CONTAINING SUBMITTAL DATA : ' GET submitfile PICTURE
'!!!!!!!!!!!!!!'
  READ
  IF submitfile = ' '
    EXIT
  ENDIF
  IF .NOT. FILE(submitfile)
    @10,10 SAY 'THAT FILENAME DOES NOT EXIST IN THE CURRENT DIRECTORY. IF YOU HAVE'
    @11,10 SAY 'MISTYPED THE NAME, PLEASE TYPE IT AGAIN. HOWEVER, IF YOU HAVE TYPED'
    @12,10 SAY 'THE CORRECT NAME, YOU MUST EXIT SAS AND CREATE THIS FILE.'
    exitnow=' '
    @14,15 SAY 'EXIT SAS NOW <Y/N> ? ' GET exitnow PICTURE '!'
    READ
    IF exitnow='Y'
      DO QUIT
    ENDIF
  ELSE
    EXIT
  ENDIF
ENDDO
IF submitfile <> ' '
  DO WHILE .T.
    STORE SPACE(8) TO subfil
    @ 15,5 SAY 'INPUT THE NAME OF THE SUBMITTAL FILE TO CREATE : ' GET subfil PICTURE '!!!!!!!!!!'
    @ 16,5 SAY 'DO NOT INCLUDE THE .DBF ENDING ON THE NAME.'
    READ
    IF FILE(subfil)
      @ 18,10 SAY 'THAT FILENAME ALREADY EXISTS. PLEASE USE A DIFFERENT NAME OF DELETE'
      @ 19,10 SAY 'THE CURRENT FILE WITH THAT NAME.'
      exitnow = ' '
      @ 20,10 SAY 'EXIT SAS NOW <Y/N> ? ' GET exitnow PICTURE '!'
      READ
      IF exitnow = 'Y'
        DO QUIT
      ENDIF
    ELSE
      EXIT
    ENDIF
  ENDDO
ENDIF

```

```
ENDIF
ELSE
EXIT
ENDIF
@ 15,5 CLEAR TO 20,79
ENDDO
ENDIF
IF asciifile <> ' '
CLEAR
@ 3, 5 SAY 'The ASCII Interface Module will use '+asciifile+' for the input file,'
@ 4, 5 SAY 'schdfil+' will be used for the schedule database, and '+sucfil+' will'
@ 5, 5 SAY 'be used as the successor database.'
STORE ' ' TO exitnow
ENDIF
SET CONFIRM OFF
DO repr
RETURN
*: EOF: REPNI.PRG
^Z
```

```

*:*****
*:
*:      Program: MENUTHRE.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      0:55
*:
*:      Called by: MAINMAIN.PRG
*:
*:      Calls: FILEDISP.PRG
*:             : GETSCHED.PRG
*:             : SCHEDULE.PRG
*:             : GETSUBMI.PRG
*:             : SUBMIT.PRG
*:             : GETPSSR.PRG
*:             : PSSR.PRG
*:
*:      Documented 04/27/89 at 10:38      SNAP! version 3.12e
*:*****
option = 0
temp = 0
templ = "0"
CLEAR
@ 2,20 SAY "FILE PROCESSING OPERATIONS"
@ 4,4 SAY " "
TEXT
PROMAN can be used with files that are provided in ASCII, according to
published standard file formats (see users manual) or files can be
processed from the Primavera project manager program. If files are
imported to the system from Primavera, the files must be processed prior
to use with PROMAN reports. The processing steps need be repeated only
once for each type of file. A menu is provided to enable processing of
each of the file types or to process all types at once. Processing
should be performed whenever new data files are added to the PROMAN area
for analysis. Anytime a new file is processed, it is made the default
file name for the most current files in the report modules. As a result,
users need only press return to select a file for most current information
in most reports.
ENDTEXT
?
WAIT
DO WHILE option = 0
  CLEAR
  @ 1,27 SAY "PROMAN FILE PROCESSOR MENU"
  @ 2,27 SAY "===== "
  @ 5,18 TO 14,63 DOUBLE
  @ 6,21 SAY '1 - Process Schedule and Successor Files'
  @ 7,21 SAY '2 - Process a Submittal File'
  @ 8,21 SAY '3 - Process Subcontract/Procurement files'
  @ 9,21 SAY '4 - Process Items 1, 2, and 3'

```

```
@ 10,21 SAY '5 - List Database Files'  
@ 11,21 SAY '6 - List Files with "PSSR" Prefixes'  
@ 13,21 SAY '9 - Exit to Main Menu'  
@ 17,21 SAY 'Please enter your selection.'
```

```
DO filedisp
```

```
DO WHILE temp = 0
```

```
    temp = INKEY()
```

```
ENDDO
```

```
templ = UPPER(CHR(temp))
```

```
DO CASE
```

```
CASE templ = "1"
```

```
    option = 1
```

```
    DO getsched
```

```
    IF option > 0
```

```
        SET STATUS ON
```

```
        DO schedule
```

```
        SET STATUS OFF
```

```
    ENDIF
```

```
    option = 0
```

```
CASE templ = "2"
```

```
    option = 2
```

```
    DO getsubmi
```

```
    IF option > 0
```

```
        SET STATUS ON
```

```
        DO submit
```

```
        SET STATUS OFF
```

```
    ENDIF
```

```
    option = 0
```

```
CASE templ = "3"
```

```
    option = 3
```

```
    sc_exist = .F.
```

```
    DO getpsr
```

```
    IF option > 0
```

```
        SET STATUS ON
```

```
        DO psr
```

```
        SET STATUS OFF
```

```
    ENDIF
```

```
    option = 0
```

```
CASE templ = "4"
```

```
    option = 4
```

```
    DO getsched
```

```
    IF option > 0
```

```
        DO getsubmi
```

```
    ENDIF
```

```
    IF option > 0
```

```
        sc_exist = .F.
```

```
        DO getpsr
```

```
    ENDIF
```

```
    IF option > 0
```

```
        SET STATUS ON
```

```
DO schedule
DO submit
DO pssr
SET STATUS OFF
ENDIF
option = 0
CASE templ = "5"
CLEAR
DIR *.dbf
WAIT
CASE templ = "6"
CLEAR
DIR pssr*.*
WAIT
CASE templ = "9"
option = 9
ENDCASE
temp = 0
ENDDO
RETURN

*: EOF: MENUTHRE.PRG
^Z
```

```

*:*****
*:      Program: CHGNAME.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      0:56
*:
*:      Called by: MAINMAIN.PRG
*:
*:      Calls: FILEDISP.PRG
*:
*:      Uses: FILELIST.DBF
*:
*:      Documented 04/27/89 at 10:38      SNAP! version 3.12e
*:*****

```

```

CLEAR
temp = 0
DO WHILE option > 0
  filsched = filsched + "      "
  filsucces = filsucces + "      "
  filsubmi = filsubmi + "      "
  @ 8,5 SAY "Change the active file names"
  @ 10,10 SAY "Active Schedule File = " GET filsched
  @ 11,10 SAY "Active Successor File = " GET filsucces
  @ 12,10 SAY "Active Submittal File = " GET filsubmi
  READ
  IF .NOT. FILE(filsched)
    temp = temp + 1
  ENDIF
  IF .NOT. FILE(filsucces)
    temp = temp + 1
  ENDIF
  IF .NOT. FILE(filsubmi)
    temp = temp + 1
  ENDIF
  IF temp = 0
    SELECT 1
    USE filelist
    GOTO TOP
    REPLACE schedule WITH UPPER(TRIM(filsched))
    REPLACE successor WITH UPPER(TRIM(filsucces))
    REPLACE submittal WITH UPPER(TRIM(filsubmi))
    option = 0
    USE
    RETURN
  ENDIF
  @ 20,1 CLEAR TO 24,79
  DO filedisp
  temp = 0
ENDDO

*: EOF: CHGNAME.PRG
^Z

```

```

*:*****
*:
*:      Program: FILEDISP.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/20/89      22:43
*:
*:      Called by: SETFILES.PRG
*:                  : MENUONE.PRG
*:                  : MENUTHRE.PRG
*:                  : CHGNAME.PRG
*:
*:      Documented 04/27/89 at 10:38      SNAP! version 3.12e
*:*****
temp1 = " <- Does Not Exist "
temp2 = temp1
temp3 = temp1
IF FILE(filshed)
    temp1 = " "
ENDIF
IF FILE(filsucces)
    temp2 = " "
ENDIF
IF FILE(filsubmi)
    temp3 = " "
ENDIF
@21,20 SAY "Active Schedule File = " + filshed
@22,20 SAY "Active Successor File = " + filsucces
@23,20 SAY "Active Submittal File = " + filsubmi
@21,57 SAY temp1
@22,57 SAY temp2
@23,57 SAY temp3
@20,18 TO 24,57
RETURN
*: EOF: FILEDISP.PRG
^Z

```

```

*:*****
*:
*:      Program: PRINTSET.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/20/89      16:33
*:
*:      Called by: MAINX.PRG
*:
*:      Documented 04/27/89 at 10:38      SNAP! version 3.12e
*:*****

```

```
SET COLOR TO &menucol
```

```
output='P'
```

```
@1,20 SAY 'CHOOSE OUTPUT METHOD:'
```

```
@4,10 SAY 'P   Print Report'
```

```
@5,10 SAY 'B   Print AND Make Disk File of Report WITH PRINTER CODES'
```

```
@6,10 SAY 'D   Make Disk File of Report WITH PRINTER CODES'
```

```
@7,10 SAY 'A   Make Disk File of Report WITHOUT PRINTER CODES'
```

```
DO WHILE .T.
```

```
  @9,15 SAY 'SELECT ONE OF THESE OPTIONS <P,B,D or A>: ' GET output PICTURE '!'
```

```
  READ
```

```
  @11,0
```

```
  yn=.n.
```

```
  DO CASE
```

```
  CASE output$'PBDA'
```

```
    @11,20 SAY 'VALID OUTPUT CHOICE.'
```

```
    EXIT
```

```
  OTHERWISE
```

```
    SET COLOR TO &errcol
```

```
    @11,20 SAY 'NOT A VALID OPTION - SELECT AGAIN!'
```

```
    SET COLOR TO &menucol
```

```
    LOOP
```

```
  ENDCASE
```

```
ENDDO
```

```
IF output='P'.OR.output='B'.OR.output='D'
```

```
  @13,10 SAY '      Even if you chose to direct your Reports only to a disk file,'
```

```
  @14,10 SAY 'information about the printer on which this disk file will eventually'
```

```
  @15,10 SAY 'be printed is required to properly format the output, IF you will be'
```

```
  @16,10 SAY 'sending the file directly to a printer.'
```

```
  @18,15 SAY 'Please identify your printer type:'
```

```
  @19,20 SAY 'W   Epson Wide-Carriage or Compatible'
```

```
  @20,20 SAY 'L   Hewlett-Packard LaserJet or LaserJet 2'
```

```
  PRINTER='L'
```

```
  DO WHILE .T.
```

```
    @22,15 SAY 'Enter Your Choice: ' GET PRINTER PICTURE '!'
```

```
    READ
```

```
    @23,0
```

```
    IF .NOT.PRINTER$'WL'
```

```

SET COLOR TO &errcol
@24,20 SAY 'INCORRECT CHOICE - PLEASE RE-ENTER'
SET COLOR TO &menucol
ELSE
EXIT
ENDIF
ENDDO
DO CASE
CASE PRINTER='L'
maxlinesa=53  && Maximum no. data lines allowed per page, for each Report
maxlinesf=53
maxlinesg=53
maxlinesh=53
maxlinesi=53
maxlinesj=53
maxlinesk=53
maxlinesl=53
maxlinesn=53
maxlineso=53
CASE PRINTER='W'
maxlinesa=53
maxlinesf=53
maxlinesg=53
maxlinesh=53
maxlinesi=53
maxlinesj=53
maxlinesk=53
maxlinesl=53
maxlinesn=53
maxlineso=53
ENDCASE
eop=CHR(12)
DO CASE  && Printer setup strings for Reports
CASE PRINTER='L'
intro_on="CHR(27)+'&l10'+CHR(27)+'&17.0C'+CHR(27)+' (&4.16H'+CHR(27)+'&k18.7H'+CHR(27)+' (&3B' "
* Landscape ? Character size/BOLD(?) Spacing of letters Bold ON
intro_off="CHR(27)+'&15.57C'+CHR(27)+'&k9.35H'+CHR(27)+'&l6D'+CHR(27)+' (&0B' "
header_on="CHR(27)+'&17.0C'+CHR(27)+' (&4.16H'+CHR(27)+'&k18.7H'+CHR(27)+' (&3B'+CHR(27)+'&l8D' "
* ? font size? spacing of letters Bold ON 8 lines/inch
header_mid="CHR(27)+' (&3B'+CHR(27)+'&15.57C'+CHR(27)+' (&16.67H'+CHR(27)+'&k9.35H' "
header_off="CHR(27)+' (&16.67H'+CHR(27)+'&l8D' "
footer_on="CHR(27)+'&15.57C'+CHR(27)+' (&16.67H'+CHR(27)+'&k9.35H' "
footer_off="CHR(27)+' (&16.67H' "
CASE PRINTER='W'
intro_on="CHR(27)+CHR(64)+CHR(27)+'W1'+CHR(27)+'E' " && Reset, ON Expanded, Emphasized
intro_off="CHR(27)+'W0'+CHR(27)+'F'+CHR(27)+'M' " && OFF Expanded, Emphasized, ON Elite
header_on="CHR(27)+CHR(64)+CHR(27)+CHR(18)+CHR(27)+'P'+CHR(27)+'E' " && OFF Compressed, ON Pica,
Emphasized
header_mid="CHR(27)+'F' " && OFF Emphasized
header_off="CHR(27)+CHR(15) " && ON Compressed
footer_on="CHR(27)+CHR(18)+CHR(27)+'M' " && OFF Compressed, ON Elite
footer_off="CHR(27)+'P' " && ON Pica (OFF Elite)

```

```
ENDCASE
ENDIF
IF output='A'
  maxlinesa=53
  maxlinesf=53
  maxlinesg=53
  maxlinesh=53
  maxlinesi=53
  maxlinesj=53
  maxlinesk=53
  maxlinesl=53
  maxlinesn=53
  maxlineso=53
  intro_on=''
  intro_off=''
  header_on=''
  header_mid=''
  header_off=''
  footer_on=''
  footer_off=''
  *
  eop=''
ENDIF
*
RETURN
*: EOF: PRINTSET.PRG
^Z
```

```

*:*****
*:
*:      Program: SETPARMS.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      16:31
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: PAR_E.PRG
*:             : PAR_F.PRG
*:             : PAR_G.PRG
*:             : PAR_H.PRG
*:             : PAR_I.PRG
*:             : PAR_K.PRG
*:             : PAR_L.PRG
*:             : REPM_INT.PRG
*:             : PAR_O.PRG
*:             : NTFST.PRG
*:             : CERTIFY      (procedure in PROCS.PRG)
*:
*:      Documented 04/27/89 at 10:38      SNAP! version 3.12e
*:*****
*
* Program sets parameters for all batched reports
*
*

```

```

PRIVATE nn,temp,tchr,flag
nn = 0
reportch = 'A'

```

```

DO WHILE nn < 17
  tchr = CHR(ASC('A')+nn)
  option = 1
  IF tchr$reportst .OR. tchr = "Q"
    flag = 0
    DO CASE
    CASE tchr = "E"
      DO par_e
      CLEAR
      @ 10,10 SAY "Report E -- PSSR/Schedule/Submittal Comparison 1"
      @ 11,10 SAY "will be run with:"
      @ 13,20 SAY "FLOAT = "+RTRIM(LTRIM(STR(refloat)))+ " working days."
      flag = 1
    CASE tchr = "F"
      DO par_f
      CLEAR

```

```

@ 10,10 SAY "Report F -- PSSR/Schedule/Submittal Comparison 2"
@ 11,10 SAY "will be run with:"
@ 13,20 SAY "% FLOAT = "+LTRIM(RTRIM(STR(rfpercent)))
flag = 1
CASE tchr = "G"
DO par_g
CLEAR
@ 10,10 SAY "Report G -- Resource Loading Analysis - Manpower Variance"
@ 11,10 SAY "will be run with:"
@ 13,20 SAY "Men/Day      = "+LTRIM(RTRIM(STR(rgmn)))
@ 14,20 SAY "STD.DEV.     = "+LTRIM(RTRIM(STR(rgsd)))+ " for the threshold"
@ 15,20 SAY "Grouping Code = "+LTRIM(RTRIM(rgcode))
@ 17,30 SAY "1 = STND 2 = RESP 3 = WAD      4 = SORT"
@ 18,30 SAY "5 = SUB  6 = AREA 7 = SUB-AREA 8 = TYPE"
flag = 1
CASE tchr = "H"
DO par_h
CLEAR
@ 10,10 SAY "Report H -- Resource Loading Analysis - Funding Variance"
@ 11,10 SAY "will be run with:"
@ 13,20 SAY "$/Day       = "+LTRIM(RTRIM(STR(rhdl)))+ "."
@ 14,20 SAY "STD.DEV.     = "+LTRIM(RTRIM(STR(rhsd)))+ " for the threshold"
@ 15,20 SAY "Grouping Code = "+LTRIM(RTRIM(rhcode))
@ 17,30 SAY "1 = STND 2 = RESP 3 = WAD      4 = SORT"
@ 18,30 SAY "5 = SUB  6 = AREA 7 = SUB-AREA 8 = TYPE"
flag = 1
CASE tchr = "I"
DO par_i
CLEAR
@ 10,10 SAY "Report I -- Resource Loading Analysis - Time Variance"
@ 11,10 SAY "will be run with:"
@ 13,20 SAY "Days/activity = "+LTRIM(RTRIM(STR(ridy)))+ "."
@ 14,20 SAY "STD.DEV.     = "+LTRIM(RTRIM(STR(risd)))+ " for the threshold"
@ 15,20 SAY "Grouping Code = "+LTRIM(RTRIM(ricode))
@ 17,30 SAY "1 = STND 2 = RESP 3 = WAD      4 = SORT"
@ 18,30 SAY "5 = SUB  6 = AREA 7 = SUB-AREA 8 = TYPE"
flag = 1
CASE tchr = "K"
DO par_k
CLEAR
@ 10,10 SAY "Report K -- Activities to Crash"
@ 11,10 SAY "will be run with:"
@ 13,20 SAY "Man Power Loading = "+LTRIM(RTRIM(STR(mpl)))+ "."
@ 14,20 SAY "Duration         = "+LTRIM(RTRIM(STR(durat)))
@ 15,20 SAY "Relational Duration = "+LTRIM(RTRIM(STR(reldur)))+ "%"
flag = 1
CASE tchr = "L"
DO par_l
CLEAR
@ 10,10 SAY "Report L -- Delays in Design"
@ 11,10 SAY "will be run with:"
@ 13,20 SAY "Previous schedule = "+LTRIM(TRIM(filsch11))

```

```

@ 14,20 SAY "Current schedule = "+LTRIM(TRIM(filsch21))
@ 15,20 SAY "STND Code = "+LTRIM(RTRIM(stnd))
@ 16,20 SAY "Float = "+LTRIM(RTRIM(STR(ufloat)))
@ 17,20 SAY "% Difference Limit = "+LTRIM(RTRIM(STR(upercent*100)))+%"
flag = 1
CASE tchr = "M"
DO repm_int
CLEAR
IF option = 0
RETURN
ENDIF
@ 10,10 SAY "Report M -- Contractor Grading"
@ 11,10 SAY "will be run with:"
@ 13,20 SAY "Data Date = "+DTC(datadate)
@ 15,20 SAY "Grading scales as entered or accepted"
IF mch = 'S'
@ 17,20 SAY "Summary reports will be run."
ELSE
IF mch = 'D'
@ 17,20 SAY "Detail reports will be run."
ELSE
@ 17,20 SAY "Summary and Detail reports will be run."
ENDIF
ENDIF
flag = 1
CASE tchr = "O"
DO par_o
CLEAR
@ 10,10 SAY "Report O -- Slippage"
@ 11,10 SAY "will be run with:"
@ 13,20 SAY "Schedule 1 (most recent) = "+TRIM(filshed1)
@ 14,20 SAY "Schedule 2 = "+TRIM(filshed2)
@ 15,20 SAY "Schedule 3 = "+TRIM(filshed3)
@ 16,20 SAY "Schedule 4 = "+TRIM(filshed4)
@ 17,20 SAY "Schedule 5 (oldest) = "+TRIM(filshed5)
flag = 1
CASE tchr = "Q"
IF 'R'$reportst.OR.'S'$reportst.OR.'T'$reportst.OR.'U'$reportst.OR.;
'V'$reportst.OR.'W'$reportst.OR.'X'$reportst
DO ntfst
CLEAR
@ 10,10 SAY "Report R through X"
@ 11,10 SAY "will be run with:"
@ 13,20 SAY "Recent Schedule = "+TRIM(ntfsched1)
@ 14,20 SAY "Recent Logic = "+TRIM(ntflogic1)
@ 15,20 SAY "Previous Schedule = "+TRIM(ntfsched2)
@ 16,20 SAY "Previous Logic = "+TRIM(ntflogic2)
IF option = 0
RETURN
ENDIF
ENDIF
flag = 1

```

```
ENDCASE
  IF flag = 1
    DO certify
    flag = 0
  ENDIF
ENDIF
IF option = 0
  RETURN
ELSE
  IF option < 8
    nn = nn + 1
    option = 1
  ENDIF
ENDIF
ENDDO
*: EOF: SETPARMS.PRG
^Z
```

```

*:*****
*:
*:      Program: KEYPRESS.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 03/28/89      22:10
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: QUIT.PRG
*:
*:      Documented 04/27/89 at 10:38      SNAP! version 3.12e
*:*****
* KEYPRESS.PRG - What to do id user presses a key during batch operation
dummy=INKEY()  && Clear out keypress
zz=.n.
*SET COLO TO GR+/R,GR+/R*
@24,60 SAY 'Abort (y/N)?' GET zz PICTURE 'Y'
*SET COLO TO
READ
IF zz
    DO QUIT
ENDIF
@24,60
RETURN
*: EOF: KEYPRESS.PRG
^Z

```

```

*:*****
*:
*:      Program: INTRO.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      17:44
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: ?SPACE()      (function in ?)
*:              : .NOT.EOF()      (function in ?)
*:              : .AND..NOT.EOF() (function in ?)
*:
*:      Documented 04/27/89 at 10:39      SNAP! version 3.12e
*:*****
** INTRO.PRG - Get user's choice of output device; print intro to each Report
JET COLOR TO &outputcol
@24,0
CLEAR
* Do Intro for each Report
IF TRIM(reportch) > TRIM('Q')
    RETURN
ENDIF
?&intro_on
?
?SPACE(17)+'PROJECT MANAGEMENT TOOLS: REPORT '+reportch
?
?
DO CASE
CASE reportch='A'
    SET COLOR TO &extracol
    @24,4 SAY 'REPORT A: PSSR/Schedule Matching'
    SET COLOR TO &outputcol
    ?SPACE(23)+'PSSR/SCHEDULE MATCHING'
    ?
    ?&intro_off
    ?[      ALGORITHM: Report A prints data for each Schedule Activity which matches one or more
PSSR (Procurement)
    ?[      File) Activity ID numbers. (Note that duplicate Activity ID numbers in the PSSR files
are repeated if]
    ?[      they match more than 1 Schedule Activity ID number, using a match of the first 9
characters.))
    ?
    ?[      USER-MODIFIABLE ITEMS: Initial PSSR and Schedule filenames.]
    ?
    ?[      OUTPUT: Output from Report A follows the same format as that from Reports C, D, E and
F. The following]
    ?[      items are listed from each matching Schedule Activity, in this order: Schedule Activity
ID number, Title;
    ?[      (in text), Early Start date, Early Finish date, Late Start date, Late Finish date, Float

```

(in days), Original]

?[ Duration of Activity (in days), Remaining Duration of Activity (in days, and at the time the Schedule was]

?[ last calculated in Primavera), and Percent Completed of Activity.]

?

?[ For all PSSR Activities matching each Schedule Activity, the following items are listed in this order:]

?[ PSSR Activity ID number, Description (text), Vendor Name (text), Arrive on Site date, Required date, the]

?[ difference in days between the Schedule Early Start date and the PSSR Arrive on Site date, and an arrow for]

?[ each group of matching PSSR Activities indicating which of them shows the largest difference between the]

?[ Schedule Early Start date and the PSSR Arrive on Site date.]

?

?[ At the end of Report A, the number of Schedule Activities and the number of PSSR Activities which met]

?[ the search criteria is listed.]

CASE reportch='B'

SET COLOR TO &extracol

@24,4 SAY "REPORT B: PSSR/Schedule 'PR' Code Matching"

SET COLOR TO &outputcol

?SPACE(19)+[PSSR/SCHEDULE 'PR' CODE MATCHING]

?

?&intro\_off

?[ ALGORITHM: Report B prints data for each Schedule Activity which is a 'Procurement' Activity (and thus]

?[ has a 'PR' or a 'PR-' embedded in its Activity Number), AND lacks any matching Activities in the the PSSR]

?[ (Procurement) File. Therefore, Report B only lists Activity data from the Schedule files.]

?

?[ USER-MODIFIABLE ITEMS: Initial PSSR and Schedule filenames.]

?

?[ OUTPUT: Output from Report B includes the following items listed from each Schedule Activity meeting the]

?[ above criteria, in this order: Schedule Activity ID number, Title (in text), Early Start date, Early Finish]

?[ date, Late Start date, Late Finish date, Float (in days), Original Duration of Activity (in days), Remaining]

?[ Duration of Activity (in days, and at the time the Schedule was last calculated in Primavera), and Percent]

?[ Completed of Activity.]

?

?[ At the end of Report B, the number of Schedule Activities which met the search criteria is listed.]

CASE reportch='C'

SET COLOR TO &extracol

@24,4 SAY 'REPORT C: PSSR/Schedule; Date Comparison 1'

SET COLOR TO &outputcol

```

?SPACE(19)+'PSSR/SCHEDULE; DATE COMPARISON 1'
?
?&intro_off
?{      ALGORITHM:   Report C prints data for each Schedule Activity which matches one or more
PSSR}
?{      (Procurement File) Activity ID numbers, AND for which the latest PSSR Arrive at Site
date is later than the}
?{      matching Schedule Early Start date, AND for which the matching Schedule Activity has
a Float of less than 10}
?{      working days. (Note that duplicate Activity ID numbers in the PSSR files are repeated
if they match more}
?{      than 1 Schedule Activity ID number, using a match of the first 9 characters.]}
?
?{      USER-MODIFIABLE ITEMS:   Initial PSSR and Schedule filenames.}
?
?{      OUTPUT:   Output from Report C follows the same format as that from Reports A, D, E and
F. The following}
?{      items are listed from each matching Schedule Activity, in this order: Schedule Activity
ID number, Title}
?{      (in text), Early Start date, Early Finish date, Late Start date, Late Finish date, Float
(in days), Original}
?{      Duration, of Activity (in days), Remaining Duration of Activity (in days, and at the
time the Schedule was}
?{      last calculated in Primavera), and Percent Completed of Activity.]}
?
?{      For all PSSR Activities matching each Schedule Activity, the following items are listed
in this order:}
?{      PSSR Activity ID number, Description (text), Vendor Name (text), Arrive on Site date,
Required date, the}
?{      difference in days between the Schedule Early Start date and the PSSR Arrive on Site
date, and an arrow for}
?{      each group of matching PSSR Activities indicating which of them shows the largest
difference between the}
?{      Schedule Early Start date and the PSSR Arrive on Site date.]}
?
?{      At the end of Report C, the number of Schedule Activities and the number of PSSR
Activities which met}
?{      the search criteria is listed.}

```

CASE reportch='D'

```

SET COLOR TO &extracol
@24,4 SAY 'REPORT D: PSSR/Schedule; Date Comparison 2'
SET COLOR TO &outputcol
?SPACE(19)+'PSSR/SCHEDULE; DATE COMPARISON 2'
?
?&intro_off
?{      ALGORITHM:   Report D prints data for each Schedule Activity which matches one or more
PSSR (Procurement}
?{      File) Activity ID numbers, AND for which the latest PSSR Arrive at Site date is later
than the matching}
?{      Schedule Early Start date by a number of days greater than 20% of the Float for that
Activity, AND for}

```

?[ which the matching Schedule Activity had a Float of greater than 10 working days. (Note that duplicate)]

?[ Activity ID numbers in the PSSR files are repeated if they match more than 1 Schedule Activity ID number,]

?[ using a match of the first 9 characters.))]

?

?[ USER-MODIFIABLE ITEMS: Initial PSSR and Schedule filenames.]

?

?[ OUTPUT: Output from Report D follows the same format as that from Reports A, C, E and F. The following]

?[ items are listed from each matching Schedule Activity, in this order: Schedule Activity ID number, Title]

?[ (in text), Early Start date, Early Finish date, Late Start date, Late Finish date, Float (in days), Original]

?[ Duration of Activity (in days), Remaining Duration of Activity (in days, and at the time the Schedule was]

?[ last calculated in Primevera), and Percent Completed of Activity.]

?

?[ For all PSSR Activities matching each Schedule Activity, the following items are listed in this order:]

?[ PSSR Activity ID number, Description (text), Vendor Name (text), Arrive on Site date, Required date, the]

?[ difference in days between the Schedule Early Start date and the PSSR Arrive on Site date, and an arrow for]

?[ each group of matching PSSR Activities indicating which of them shows the largest difference between the]

?[ Schedule Early Start date and the PSSR Arrive on Site date.]

?

?[ At the end of Report D, the number of Schedule Activities and the number of PSSR Activities which met]

?[ the search criteria is listed.]

CASE reportch='E'

SET COLOR TO &extracol

@24,4 SAY 'REPORT E: PSSR/Schedule/Submittal Comparison 1'

SET COLOR TO &outputcol

?SPACE(17)+'PSS /SCHEDULE/SUBMITTAL COMPARISON 1'

?

?&intro\_off

?[ ALGORITHM: Report E compares date consistency among Activities having matching information in the Schedule,]

?[ PSSR, and Submittal Register files. Data is printed for each Schedule Activity which matches one or more PSSR]

?[ (Procurement) File Activities AND contains matching information in the Submittal file, AND for which the PSSR]

?[ 'Submittal to CE' and 'CE Submittal Approval' dates do not match, AND for which the Schedule Activity has less]

?[ than (by default) 10 days of Float. (Note that duplicate Activity ID numbers in the PSSR files are repeated)

?[ if they match more than 1 Schedule Activity ID number, using a match of the first 9 characters.))]

?

?[ USER-MODIFIABLE ITEMS: Initial PSSR, Schedule and Submittal filenames. Also, the user can change the value]

?[ of the float (10 days by default).]

?' FOR THIS RUN, THESE VALUES ARE: Float = '+LTRIM(STR(refloat))+' days'

?

?[ OUTPUT: Output from Report E follows the same format as that from Reports A, C, D and F. The following items]

?[ are listed from each matching Schedule Activity, in this order: Schedule Activity ID number, Title (in text),]

?[ Early Start date, Early Finish date, Late Start date, Late Finish date, Float (in days), Original Duration]

?[ of activity (in days), Remaining Duration of Activity (in days, and at the time the Schedule was last]

?[ calculated in Primavera), and Percent Completed of Activity.].

?

?[ For all PSSR Activities matching each Schedule Activity, the following items are listed in this order:]

?[ PSSR Activity ID number, Description (text), Vendor Name (text), Arrive on Site date, Required date, the]

?[ difference in days between the Schedule Early Start date and the PSSR Arrive on Site date, and an arrow for]

?[ each group of matching PSSR Activities indicating which of them shows the largest difference between the]

?[ Schedule Early Start date and the PSSR Arrive on Site date.]

?

?[ At the end of Report E, the number of Schedule Activities and the number of PSSR Activities which met]

?[ the search criteria is listed.]

CASE reportch='F'

SET COLOR TO &extraccl

@24,4 SAY 'REPORT F: PSSR/Schedule/Submittal Comparison 2'

SET COLOR TO &outputcol

?SPACE(17)+'PSSR/SCHEDULE/SUBMITTAL COMPARISON 2'

?

?&intro\_off

?[ ALGORITHM: Report F compares date consistency among Activities having matching information in the Schedule,]

?[ PSSR, and Submittal Register files. Data is printed for each Schedule Activity which matches one or more PSSR]

?[ (Procurement) File Activities AND contains matching information in the Submittal file, AND for which the PSSR]

?[ 'Submittal to CE' and 'CE Submittal Approval' dates do not match, AND for which the difference between the PSSR]

?[ dates and the Schedule dates is greater than (by default) 20% of the Float. (Note that duplicate Activity ID]

?[ numbers in the PSSR files are repeated if they match more than 1 Schedule Activity ID number, using a match of]

?[ the first 9 characters.))

?

?[ USER-MODIFIABLE ITEMS: Initial PSSR, Schedule and Submittal filenames. Also, the user can change the percentage]

```

?{      difference (20% by default), as defined above.]
?'      FOR THIS RUN, THESE VALUES ARE:  Percentage = '+LTRIM(STR(rpercent))+ ' %'
?
?{      OUTPUT:  Output from Report F follows the same format as that from Reports A, C, D and
E.  The following items]
?{      are listed from each matching Schedule Activity, in this order:  Schedule Activity ID
number, Title (in text),]
?{      Early Start date, Early Finish date, Late Start date, Late Finish date, Float (in days),
Original Duration]
?{      of Activity (in days), Remaining Duration of Activity (in days, and at the time the
Schedule was last]
?{      calculated in Primavera), and Percent Completed of Activity.]
?
?{      For all PSSR Activities matching each Schedule Activity, the following items are listed
in this order:]
?{      PSSR Activity ID number, Description (text), Vendor Name (text), Arrive on Site date,
Required date, the]
?{      difference in days between the Schedule Early Start date and the PSSR Arrive on Site
date, and an arrow for]
?{      each group of matching PSSR Activities indicating which of them shows the largest
difference between the]
?{      Schedule Early Start date and the PSSR Arrive on Site date.]
?
?{      At the end of Report F, the number of Schedule Activities and the number of PSSR
Activities which met]
?{      the search criteria is listed.]

```

```

CASE reportch='G'      && Resource Loading Analysis Module/Manpower Variance

```

```

SET COLOR TO &extracol
@24,4 SAY 'REPORT G: Resource Loading Analysis; Manpower Variance'
SET COLOR TO &outputcol
?SPACE(13)+'RESOURCE LOADING ANALYSIS: MANPOWER VARIANCE'
?
?&intro_off
?{      ALGORITHM:  Report G selects and prints those Activities requiring more than (by
default) 20 Men Per Day, and]
?{      calculates and prints the Number in the Group, the Mean and Standard Deviation for the
Men Per Day for groups of]
?{      Activities in the same (by default) CSI Standard Code group.  It identifies those
Activities for which the Men Per]
?{      Day is greater than (by default) 1.00 Standard Deviations above OR below the group Mean,
and lists the number of]
?{      multiples of the Men Per Day value, relative to the group Mean.  (Activities with "Pct"
= 100% are screened out.))
?
?{      USER-MODIFIABLE ITEMS:  . Initial Schedule filename.  Also, the user can change the value
of the number of]
?{      Men Per Day per Activity above which to search (20 men by default), the threshold number
of Standard Deviations]
?{      1.00 by default) above or below the group mean by which to flag particular Activities,
and the Activity Code or]
?{      Activity ID Code (the STND Code by default) used to group Activities.  All of these

```

```

user-defined items are]
? [ listed on this title page; in addition, the Activity Code or Activity ID Code and the
threshold number of]
? [ Standard Deviations are included in the header of each page.]
?' FOR THIS RUN, THESE VALUES ARE: Men per Day = '+LTRIM(STR(rqmn))+'; Standard Deviation
Multiples = '+LTRIM(STR(rgsd,10,2))+'; Code = '+code&rgcode
?
? [ OUTPUT: Output from Report G includes the following items listed from each Schedule
Activity meeting the]
? [ above criteria, in this order: Schedule Activity ID number, Title (in text), Early
Start date, Early Finish]
? [ date, Late Start date, Late Finish date, Float (in days), Original Duration of Activity
(in days), Remaining]
? [ Duration of Activity (in days, and at the time the Schedule was last calculated in
Primevera), and Percent]
? [ Completed of Activity. Also output are the number of Men Per Day required by that
Activity, and a number]
? [ indicating the relative difference from the group Mean of the Men Per Day value of that
Activity.]
?
? [ At the end of Report G, the number of matching Schedule Activities found is listed.]

CASE reportch='H' &&
SET COLOR TO &extracol
@24,4 SAY 'REPORT H: Resource Loading Analysis; Cost Variance'
SET COLOR TO &outputcol
?SPACE(15)+'RESOURCE LOADING ANALYSIS: COST VARIANCE'
?
?&intro_off
? [ ALGORITHM: Report H selects and prints those Activities requiring more than (by
default) 2,000.00 Dollars Per Day, and]
? [ calculates and prints the Number in the Group, the Mean and Standard Deviation for the
Dollars Per Day for groups of]
? [ Activities in the same (by default) CSI Standard Code group. It identifies those
Activities for which the Dollars Per]
? [ Day is greater than (by default) 1.00 Standard Deviations above OR below the group Mean,
and lists the number of]
? [ multiples of the Dollars Per Day value, relative to the group Mean. (Activities with
"Pct" = 100% are screened out.)]
?
? [ USER-MODIFIABLE ITEMS: Initial Schedule filename. Also, the user can change the value
of the number of]
? [ Dollars Per Day per Activity above which to search ($2000 by default), the threshold
number of Standard Deviations]
? [ 1.00 by default) above or below the group mean by which to flag particular Activities,
and the Activity Code or]
? [ Activity ID Code (the STND Code by default) used to group Activities. All of these
user-defined items are]
? [ listed on this title page; in addition, the Activity Code or Activity ID Code and the
threshold number of]
? [ Standard Deviations are included in the header of each page.]
?' FOR THIS RUN, THESE VALUES ARE: Dollars Per Day = '+LTRIM(STR(rhd1))+' Standard

```

```

Deviation Multiples = '+LTRIM(STR(rhsd,10,2))+'; code = '+code&rhcode
?
?[      OUTPUT:  Output from Report H includes the following items listed from each Schedule
Activity meeting the]
?[      above criteria, in this order:  Schedule Activity ID number, Title (in text), Early
Start date, Early Finish]
?[      date, Late Start date, Late Finish date, Float (in days), Original Duration of Activity
(in days), Remaining]
?[      Duration of Activity (in days, and at the time the Schedule was last calculated in
Primevera), and Percent]
?[      Completed of Activity.  Also output are the number of Dollars Per Day required by that
Activity, and a number]
?[      indicating the relative difference from the group Mean of the Dollars Per Day value of
that Activity.]
?
?[      At the end of Report H, the number of matching Schedule Activities found is listed.]

```

```

CASE reportch='I'      **
SET COLOR TO &extracol
@24,4 SAY 'REPORT I: Resource Loading Analysis; Time Variance'
SET COLOR TO &outputcol
?SPACE(14)+'RESOURCE LOADING ANALYSIS: TIME VARIANCE'
?
?&in:ro_off
?[      ALGORITHM:  Report I selects and prints those Activities requiring more than (by
default) 40 Working Days, and]
?[      calculates and prints the Number in the Group, the Mean and Standard Deviation for the
Working Days for groups of]
?[      Activities in the same (by default) CSI Standard Code group.  It identifies those
Activities for which the Working]
?[      Days is greater than (by default) 1.00 Standard Deviations above OR below the group
Mean, and lists the number of]
?[      multiples of the Working Days value, relative to the group Mean.  (Activities with "Pct"
= 100% are screened out.)]
?
?[      USER-MODIFIABLE ITEMS:  Initial Schedule filename.  Also, the user can change the value
of the number of]
?[      Working Days per Activity above which to search (40 Days by default), the threshold
number of Standard Deviations]
?[      1.00 by default) above or below the group mean by which to flag particular Activities,
and the Activity Code or]
?[      Activity ID Code (the STND Code by default) used to group Activities.  All of these
user-defined items are]
?[      listed on this title page; 'n addition, the Activity Code or Activity ID Code and the
threshold number of]
?[      Standard Deviations are included in the header of each page.]
?'      FOR THIS RUN, THESE VALUES ARE:  Working Days = '+LTRIM(STR(ridy))+ Standard
Deviation Multiples = '+LTRIM(STR(risd,10,2))+'; Code = '+code&ricode
?
?[      OUTPUT:  Output from Report I includes the following items listed from each Schedule
Activity meeting the]
?[      above criteria, in this order:  Schedule Activity ID number, Title (in text), Early

```

Start date, Early Finish]  
 ?[ date, Late Start date, Late Finish date, Float (in days), Original Duration of Activity (in days), Remaining]  
 ?[ Duration of Activity (in days, and at the time the Schedule was last calculated in Primavera), and Percent]  
 ?[ Completed of Activity. Also output are the number of Working Days required by that Activity, and a number]  
 ?[ indicating the relative difference from the group Mean of the Working Days value of that Activity.]  
 ?  
 ?[ At the end of Report I, the number of matching Schedule Activities found is listed.]

CASE reportch='J' && Logical Analysis Module'

SET COLOR TO &extracol  
 @24,4 SAY 'REPORT J: Logical Analysis'  
 SET COLOR TO &outputcol  
 ?SPACE(27)+'LOGICAL ANALYSIS'  
 ?  
 ?&intro\_off  
 ?[ ALGORITHM: Report J identifies and prints the construction and other Activities on each floor which do not follow]  
 ?[ a normal construction progression sequence in their "Early Start Dates". This sequence is defined by examining (by)  
 ?[ default) the "Sort Details" Code and "Early Start Date" for each Activity in the Schedule file. The normal progressions]  
 ?[ are explained in detail on the following page - Activities deviating from this progression are identified and printed.]  
 ?[ In addition, any drywall Activities (identified as such by their Sort Details Codes) which began before roofing]  
 ?[ Activities are started, are identified and printed.]  
 ?  
 ?[ USER-MODIFIABLE ITEMS: Initial Schedule filename.]  
 ?  
 ?' FOR THIS RUN, THIS VALUE IS: Code Used = '+rjcode+' : '+code&rjcode'  
 .  
 ?[ OUTPUT: Output from Report J includes the following items listed from each matching Schedule Activity, in]  
 ?[ this order: Schedule Activity ID number, Title (in text), Early Start date, Early Finish date, Late Start]  
 ?[ date, Late Finish date, Float (in days), Original Duration of Activity (in days), Remaining Duration of]  
 ?[ Activity (in days, and at the time the Schedule was last calculated in Primavera), Percent Completed of]  
 ?[ of Activity, and the Sort Detail Code and Definition. Also, the Sort Detail Code of the Activity on that floor]  
 ?[ which immediately prior (according to the "Early Start Date") to this Activity, is printed as an indicator of]  
 ?[ how much "out of sequence" this Activity is.]

CASE reportch='K' && Activities to Crash Module

SET COLOR TO &extracol  
 @24,4 SAY 'REPORT K: Activities to Crash'

```

SET COLOR TO &outputcol
?SPACE(24)+'ACTIVITIES TO CRASH'
?
?&intro_off
?{      ALGORITHM:   Report K prints the four most critical paths in the schedule database.
It does this by ]
?{      sorting schedule information by total float and finish date and then searching for the
four most]
?{      critical paths.   Report K also analyzes the Man Power Loading for Critical Path
Activities.}]
?{      The report lists those activities whose Man Power Loading is greater than a user
specified amount.}]
?{      Activities with durations greater than a user specified amount (default = 20) are also
listed.}]
?{      The final section of report K identifies activities with relation Durations in excess
of a user]
?{      specified percentage (default = 20%).}]
?
?{      USER-MODIFIABLE ITEMS:  Man Power Loading Value, Duration Value, and Duration Relation
Percentage. ]
?
?{      OUTPUT:   Output from Report K includes the following for each critical path. ]
?{      Schedule Activity ID number, Title, Early Start Date, Early Finish Date, Late Start
Date, Late Finish]
?{      Date, Actual Start Date, Actual Finish Date, Float, remaining Duration, percent
complete, original]
?{      duration, lag and relation.   Output for Manpower loading, remaining duration and
relation ]
?{      durations follow each critical path.}]
?

```

```

CASE reportch='L'      && Delays in Design Module
SET COLOR TO &extracol
@24,4 SAY 'REPORT L: Delays in Design'
SET COLOR TO &outputcol
?SPACE(22)+'DELAYS IN DESIGN'
?
?&intro_off
?{      ALGORITHM:   Report L requires data from two Schedule update files.  It prints data for
each Activity which]
?{      has a (by default) "DR" STND code, AND which has a Float greater than (by default) 10
days, AND which has lost]
?{      (by default) 10% of that Float from one Schedule update to the next.}]
?
?{      USER-MODIFIABLE ITEMS:  Initial Schedule update filenames.  Also, the user can change
the value of the float]
?{      (10 days by default) and the percentage difference (20% by default).}]
?'      FOR THIS RUN, THESE VALUES ARE.   Float = '+LTRIM(STR(ufloat))+ ' days;   Percentage =
'+LTRIM(STR(upercent*100))+ ' %'
?
?{      OUTPUT:   The following items are listed from each matching Schedule Activity, in this
order:  Schedule]

```

?[ Activity ID number, Title (in text), Early Start date, Early Finish date, Late Start date, Late Finish]  
?[ date, Float (in days), Original Duration of Activity (in days), Remaining Duration of Activity (in days.)  
?[ and at the time the Schedule was last calculated in Primavera), and Percent Completed of Activity.]

CASE reportch='M' ## Contractor Grading Module'

SET COLOR TO &extracol  
(24,4 SAY 'REPORT M: Contractor Grading'  
SET COLOR TO &outputcol  
?SPACE(25)+'CONTRACTOR GRADING'  
?  
?&intro\_off  
?[ ALGORITHM: Report M requires data from 1 Schedule update file, and a matching PSSR and Submittal file.]  
?[ First, it calculates a "rating" of the percentage of PSSR and of Submittal Activities which correspond to]  
?[ Schedule Activities, the percentage of PSSR and of Submittal Activities which correspond to Schedule procurement]  
?[ Activities, the number of non-procurement Activities with durations exceeding 20 days, and the number of]  
?[ correctly coded Schedule Activities (assuming that the code definitions in the "NTF" Codes Dictionary within]  
?[ Primavera are themselves correct.)]  
?  
?[ Also, it sums the number of Schedule Activities having negative float, determines the percentage of]  
?[ Activities on the four most critical paths which met their "Early Start Date", analyzes the Activities on the]  
?[ four most critical paths in terms of the time remaining and the time expended, analyzes the percentage of]  
?[ Activities which have adequate "Actual Start Dates", analyzes the percentage of Activities having a "Percent]  
?[ Complete" greater than 0 or a "Remaining Duration" with no "Actual Start Date", and analyzes the percentage of]  
?{ Activities with "Remaining Durations" greater than their "Original Durations".]  
?  
?[ Note that the user must run "Report K: Activities to Crash" before running this Report, in order to determine]  
?[ the four most critical paths in the Schedule file.]  
?  
?[ USER-MODIFIABLE ITEMS: Initial Schedule update filenames. Also, the user can change all of the grading]  
?[ "threshold" values, which are used to determine the "grade" or rating given to the contractor. The user]  
?[ must input the correct Primavera Data Date in order for one of the subitems to work, since the "Data Date"]  
?[ cannot be included in Primavera Dbase export files.) The user can choose whether to output the Detailed]  
?[ Report, the Summary Report, or both.]  
?

```

?{      OUTPUT: 1) A Summary Report, which gives the grade for each subitem in the two overall
grading items, in]
?{      English-like text, and/or 2) A Detail Report, which lists many data items concerning
the Activities matched]
?{      in the Report M algorithms and summarized in the Summary Report.]

```

CASE reportch='O' %% Activity Slippage

```

SET COLOR TO %extracol
@24,4 SAY 'REPORT O: Activity Slippage'
SET COLOR TO %outputcol
?SPACE(26)+'ACTIVITY SLIPPAGE'
?
?%intro_off
?{      ALGORITHM:  Report O accepts up to five schedule files and compares an activity's early
start date, duration,]
?{      float, and productivity (defined as actual duration/original duration).  It there is
a change from the previous]
?{      schedule file, the activity is printed.  If the productivity index exceeds 1 standard
deviation, the number of]
?{      standard deviations that the productivity rate is over, is printed.]
?
?{      USER-MODIFIABLE ITEMS:      The user inputs up to five schedule files which are checked
to make sure that they]
?{      are valid.  The user may also enter which code to sort on.  The default is STND]
?
?{      OUTPUT:  The following items are listed from each matching Schedule Activity, in this
order:  Schedule]
?{      Activity ID number, Title (in text), Early Start date, Early Finish date, Late Start
date, Late Finish]
?{      date, Float (in days), Original Duration of Activity (in days), Remaining Duration of
Activity (in days,]
?{      and at the time the Schedule was last calculated in Primavera), and Percent Completed
of Activity, the]
?{      Productivity Rate, and, if applicable, the number of standard deviations over the mean.]

```

ENDCASE

\* Now print intro filenames, no. of Activities in each file, etc.

?

?

?SPACE(9)+'THIS REPORT WAS RUN ON '+DTCO(DATE())+' AT '+TIME()

IF reportch='A'.OR.reportch='B'.OR.reportch='C'.OR.reportch='D'.OR.reportch='E'.OR.reportch='F'

SELECT B

GO TOP

N=0

DO WHILE .NOT.EOF()

X=TRIM(activ\_id)

SKIP

IF X=TRIM(activ\_id).AND..NOT.EOF()

N=N+1

ENDIF

```
ENDDO
?SPACE(9)+'YOUR INITIAL PSSR FILE(S), '+LTRIM(filpssr_pr)+' AND '+LTRIM(filpssr_sc)+' , CONTAIN
'+LTRIM(STR(RECCOUNT()))+' ACTIVITY ID NUMBER RECORDS, OF WHICH '+LTRIM(STR(N))+'ARE DUPLICATES.'
ENDIF
SELECT D
?SPACE(9)+'YOUR INITIAL PROJECT SCHEDULE FILE(S), '+LTRIM(filsched)
?SPACE(9)+'AND '+LTRIM(filsucces)+' , CONTAIN '+LTRIM(STR(RECCOUNT()))+' ACTIVITY ID NUMBER RECORDS.'
IF reportch='E'.OR.reportch='F'
  SELECT E
  ?SPACE(9)+'YOUR INITIAL SUBMITTAL FILE, '+LTRIM(filsubmi)+' , CONTAINS '+LTRIM(STR(RECCOUNT()))+'
ACTIVITY ID NUMBER RECORDS.'
ENDIF
**eop
RETURN
*: EOF: INTRO.PRG
^Z
```

```

*:*****
*:
*:      Program: REPA.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      23:53
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: HEADER1.PRG
*:
*:      Documented 04/27/89 at 10:39      SNAP! version 3.12e
*:*****
** REPA.PRG - Report A, TASK 1: PSSR/Schedule Matching
*   Mark McReynolds, 1/11/89
SELECT D   @@ schedule.dbf
GO TOP
STORE 0 TO curline,page,smatches,pmatches
area=' '   @@ AREA Code
stnd=' '   @@ STND Code
header2=.F.
SET EXACT OFF
DO WHILE .NOT. EOF()
  SELECT B
  GO TOP
  SEEK SUBSTR(d->act,1,9) @@ Substring must stay at Act,1,9 to get all matches
  IF FOUND()
    IF curline>maxlinesa
      DO header1
    ENDIF
    IF area <> SUBSTR(d->act,1,1) .AND. area <> '4'
      area=SUBSTR(d->act,1,1)
      DO header1
    ENDIF
    IF stnd <> SUBSTR(d->act,5,2)
      stnd=SUBSTR(d->act,5,2)
      ? ' ***** '+stnd+ ' : '+TRIM(stndv&stnd)+' *****'
      curline=curline+1
    ENDIF
    ? SPACE(7)+d->act+ ' +d->title+ ' +DIOC(d->es)+ ' +DIOC(d->ef)+ ' +DIOC(d->ls);
      + ' +DIOC(d->lf)+ ' +STR(d->tf,7)+ ' +STR(d->od,7)+STR(d->rd,6)+;
      STR(d->pct,6)
      smatches=smatches+1
      curline=curline+1
    IF curline>maxlinesa
      DO header1
    ENDIF
    area=SUBSTR(d->act,1,1)
    IF header2
      ? SPACE(31)+'PSSR

```

VENDOR

```

        ARRIVE
        ? SPACE(31)+'ACTIVITY ID      DESCRIPTION (from PSSR files)
          ON SITE      REQUIRED'                                     NAME
        ? SPACE(31)+'-----'
-----
        ?
        curline=curline+4
        header2=.n.
        ENDIF
        start=RECNO()
        N=1
        big=CTOD(arrivesite)
        DO WHILE SUBSTR(d->act,1,9)=SUBSTR(activ_id,1,9)
          IF CTOD(arrivesite)>big
            big=CTOD(arrivesite)
          ENDIF
          N=N+1
          SKIP
        ENDDO
        GOTO start
        DO WHILE SUBSTR(d->act,1,9)=SUBSTR(activ_id,1,9)
          ? SPACE(31)+activ_id+      '+descript+'      '+vendorname+'      '+arrivesite+;
            '+required+'
          curline=curline+1
          pmatches=pmatches+1
          IF curline>maxlinesa
            DO header1
          ENDIF
          SKIP
        ENDDO
        ?
        curline=curline+1
        ENDIF
        SELECT D
        IF EOF()
          EXIT
        ENDIF
        SKIP
        ENDDO
        ? eop
        ?
        ? &footer_on
        ? SPACE(50)+'*** END OF REPORT A ***'
        ? '      *** THERE WERE '+LTRIM(STR(umatches))+ ' SCHEDULE ACTIVITY ID NUMBERS, WHICH MATCHED
'+LTRIM(STR(pmatches))+ ' PSSR ACTIVITY ID NUMBERS, INCLUDING PSSR MULTIPLES. ***'
        ? &footer_off
        ? eop
        RETURN
        *: EOF: REPA.PRG
        ^Z

```

```

*:*****
*:
*:      Program: REPB.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      23:51
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: HEADER1.PRG
*:
*:      Documented 04/27/89 at 10:39      SNAP! version 3.12e
*:*****
** REPB.PRG - Report B, TASK 1: PSSR/Schedule 'PR' Code Matching
* Mark McReynolds, 1/11/89
SELECT D   && schedule.dbf
GO TOP
STORE 0 TO curline,page,smatches
area=' '   && AREA Code
stnd=' '   && STND Code
SET EXACT OFF
DO WHILE .NOT. EOF()
  IF SUBSTR(d->act,5,2)='PR'
    SELECT B
    GO TOP
    SEEK SUBSTR(d->act,1,9) && Sub:ring must stay at Act,1,9 to get all matches
    IF .NOT. FOUND()
      IF curline>maxlinesa
        DO header1
      ENDIF
      IF area <> SUBSTR(d->act,1,1)
        area=SUBSTR(d->act,1,1)
        DO header1
      ENDIF
      IF stnd <> SUBSTR(d->act,5,2)
        stnd=SUBSTR(d->act,5,2)
        ?' ***** '+stnd+ ' : '+TRIM(stndv&stnd)+' *****'
        curline=curline+1
      ENDIF
      ? SPACE(7)+d->act+ ' '+d->title+ ' '+DTC(d->es)+ ' '+DTC(d->ef)+ ' '+DTC(d->ls);
        + ' '+DTC(d->lf)+ ' '+STR(d->tf,7)+ ' '+STR(d->od,7)+STR(d->rd,6)+;
        STR(d->pct,6)
      ?
      curline=curline+2
      smatches=smatches+1
      IF curline>maxlinesa
        DO header1
      ENDIF
      area=SUBSTR(d->act,1,1)
    ENDIF
  ENDIF

```

```
SELECT D
ENDIF
IF EOF()
EXIT
ENDIF
SKIP
ENDDO
? eop
?
? &footer_on
? SPACE(50)+'*** END OF REPORT B ***'
? SPACE(25)+'*** THERE WERE '+LTRIM(STR(&matches))+' SCHEDULE ACTIVITY ID NUMBERS WHICH MATCHED THE
SEARCH CONDITIONS. ***'
? &footer_off
? eop
RETURN
*: EOF: REPB.PRG
^Z
```

```

*:*****
*:
*:      Program: REPC.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      23:55
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: HEADER1.PRG
*:
*:      Documented 04/27/89 at 10:39          SNAP! version 3.12e
*:*****
** REPC.PRG - Report C, TASK 1: PSSR/Schedule Date Comparison 1
* Mark McReynolds, 1/11/89
SELECT D   @@ schedule.dbf
GO TOP
STORE 0 TO curline,page,smatches,pmatches
area=' '   @@ AREA Code
stnd=' '   @@ STND Code
header2=.n.
SET EXACT OFF
DO WHILE .NOT. EOF()
  SELECT B
  GO TOP
  SEEK SUBSTR(d->act,1,9) @@ Substring must stay at Act,1,9 to get all matches
  IF FOUND()
    DO WHILE SUBSTR(d->act,1,9)=SUBSTR(activ_id,1,9)
      IF CTOD(arrivesite)>d->es.AND.d->tf<10
        IF curline>maxlinesa
          DO header1
        ENDIF
        IF area <> SUBSTR(d->act,1,1)
          area=SUBSTR(d->act,1,1)
          DO header1
        ENDIF
        IF stnd <> SUBSTR(d->act,5,2)
          stnd=SUBSTR(d->act,5,2)
          ? ' ***** '+stnd+ ' : '+TRIM(stndv&stnd)+' *****'
          curline=curline+1
        ENDIF
        ? SPACE(7)+d->act+ ' '+d->title+ ' '+DTC(d->es)+ ' '+DTC(d->ef)+ ' '+DTC(d->ls);
          + ' '+DTC(d->lf)+ ' '+STR(d->tf,7)+ ' '+STR(d->od,7)+STR(d->rd,6)+;
          STR(d->pct,6)
          smatches=smatches+1
          curline=curline+1
        IF curline>maxlinesa
          DO header1
        ENDIF
        area=SUBSTR(d->act,1,1)

```

```

IF header2
  ? SPACE(31)+'PSSR
    ARRIVE
    VENDOR
  ?? ' SCHEDULE EARLY START'
  ? SPACE(31)+'ACTIVITY ID      DESCRIPTION (from PSSR files)
    ON SITE      REQUIRED
    NAME
  ?? ' - PSSR ARRIVE ON SITE'
  ? SPACE(31)+'-----
-----
  ?? '      -----'
  ?
  curline=curline+4
  header2=.F.
ENDIF
start=RECNO()
N=1
big=CTOD(arrivesite)
DO WHILE SUBSTR(d->act,1,9)=SUBSTR(activ_id,1,9)
  IF CTOD(arrivesite)>big
    big=CTOD(arrivesite)
  ENDIF
  N=N+1
  SKIP
ENDDO
GOTO start
DO WHILE SUBSTR(d->act,1,9)=SUBSTR(activ_id,1,9)
  ? SPACE(31)+activ_id+      '+descript+'      '+vendorname+'      '+arrivesite+;
    '      '+required+'      '
  ?? CTOD(arrivesite)-d->es
  IF N>1.AND.(CTOD(arrivesite)=big)
    ??' <-'
  ENDIF
  curline=curline+1
  pmatches=pmatches+1
  IF curline>maxlinesa
    DO header1
  ENDIF
  SKIP
ENDDO
?
curline=curline+1
ENDIF
SKIP
ENDDO
ENDIF
SELECT D
IF EOF()
  EXIT
ENDIF
SKIP
ENDDO
? eop

```

```
?  
? &footer_on  
? SPACE(50)+'*** END OF REPORT C ***'  
? ' *** THERE WERE '+LTRIM(STR(smaches))  
?? ' SCHEDULE ACTIVITY ID NUMBERS, WHICH MATCHED '+LTRIM(STR(pmatches))  
?  
? ' PSSR ACTIVITY ID NUMBERS, INCLUDING PSSR MULTIPLES. ***'  
? &footer_off  
? eop  
RETURN  
*: EOF: REPC.PRG  
^Z
```

```

*:*****
*:
*:      Program: REPD.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      23:56
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: HEADER1.PRG
*:
*:      Documented 04/27/89 at 10:39      SNAP! version 3.12e
*:*****
** REPD.PRG - Report D, TASK 1: PSSR/Schedule Date Comparison 2
* Mark McReynolds, 1/11/89
SELECT D   @@ schedule.dbf
GO TOP
STORE 0 TO curline,page,smatches,pmatches
area=' '   @@ AREA Code
stnd=' '   @@ STND Code
header2=.n.
SET EXACT OFF
DO WHILE .NOT. EOF()
  SELECT B
  GO TOP
  SEEK SUBSTR(d->act,1,9)  @@ Substring must stay at act,1,9 to get all matches
  IF FOUND()
    DO WHILE SUBSTR(d->act,1,9)=SUBSTR(activ_id,1,9)
      IF CTOD(arrivesite) > (d->es+(d->tf/5)) .AND. d->tf>10
        IF curline>maxlinesa
          DO header1
        ENDIF
        IF area <> SUBSTR(d->act,1,1)
          area=SUBSTR(d->act,1,1)
          DO header1
        ENDIF
        IF stnd <> SUBSTR(d->act,5,2)
          stnd=SUBSTR(d->act,5,2)
          ? ' ***** '+stnd+ ' : '+TRIM(stndv&stnd)+' *****'
          curline=curline+1
        ENDIF
        ? SPACE(7)+d->act+ ' '+d->title+ ' '+DTC(d->es)+ ' '+DTC(d->ef)+ ' '+DTC(d->ls);
          + ' '+DTC(d->lf)+ ' '+STR(d->tf,7)+ ' '+STR(d->od,7)+STR(d->rd,6)+;
          STR(d->pct,6)
          smatches=smatches+1
          curline=curline+1
        IF curline>maxlinesa
          DO header1
        ENDIF
        area=SUBSTR(d->act,1,1)

```

```

IF header2
  ? SPACE(31)+'PSSR'
  ARRIVE
  SCHEDULE EARLY START'
  ? SPACE(31)+'ACTIVITY ID
  DESCRIPTION (from PSSR files)
  ON SITE REQUIRED - PSSR ARRIVE ON SITE'
  ? SPACE(31)+'-----'
  -----
  ?
  curline=curline+4
  header2=.F.
ENDIF
start=RECNO()
N=1
big=CTOD(arrivesite)
DO WHILE SUBSTR(d->act,1,9)=SUBSTR(activ_id,1,9)
  IF CTOD(arrivesite)>big
    big=CTOD(arrivesite)
  ENDF
  N=N+1
  SKIP
ENDDO
GOTO start
DO WHILE SUBSTR(d->act,1,9)=SUBSTR(activ_id,1,9)
  ? SPACE(31)+activ_id+ ' +descript+ ' +vendorname+ ' +arrivesite+;
  ' +required+ '
  ?? CTOD(arrivesite)-d->es
  IF N>1.AND.(CTOD(arrivesite)=big)
    ?? ' <-'
  ENDF
  curline=curline+1
  pmatches=pmatches+1
  IF curline>maxlinesa
    DO header1
  ENDF
  SKIP
ENDDO
?
curline=curline+1
ENDIF
SKIP
ENDDO
ENDIF
SELECT D
IF EOF()
  EXIT
ENDIF
SKIP
ENDDO
? eop
?
? &footer_on
? SPACE(50)+'*** END OF REPORT D ***'

```

```
? '      *** THERE WERE '+LTRIM(STR(smaches))
?? ' SCHEDULE ACTIVITY ID NUMBERS, WHICH MATCHED '+LTRIM(STR(pmatches))
?? ' PSSR ACTIVITY ID NUMBERS, INCLUDING PSSR MULTIPLES. ***'
? &footer_off
? eop
RETURN
*: EOF: REPD.PRG
^Z
```

```

*****
*:
*:      Program: REPE.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      0:00
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: HEADER1.PRG
*:
*:      Documented 04/27/89 at 10:39      SNAP! version 3.12e
*****
** REPE.PRG - Report E, TASK 1: PSSR/Schedule/Submittal Comparison 1
* Mark McReynolds, 1/11/89
* SET STAT ON
SELECT D  @@ schedule.dbf
GO TOP
STORE 0 TO curline,page,smatches,pmatches
area=' '  @@ AREA Code
stnd=' '  @@ STND Code
header2=.n.
SET EXACT OFF
DO WHILE .NOT. EOF()
  SELECT B
  GO TOP
  SEEK SUBSTR(d->act,1,9) @@ Substring must stay at Act,1,9 to get all matches
  IF FOUND()
    DO WHILE SUBSTR(activ_id,1,9)=SUBSTR(d->act,1,9)
      SELECT E
      GO TOP
      SEEK SUBSTR(d->act,9,1)
      IF FOUND()
        SELECT B
        IF CTOD(ce_submit) <> e->sch_subm .AND. CTOD(ce_subm_ap) <> e->sch_appr ;
          .AND. d->tf< refloat
          IF curline>maxlinesa
            DO header1
          ENDIF
          IF area <> SUBSTR(d->act,1,1)
            area=SUBSTR(d->act,1,1)
            DO header1
          ENDIF
          IF stnd <> SUBSTR(d->act,5,2)
            stnd=SUBSTR(d->act,5,2)
            ? ' ***** '+stnd+' : '+TRIM(stndv&stnd)+' *****'
            curline=curline+1
          ENDIF
          ? SPACE(7)+d->act+' '+d->title+' '+DTC(d->es)+' '+DTC(d->ef)+' '+DTC(d->ls);
            +' '+DTC(d->lf)+' '+STR(d->tf,7)+' '+STR(d->od,7)+STR(d->rd,6)+;

```

```

STR(d->pct,6)
smatches=smatches+1
curline=curline+1
IF curline>maxlinesa
DO header1
ENDIF
area=SUBSTR(d->act,1,1)
IF header2
? SPACE(31)+'PSSR'
ARRIVE
? SPACE(31)+'ACTIVITY ID'
ON SITE
? SPACE(31)+'-----'
-----
?
curline=curline+4
header2=.F.
ENDIF
start=RECNO()
N=1
big=CTOD(arrivesite)
DO WHILE SUBSTR(d->act,1,9)=SUBSTR(activ_id,1,9)
IF CTOD(arrivesite)>big
big=CTOD(arrivesite)
ENDIF
N=N+1
SKIP
ENDDO
GOTO start
DO WHILE SUBSTR(d->act,1,9)=SUBSTR(activ_id,1,9)
? SPACE(31)+activ_id+' '+descript+' '+vendornam+' '+arrivesite+'
'+required+' '
?? CTOD(arrivesite)-d->es
IF N>1.AND.(CTOD(arrivesite)=big)
?? ' <-'
ENDIF
curline=curline+1
pmatches=pmatches+1
IF curline>maxlinesa
DO header1
ENDIF
SKIP
IF EOF()
EXIT
ENDIF
ENDDO
?
curline=curline+1
ENDIF
SKIP && In E
IF EOF()
EXIT

```

```

        ENDIF
    ENDIF
    SELECT B
    SKIP && In B
    IF EOF()
        EXIT
    ENDIF
ENDDO
ENDIF
SELECT D
SKIP && In D
IF EOF()
    EXIT
ENDIF
ENDDO
? eop
?
? &footer_on
? SPACE(50)+'*** END OF REPORT E ***'
? '    *** THERE WERE '+LTRIM(STR(smatches))
?? ' SCHEDULE ACTIVITY ID NUMBERS, WHICH MATCHED '+LTRIM(STR(pmatches))
?? ' PSSR ACTIVITY ID NUMBERS, INCLUDING PSSR MULTIPLES. ***'
? &footer_off
? eop
RETURN
*: EOF: REPE.PRG
^Z

```

```

*:*****
*:
*:      Program: REPF.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      0:02
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: HEADER1.PRG
*:
*:      Documented 04/27/89 at 10:39      SNAP! version 3.12e
*:*****
** REPF.PRG - Report F, TASK 1: PSSR/Schedule/Submittal Comparison 2
* Mark McReynolds, 1/11/89
SET STATUS ON
SELECT D  @@ schedule.dbf
GO TOP
STORE 0 TO curline,page,smatches,pmatches
area=' '  @@ AREA Code
stnd=' '  @@ STND Code
header2=.n.
SET EXACT OFF
DO WHILE .NOT. EOF()
  SELECT B
  GO TOP
  SEEK SUBSTR(d->act,1,9) @@ Substring must stay at Act,1,9 to get all matches
  IF FOUND()
    DO WHILE SUBSTR(activ_id,1,9)=SUBSTR(d->act,1,9)
      SELECT E
      GO TOP
      SEEK SUBSTR(d->act,9,1)
      IF FOUND()
        SELECT B
        differ=ABS(CTOD(ce_submit) - d->es)
        IF (differ/d->tf) > (rpercent/100)
          IF curline>maxlinesa
            DO header1
          ENDIF
          IF area <> SUBSTR(d->act,1,1)
            area=SUBSTR(d->act,1,1)
            DO header1
          ENDIF
          IF stnd <> SUBSTR(d->act,5,2)
            stnd=SUBSTR(d->act,5,2)
            ? ' ***** '+stnd+ ' : '+TRIM(stndv&stnd)+' *****'
            curline=curline+1
          ENDIF
          ? SPACE(7)+d->act+ ' +d->title+ ' +DTC(d->es)+ ' +DTC(d->ef)+ ' +DTC(d->ls);
            + ' +DTC(d->lf)+ ' +STR(d->tf,7)+ ' +STR(d->od,7)+STR(d->rd,6)+;
    ENDWHILE
  ENDWHILE

```

```

STR(d->pct, 6)
smatches=smatches+1
curline=curline+1
IF curline>maxlinesa
  DO header1
ENDIF
area=SUBSTR(d->act,1,1)
IF header2
  ? SPACE(31)+'PSSR'
  ARRIVE
  SCHEDULE EARLY START'
  ? SPACE(31)+'ACTIVITY ID
  DESCRIPTION (from PSSR files)
  ON SITE REQUIRED - PSSR ARRIVE ON SITE'
  ? SPACE(31)+'-----'
  -----
  ?
  curline=curline+4
  header2=.n
ENDIF
'
  _1'
SUBSTR(activ_id,1,9)
IF CTOD(arrivesite)>big
  big=CTOD(arrivesite)
ENDIF
N=N+1
SKIP
ENDDO
GOTO start
DO WHILE SUBSTR(d->act,1,9)=SUBSTR(activ_id,1,9)
  ? SPACE(31)+activ_id+' '+descript+' '+vendorname+' '+arrivesite+;
  ' '+required+' '
  ?? CTOD(arrivesite)-d->es
  IF N>1 .AND. (CTOD(arrivesite)=big)
    ?? ' <-'
  ENDIF
  curline=curline+1
  pmatches=pmatches+1
  IF curline>maxlinesa
    DO header1
  ENDIF
  SKIP
  IF EOF()
    EXIT
  ENDIF
ENDDO
?
curline=curline+1
ENDIF
SKIP && In E
IF EOF()
  EXIT

```

```

        ENDIF
    ENDIF
    SELECT B
    SKIP && In B
    IF EOF()
        EXIT
    ENDIF
ENDDO
ENDIF
SELECT D
SKIP && In D
IF EOF()
    EXIT
ENDIF
ENDDO
? eop
?
? &footer_on
? SPACE(50)+'*** END OF REPORT F ***'
? '    *** THERE WERE '+LTRIM(STR(smaches))
?? ' SCHEDULE ACTIVITY ID NUMBERS, WHICH MATCHED '+LTRIM(STR(pmatches))
?? ' PSSR ACTIVITY ID NUMBERS, INCLUDING PSSR MULTIPLES. ***'
? &footer_off
? eop
RETURN
*: EOF: REPF.PRG
^Z

```

```

*:*****
*:
*:      Program: REPG.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      0:08
*:
*:      Called by: MAINX.PRG
*:
*:      Documented 04/27/89 at 10:39      SNAP! version 3.12e
*:*****
** REPG.PRG - Report G, TASK 2: Resource Loading Analysis, Manpower Variance
* Mark McReynolds, 1/11/89
SELECT D  && schedule.dbf
SET EXACT OFF
STORE 0 TO curline,page,matches
stnd='ZZ'  && stnd=SUBS(Act,5,2)  && Get the first STND Code
newpage=.y.
N=0  && No. of records to be included in S.D. calculations
men=0  && No. of men/day required for an Activity
mean=0  && Mean no. of men/day required for an Activity
mensq=0  && Men squared
sdev=0  && Standard deviation
DO WHILE .NOT. EOF()  && For D
    I F      ( m h _ d a y / 8 ) > r g m n      . A N D .
SUBSTR(act,5,2)$'01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,DR,PM,PR,SC';
    .AND. SUPSTR(act,5,2) <> ' ' .AND. pct <> 100  && If valid STND Code & not 100% Complete
IF stnd <> SUBSTR(act,5,2) .AND. stnd <> ' '  && If STND changes
    stnd=SUBSTR(act,5,2)
    start=RECNO()      && Pre-calculate S.D.
    STORE 0 TO N, mean, men, mensq
    DO WHILE SUBSTR(act,5,2)=stnd .AND. .NOT. EOF()
        IF (mh_day/8)>rgmn
            men=men+(mh_day/8)
            mensq=mensq+((mh_day/8)**2)
            N=N+1
        ENDIF
    SKIP
ENDDO
mean=men/N
IF (N > 1)
    sdev=SQRT((mensq-((men**2)/N))/(N-1))  && Calculate S.D.
ELSE
    sdev=0.0
ENDIF
GO start      && Ready to print records
newpage=.y.
ENDIF
IF newpage
? eop

```

```

curline=0
page=page+1
? &header_on
? SPACE(17)+'SCHEDULING ANALYSIS SYSTEM: REPORT G'
? &header_mid
? SPACE(3)+'ICS STANDARD CODE = '+stnd+ ' : '+stndv&stnd+SPACE(62)+'PAGE #' +STR(page,6)
? &header_off
?[ ACTIVITY          TITLE                                EARLY]
??[    EARLY        LATE        LATE        ACTUAL    ACTUAL    TOTAL]
??[    REM    PCT        MEN    GREATER]
?[ ID                                START]
??[    FINISH    START    FINISH    START    FINISH    FLOAT]
??[    DUR    COM        PER    THAN ]+LTRIM(STR(rgsd,5,2))
?[
                                                    DAY    ST. DEV.]
? [ ----- ]
-----]
?
newpage=.F.
ENDIF
DO WHILE SUBSTR(act,5,2)=stnd .AND. .NOT. EOF()
IF (mh_day/8)>rgmn .AND. pct <> 100
? ' '+act+ ' +TITLE+ ' +DIOC(es)+ ' +DIOC(ef)+ ' +DIOC(ls)+;
' '+DIOC(lf)+ ' +DIOC(as)+ ' +DIOC(af)+STR(tf,7)+;
' '+STR(rd,6)+STR(pct,6)+ ' +STR((mh_day/8),7,2)
IF (mh_day/8)>(mean+sdev*rgsd).OR.(mh_day/8)<(mean-sdev*rgsd)
?? STR((mh_day/8) * 100 / sdev,9,2)
ENDIF
matches=matches+1
curline=curline+1
ENDIF
IF curline>maxlinesa
newpage=.T.
EXIT
ENDIF
SKIP
ENDDO
IF SUBSTR(act,5,2) <> stnd
?
? SPACE(10)+'++++ For '+stnd+ ' : '+TRIM(stndv&stnd)+ ' STATISTICS';
+ ' ARE :    NUMBER IN GROUP = '+LTRIM(STR(N))+ ' MEAN = ';
+LTRIM(STR((men/N),8,2))+ ' STANDARD DEVIATION = '+LTRIM(STR(sdev,8,2))+ ' +++++'
ENDIF
LOOP
ENDIF
SKIP
ENDDO
? eop
?
?
? &footer_on
? SPACE(50)+'*** END OF REPORT G ***'

```

```
? SPACE(20)+'*** THERE WERE '+LTRIM(STR(matches))+' ACTIVITY ID NUMBERS WHICH MATCHED THESE SEARCH
CRITERIA. ***'
? &footer_off
? eop
RETURN
*: EOF: REPG.PRG
^Z
```

```

*:*****
*:
*:      Program: REPH.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      1:38
*:
*:      Called by: MAINX.PRG
*:
*:      Documented 04/27/89 at 10:39      SNAP! version 3.12e
*:*****
** REPH.PRG - Report H, TASK 2: Resource Loading Analysis, Funding Variance
* Mark McReynolds, 1/11/89
SELECT D    %% schedule.dbf
SET EXACT OFF
STORE 0 TO curline,page,matches
stnd='ZZ'  %% stnd=SUBS(Act,5,2)  %% Get the first STND Code
newpage=.y.
N=0  %% No. of records to be included in S.D. calculations
dol=0  %% No. of dollars/day required for an Activity
mean=0  %% Mean no. of dollars/day required for an Activity
dolsq=0  %% Dollars squared
sdev=0  %% Standard deviation
DO WHILE .NOT. EOF()  %% For D
    I F      d o l _ d a y > r h d l      . A N D .
SUBSTR(act,5,2)$'01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,DR,PM,PR,SC';
    .AND. SUBSTR(act,5,2) <> ' ' .AND. pct <> 100  %% If valid STND Code & not 100% Complete
IF stnd <> SUBSTR(act,5,2) .AND. stnd <> ' '  %% If STND changes
    stnd=SUBSTR(act,5,2)
    start=RECNO()      %% Pre-calculate S.D.
    STORE 0 TO N, mean, dol, dolsq
    DO WHILE SUBSTR(act,5,2)=stnd .AND. .NOT. EOF()
        IF dol_day>rhdl
            dol=dol+dol_day
            dolsq=dolsq+(dol_day**2)
            N=N+1
        ENDIF
    SKIP
ENDDO
mean=dol/N
IF (N > 1)
    sdev=SQRT((dolsq-((dol**2)/N))/(N-1))  %% Calculate S.D.
ELSE
    sdev=0.0
ENDIF
GO start      %% Ready to print records
newpage=.y.
ENDIF
IF newpage
    ? eop

```

```

curline=0
page=page+1
? &header_on
? SPACE(17)+' SCHEDULING ANALYSIS SYSTEM: REPORT H'
? &header_mid
? SPACE(3)+' ICS STANDARD CODE = '+stnd+ ' : '+stndv&stnd+SPACE(62)+' PAGE #' +STR(page,6)
? &header_off
?[ ACTIVITY          TITLE                                EARLY    EARLY
LATE      LATE      ACTUAL    ACTUAL    TOTAL    REM    PCT      $      GREATER]
?[ ID
START      FINISH      START      FINISH      FLOAT    DUR      COM      PER      FINISH
]+LTRIM(STR(rhsd,5,2))
?[ NUMBER          DATE          DATE
DATE      DATE      DATE      DATE          DAY      ST. DEV.]
?[ -----
-----]
?
newpage=.F.
ENDIF
DO WHILE SUBSTR(act,5,2)=stnd .AND. .NOT. EOF()
IF dol_day > rhd1 .AND. pct <> 100
? ' '+act+ ' +TITLE+ ' +DTC( es)+ ' +DTC( ef)+ ' +DTC( ls)+;
' '+DTC( lf)+ ' +DTC( as)+ ' +DTC( af)+STR( tf, 7)+;
' '+STR( rd, 6)+STR( pct, 6)+ ' +STR( dol_day, 9, 2)
IF dol_day > (mean+sdev*rhsd) .OR. dol_day < (mean-sdev*rhsd)
?? STR( (dol_day-mean)/sdev, 9, 2)
ENDIF
matches=matches+1
curline=curline+1
ENDIF
IF curline > maxlinesa
newpage=.T.
EXIT
ENDIF
SKIP
ENDDO
IF SUBSTR(act,5,2) <> stnd
?
? SPACE(10)+'++++ For '+stnd+ ' : '+TRIM(stndv&stnd)+ ' STATISTICS';
+ ' ARE :    NUMBER IN GROUP = '+LTRIM(STR(N))+ ' MEAN = $';
+LTRIM(STR((dol/N),8,2))+ ' STANDARD DEVIATION = '+LTRIM(STR(sdev,8,2))+ '++++'
ENDIF
LOOP
ENDIF
SKIP
ENDDO
? eop
?
?
? &footer_on
? SPACE(50)+'*** END OF REPORT H ***'
? SPACE(20)+'*** THERE WERE '+LTRIM(STR(matches))+ ' ACTIVITY ID NUMBERS WHICH MATCHED THESE SEARCH

```

```
CRITERIA. ***'  
? &footer_off  
? eop  
RETURN  
*: EOF: REPH.PRG  
^Z
```

```

*****
*:
*:      Program: REPI.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      1:39
*:
*:      Called by: MAINX.PRG
*:
*:      Documented 04/27/89 at 10:39      SNAP! version 3.12e
*****
** REPI.PRG - Report I, TASK 2: Resource Loading Analysis, Time Variance
* Mark McReynolds, 1/11/89
SELECT D    %% schedule.dbf
SET EXACT OFF
STORE 0 TO curline,page,matches
stnd='ZZ'  %% stnd=SUBS(Act,5,2)    %% Get the first STND Code
newpage=.T.
N=0    %% No. of records to be included in S.D. calculations
DAY=0  %% No. of days required for an Activity
mean=0  %% Mean no. of days required for an Activity
daysq=0  %% Days squared
sdev=0  %% Standard deviation
DO WHILE .NOT. EOF()  %% For D
  IF (od)>ridy .AND. SUBSTR(act,5,2)$'01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,DR,PM,PR,SC';
    .AND. SUBSTR(act,5,2) <> ' ' .AND. pct <> 100  %% If valid STND Code & not 100% Complete
  IF stnd <> SUBSTR(act,5,2) .AND. stnd <> ' '  %% If STND changes
    stnd=SU  IR(act,5,2)
    start=RKCNO()      %% Pre-calculate S.D.
    STORE 0 TO N, mean, DAY, daysq
    DO WHILE SUBSTR(act,5,2)=stnd .AND. .NOT. EOF()
      IF od > ridy .AND. pct <> 100
        DAY=DAY+od
        daysq=daysq+(od**2)
        N=N+1
      ENDIF
      SKIP
    ENDDO
    mean=DAY/N
    IF (N > 1)
      sdev=SQRT((daysq-((DAY**2)/N))/(N-1))  %% Calculate S.D.
    ELSE
      sdev=0.0
    ENDIF
    GO start      %% Ready to print records
    newpage= y
  ENDIF
IF newpage
  ? eop
  curline=0

```

```

page=page+1
? &header_on
? SPACE(17)+' SCHEDULING ANALYSIS SYSTEM: REPORT I'
? &header_mid
? ' ICS STANDARD CODE = '+stnd+ ' : '+stndv&stnd+SPACE(62)+'PAGE #' +STR(page,6)
? &header_off
?[ ACTIVITY TITLE ]
??[EARLY EARLY LATE LATE ACTUAL ACTUAL ]
??[TOTAL REM PCT DAYS GREATER]
?[ ID ]
??[START FINISH START FINISH START FINISH ]
??[FLOAT DUR COM PER THAN ]+LTRIM(STR(riid,5,2))
?[ NUMBER DATE DATE ]
DATE DATE DATE DATE ACT. ST. DEV.]
?[ ----- ]
-----]
?
newpage=.F.
ENDIF
DO WHILE SUBSTR(act,5,2)=stnd .AND. .NOT. EOF()
IF od > ridy .AND. pct <> 100
? ' '+act+ ' +TITLE+ ' +DIOC(es)+ ' +DIOC(ef)+ ' +DIOC(ls)+;
' +DIOC(lf)+ ' +DIOC(as)+ ' +DIOC(af)+STR(tf,7)+;
' +STR(rd,6)+STR(pct,6)+ ' +STR(od,6)
IF od>(mean+sdev*riid).OR.od<(mean-sdev*riid)
?? STR((od-mean)/sdev,9,2)
ENDIF
matches=matches+1
curline=curline+1
ENDIF
IF curline>maxlinesa
newpage=.T.
EXIT
ENDIF
SKIP
ENDDO
IF SUBSTR(act,5,2) <> stnd
?
? SPACE(10)+'++++ For '+stnd+ ' : '+TRIM(stndv&stnd)+' STATISTICS';
+ ' ARE : NUMBER IN GROUP = '+LTRIM(STR(N))+' MEAN = ';
+LTRIM(STR((DAY/N),8,2))+' STANDARD DEVIATION = '+LTRIM(STR(sdev,8,2))+' +++++'
ENDIF
LOOP
ENDIF
SKIP
ENDDO
? eop
?
?
? &footer_on
? SPACE(50)+'*** END OF REPORT I ***'
? SPACE(20)+'*** THERE WERE '+LTRIM(STR(matches))+' ACTIVITY ID NUMBERS WHICH MATCHED THESE SEARCH

```

CRITERIA. \*\*\*'  
? \$footer\_off  
? sup  
RETURN  
\*: EOF: REPI.PRG  
^Z

\*:\*\*\*\*\*

\*:

\*: Program: REPJ.PRG

\*:

\*: System: PROJECT MANAGEMENT TOOLS

\*: Author: ASC/RCE and USA-CERL

\*: Copyright (c) 1989, USA-CERL/ASC/RCE

\*: Last modified: 04/27/89 6:20

\*:

\*: Called by: MAINX.PRG

\*:

\*: Calls: HEADER3.PRG

\*: : HEADER4.PRG

\*:

\*: Indexes: SCHD\_SEQ.NDX

\*: : SCHD\_SRT.NDX

\*:

\*: Documented 04/27/89 at 10:39 SNAP! version 3.12e

\*:\*\*\*\*\*

\*\* REPJ.PRG - TASK 2, Report J: Logical Analysis Module (checks sequence of  
\* construction processes) Mark McReynolds 2/22/89

page=0

SELECT D && schedule.dbf

GO TOP

SET DATE ANSI

IF rjcode='1' && STND Code - No need to REPLace Esa Code

INDEX ON SUBSTR(act,2,1)+SUBSTR(act,5,2)+DTC(esa) TO schd\_seq

ENDIF

IF rjcode='2' .OR. rjcode='3' .OR. rjcode='4' && SORT Code - Need to REPLace Esa Code

\* For now, use SORT Code for all these choices

sortstring='CE,SS,CC,CF,PR,CW,PB,PD,PF,PG,PI,PS,PW,AD,FA,EF,EW,EE,MT,FF,FP'

DO WHILE .NOT. EOF()

DO CASE

CASE SORT='CE'

REPL esa WITH 'A'

CASE SORT='SS'

REPL esa WITH 'B'

CASE SORT='CC'

REPL esa WITH 'C'

CASE SORT='CF'

REPL esa WITH 'D'

CASE SORT='PR'

REPL esa WITH 'E'

CASE SORT='PW'

REPL esa WITH 'F'

CASE SORT='CW'

REPL esa WITH 'G'

CASE SORT='PB'

REPL esa WITH 'H'

CASE SORT='PD'

REPL esa WITH 'I'

CASE SORT='PF'

```

    REPL esa WITH 'J'
CASE SORT='PG'
    REPL esa WITH 'K'
CASE SORT='PI'
    REPL esa WITH 'L'
CASE SORT='PS'
    REPL esa WITH 'M'
CASE SORT='PW'
    REPL esa WITH 'N'
CASE SORT='AD'
    REPL esa WITH 'O'
CASE SORT='FA'
    REPL esa WITH 'P'
CASE SORT='EF'
    REPL esa WITH 'Q'
CASE SORT='EW'
    REPL esa WITH 'R'
CASE SORT='EE'
    REPL esa WITH 'S'
CASE SORT='MT'
    REPL esa WITH 'T'
CASE SORT='FF'
    REPL esa WITH 'U'
CASE SORT='FP'
    REPL esa WITH 'V'
OTHERWISE
    REPL esa WITH ' '
ENDCASE
SKIP
ENDDO
INDEX ON SUBSTR(act,2,1)+DTC(es)+esa TO schd_seq
GO TOP
SET DATE AMERICAN
ENDIF
? eop
page=page+1
?? &intro_on
? SPACE(17)+'PROJECT MANAGEMENT TOOLS: REPORT '+reportch
?? &intro_off
?
?
?
?{
    The SORT Codes choice assumes the following sequence of construction Activity
progress:}
?{
    START --> CE : Earthwork; SS : Structural Steel; CC : Concrete; CF :
Concrete Floors; RV : Rough-In;}
?{
    WV : Dampproofing; PB : Piping; PD : Subdrains; PG : Gas Piping; PI :
Pipe Insulation; PS : Sewer]
?{
    Piping; PW : Water Piping; AD : Drywall; FA : Finish Architectural; EF
: Electrical Fixtures;}
?{
    EW : Wire & Terminals; EE : Electrical Equipment; MT : Mechanical
Equipment; FF : Carpet & Linoleum;}

```

```

?[          PV : Paint & Wallpaper --> FINISH]
?
?
?[          The STND Codes choice assumes the following sequence of construction Activity
progress:]
?[          START --> PR : Procurement; SC : Subcontract Award; DR : Drawings; PM
: Prep Meetings;]
?[          02 : Site Work; 01 : General; 03 : Concrete; 05 : Metal; 04 : Masonry;
06 : Wood and Plastics;]
?[          07 : Moisture-Thermal Control; 08 : Doors, Windows and Glass; 09 : Finishes;
10 : Specialties;]
?[          12 : Furnishings; 13 : Special Construction; 14 : Conveying Systems; 15
: Mechanical;]
?[          16 : Electrical --> FINISH]

```

```

area=SUBSTR(act,1,1)  && First, find the first "AREA" code in the Schedule

```

```

IF area= ' '
  ? header_on
  ? '      THERE ARE NO ACTIVITIES FOUND IN SCHEDULE FILE '+%filsched
  ? header_off
ENDIF
STORE 0 TO curline, page, matches
SET EXACT OFF

```

```

?eop
F='U'      && Current floor of building
DO WHILE .NOT. EOF() .AND. VAL(F) < 5
  F=LTRIM(F)
  SEEK F  && Find each successive floor
  IF FOUND()
    DO header3
    start%F=RECNO()
    LAST=' '
    DO WHILE SUBSTR(act,2,1)=F
      IF esa <> ' '
        LAST=esa
        lastsort=SORT
      ENDIF
      SKIP
      IF esa <> ' ' .AND. LAST > esa
        y='sr'+RTRIM(SORT)
        z='sr'+RTRIM(SUBSTR(lastsort,1,2))
        IF TYPE(z) = 'U'
          zz = "*** Bad Code ***"
          z = "zz"
        ENDIF
        ? '      '+act+ '      '+TITLE+ '      '+DIOC(es)+ '      '+DIOC(ef);
          + '      '+DIOC(la)+ '      '+DIOC(lf)+ '      '+STR(tf,7)+STR(od,7)+STR(rd,7);
          +STR(pct,6)+ '      '+RTRIM(SORT)+ '      ': '+%y  && +STR((d_&xx-esa),7)
        ? SPACE(12)+'Out-of-sequence because it has an "Early Start Date" later than that';
          + ' of an Activity on this floor with SORT code '+RTRIM(lastsort)+ '      ': '+%z
        matches=matches+1
      ENDIF
    ENDWHILE
  ENDIF

```

```

        curline=curline+2
    ENDIF
    IF curline>maxlinesj
        DO header3
    ENDIF
    ENDDO
ENDIF
F=VAL(F)
F=F+1
F=STR(F)
ENDDO
? eop

* Roofing/Drywall Summary
matches2=0
curline=0
GO TOP
SEEK '4'    %% Look for earliest roof work date
latedate=es
DO WHILE SUBSTR(act,2,1)='4'
    SKIP
    IF es>latedate
        latedate=es
    ENDIF
ENDDC
GO TOP
INDEX ON SORT TO schd_srt
SEEK 'AD'
doheader4=.T.
DO WHILE SORT='AD' .AND. .NOT. EOF()
    IF es<latedate
        IF doheader4
            DO header4
            doheader4=.F.
        ENDIF
        y='sr'+RTRIM(SORT)
        ? '      '+act+ '      '+TITLE+ ' '+es+ ' '+DTC( es)+ ' '+DTC( ef);
        + ' '+DTC(1s)+ ' '+DTC(1f)+ ' '+STR(tf,7)+STR(od,7)+STR(rd,7);
        +STR(pct,6)+ ' '+RTRIM(SORT)+ ' : '+&y
        matches2=matches2+1
        curline=curline+2
        IF curline>maxlinesj
            doheader4=.T.
        ENDIF
    ENDIF
    SKIP
ENDDO
IF matches2=0
    page=page+1
    ?? &header_on
    ? SPACE(17)+'PROJECT MANAGEMENT TOOLS: REPORT '+reportch
    ?

```

```
? SPACE(64)+'PAGE #' +STR(page, 6)
?
? SPACE(30)+'NO DRYWALL ACTIVITIES HAVE "EARLY START DATES" EARLIER THAN THAT OF THE EARLIEST
ROOFING ACTIVITY.'
```

    ? &header\_off

```
ENDIF
? eop

? &footer_on
? SPACE(45)+'*** END OF REPORT J ***'
? SPACE(30)+'***** THERE WERE '+LTRIM(STR(matches))+' OUT-OF-SEQUENCE ACTIVITIES. *****'
? &footer_off
RETURN
*: EOF: REPJ.PRG
^Z
```

```

*:*****
*:
*:      Program: REPK.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      2:46
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: FIND1.PRG
*:
*:      Indexes: SUCC_SUC.NDX
*:                : SUCC_ACT.NDX
*:                : SCHD_TF.NDX
*:                : SCHD_ACT.NDX
*:
*:      Documented 04/27/89 at 10:39      SNAP! version 3.12e
*:*****

```

```

* PROGRAM      : REPK.PRG
* PROGRAMMER   : Martin Hanley, Bill Nelson, John Elston
* PURPOSE      : To find the paths through the activities

```

```

SET TALK OFF
SET SAFETY OFF
SET DATE ANSI
SET CENTURY ON
SET EXACT OFF
IF output $ "BP"
  SET PRINT OFF
ENDIF
IF output $ "ABD"
  SET ALTERNATE OFF
ENDIF

```

```

STORE 0 TO page
STORE .T. TO newpage
STORE 0 TO curline

```

```

@ 10,10 SAY "Sorting Input Data"
@ 24,04 SAY "REPORT K: Activities to Crash"

```

```

STORE "" TO tpath,path2,path3,path4
STORE 0 TO counter,counter1

```

```

SELECT B
INDEX ON suc TO succ_suc
INDEX ON act TO succ_act

```

```

SELECT D
INDEX ON efa+STR((200000+tf),6)+DTC(ef) TO schd_tf

```

```

INDEX ON act TO schd_act

SELECT D
SET INDEX TO schd_tf
GO TOP

@ 10,10 SAY "Searched      of " + LTRIM(STR(RECCOUNT()),6)
DO WHILE counter < 4 .AND. .NOT. EOF()
  STORE act TO cur
  *
  * DETERMINE PATH WITH LEAST FLOAT FROM THIS POINT
  *
  SET INDEX TO schd_act
  SEEK cur
  STORE LTRIM(STR(RECNO())) TO tpath

  SELECT B
  SET INDEX TO succ_act
  SEEK cur
  DO WHILE .NOT. EOF()
    STORE suc TO tsuc
    SELECT D
    SEEK tsuc
    STORE tsuc TO msuc
    STORE tf TO mtf
    STORE RECNO() TO mrec
    SELECT B
    SKIP 1
    DO WHILE act = cur .AND. .NOT. EOF()
      STORE suc TO tsuc
      SELECT D
      SEEK tsuc
      IF .NOT. EOF()
        IF mtf > tf
          STORE tsuc TO msuc
          STORE tf TO mtf
          STORE RECNO() TO mrec
        ENDIF
      ELSE
        EXIT
      ENDIF
      SELECT B
      SKIP 1
    ENDDO
    STORE tpath + "." + LTRIM(STR(mrec)) TO tpath
    SEEK msuc
  ENDDO
  *
  * SAVE FOUND PATH & FLOAT IN APPROPRIATE VARIABLES
  *
  STORE counter + 1 TO counter
  STORE LTRIM(STR(counter)) TO tempstr

```

```

STORE tpath TO path&tempstr
*
* SKIP ACTIVITIES WHICH OCCUR IN PATHS ALREADY FOUND &
* SET RECORD POINTER TO NEXT HIGHEST FLOAT RECORD TO START PATH SEARCH
*
SELECT D
SET INDEX TO schd_tf
GOTO TOP
STORE counter1 + 1 TO counter1
SKIP counter1
STORE "." + LTRIM(STR(RECNO())) + "." TO tempstr
STORE "." + path1 + "." TO tpath1
STORE "." + path2 + "." TO tpath2
STORE "." + path3 + "." TO tpath3
DO WHILE (AT(tempstr,tpath1) > 0) .OR. (AT(tempstr,tpath2) > 0) .OR. ;
    (AT(tempstr,tpath3) > 0)
    STORE counter1 + 1 TO counter1
    SKIP 1
    STORE "." + LTRIM(STR(RECNO())) + "." TO tempstr
ENDDO
*
* REINITIALIZE PATH VARIABLE
*
STORE "" TO tpath
@ 10,19 SAY STR(counter1,6)
ENDDO  && END OF MAIN PROCESSING LOOP
*
* OUTPUT ANY PATHS FOUND
*
IF output $ "BP"
    SET PRINT ON
ENDIF
IF output $ "ABD"
    SET ALTERNATE ON
ENDIF
SET CENTURY OFF
SET DATE AMERICAN
STORE 1 TO prthead
SELECT D
SET INDEX TO
DO find1 WITH path1,1
DO find1 WITH path2,2
DO find1 WITH path3,3
DO find1 WITH path4,4

RETURN

*: EOF: REPK.PRG
^Z

```

```

*:*****
*:
*:      Program: REPL.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      0:16
*:
*:      Called by: MAINX.PRG
*:
*:      Documented 04/27/89 at 10:39      SNAP! version 3.12e
*:*****

```

```

** ^[(s16.67H
* REPL.PRG - TASK 2, Report L: Delays in Design Module
* Mark McReynolds, 1/25/89

```

```

CLEAR
SET STATUS ON
* put error checking here
STORE 0 TO matches
SELECT F
SEEK stnd
nowpage = .T.
IF FOUND()
  STORE 0 TO page
  STORE 0 TO curline
  DO WHILE SUBSTR(act,5,2)=stnd .AND. .NOT. EOF()
    STORE act TO code
    SELECT G
    GO TOP
    SEEK code
    IF FOUND()
      IF nowpage
        ? eop
        curline=0
        page=page+1
        ? &header_on
        ? SPACE(17)+'SCHEDULING ANALYSIS SYSTEM: REPORT L'
        ? &header_mid
        ? '   ICS STANDARD CODE = '+stnd+' : '+stndv&stnd+SPACE(62)+'PAGE #' +STR(page,6)
        ? &header_off
        ?[ ACTIVITY          TITLE                                EARLY          EARLY
LATE          LATE          ]
        ??[ACTUAL    ACTUAL    TOT    ORIG    REM    LAST    PCT]
        ?[ ID                                START          FINISH
START          FINISH    ]
        ??[START    FINISH    FLT    DUR    DUR    DUR    COMP]
        ?
        ?[ ----- ]
        ----- ]
        ??[----- ]
        ?

```

```

newpage=.F.
ENDIF

IF tf > 0
  IF tf>ufloat .AND. ((f->tf - (upercent * f->tf)) > tf)
    ? act+' '+TITLE+' '
    ?? DTOC(es)+' '+DTOC(ef)+' '+DTOC(ls)+' '+DTOC(lf)+' '+DTOC(as)+' '+DTOC(af)+'

    ?? STR(tf,6)+' '+STR(od,6)+' '+STR(rd,6)+' '+STR(f->od,6)+' '+STR(pct,6,2)
    curline=curline+1
    matches=matches+1
  ENDIF
ENDIF
SKIP
IF curline>maxlines1
  newpage=.T.
  EXIT
ENDIF

ENDIF
SELECT F
SKIP
IF EOF()
  EXIT
ENDIF
ENDDO
ENDIF

? eop
?
?
? &footer_on
? SPACE(50)+'*** END OF REPORT L ***'
? SPACE(20)+'*** THERE WERE '+LTRIM(STR(matches))+' ACTIVITY ID NUMBERS WHICH MATCHED THESE SEARCH
CRITERIA. ***'
? &footer_off
? eop
RETURN
\ : EOF: REPL.PRG
^Z

```

```

*:*****
*:
*:      Program: REPM.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      1:43
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: HEADER1.PRG
*:
*:      Documented 04/27/89 at 10:39      SNAP! version 3.12e
*:*****
** REPM.PRG - Do Report M
STORE 0 TO curline,page
STORE 0 TO schdtot, pssrtot, submtot, schdmat, pssrmat, submmat
STORE 0 TO schdprt, pssrprt, submprt, schdprmat, pssrprmat, submprmat
STORE 0 TO rduration, oduration
STORE 0 TO badstndcod,badareacod,badsuarcod,badtypecod,badsortcod,badrespccod,;
      badvlscod,badsubscod
STORE 0 TO negfloat, critpattot, critpates, critpatpct, asdate, pctover0, rem_oxidat
area=' '      %% AREA Code
stnd=' '      %% STND Code
header2=.F.
path1 = "."+path1+"."
path2 = "."+path2+"."
path3 = "."+path3+"."
path4 = "."+path4+"."
SET EXACT OFF
SELECT B
GO TOP
pssrtot=RECCOUNT()
DO WHILE .NOT. EOF()
      IF SUBSTR(activ_id,5,2)='PR'  %% If this is a Procurement Activity
            pssrprt=pssrprt+1
      ENDIF
      SKIP
ENDDO
GO TOP
SELECT E
GO TOP
submtot=RECCOUNT()
DO WHILE .NOT. EOF()
      IF SUBSTR(nas,5,2)='PR'  %% If this is a Procurement Activity
            submprt=submprt+1
      ENDIF
      SKIP
ENDDO
GO TOP
SELECT D  %% schedule.dbf

```

```

GO TOP
schdtot=RECCOUNT()
DO WHILE .NOT. EOF()
  IF SUBSTR(act,5,2)='PR'  ** If this is a Procurement Activity
    schdprtot=schdprtot+1
  ELSE
    IF rd>20
      rduration=rduration+1
    ENDIF
    IF od>20
      oduration=oduration+1
    ENDIF
  ENDIF
  IF .NOT. SUBSTR(act,5,2)$stndcodes  ** If not a valid "STND" ID Code
    badstndcod=badstndcod+1
  ENDIF
  IF .NOT. SUBSTR(act,1,1)$areacodes  ** If not a valid "AREA" ID Code
    badareacod=badareacod+1
  ENDIF
  IF .NOT. SUBSTR(act,2,1)$suarcodes  ** If not a valid "SUBArea" ID Code
    badsuarcod=badsuarcod+1
  ENDIF
  IF .NOT. SUBSTR(act,3,2)$typecodes  ** If not a valid "TYPE of work" ID Code
    badtypecod=badtypecod+1
  ENDIF
  IF .NOT. RTRIM(SORT)$respcodes  ** If not a valid "SORT" Code.
    badsortcod=badsortcod+1
  ENDIF
  IF .NOT. RTRIM(resp)$respcodes  ** If not a valid "RESP" Code.
    badrespcod=badrespcod+1
  ENDIF
  IF .NOT. RTRIM(lvls)$lvlscodes  ** If not a valid "LVLS" Code.
    badlvlsod=badlvlsod+1  ** lvlscodes='D,DC,DP,DZ,JO,M,OUT,S,Z'
  ENDIF
  IF SUBS <> SPACE(5)
    IF .NOT. RTRIM(SUBS) $ subscodes1 .AND. .NOT. RTRIM(SUBS) $ subscodes2
      * If not a valid "SUBS" Code.
      badsubscod=badsubscod+1
    ENDIF
  ENDIF
  IF tf<0
    negfloat=negfloat+1
  ENDIF
  mrecno = "." + LTRIM(STR(RECNO())) + "."
  IF mrecno $ path1 .OR. mrecno $ path2 .OR. mrecno $ path3 .OR. mrecno $ path4
    critpattot=critpattot+1
    IF es>=as  ** If Activity started on or before the Early Start Date
      critpates=critpates+1
    ENDIF
    IF pct>=((od/rd)*100)
      critpatpct=critpatpct+1
    ENDIF
  ENDIF

```

```

ENDIF
IF as<(datadate-7) .AND. pct<100
  asdate=asdate+1
ENDIF
IF pct>0 (.OR. rd>0 .AND. as=0)
  pctover0=pctover0+1
ENDIF
IF rd>od    && If Remaining Duration > Original Duration
  rem_oridat=rem_oridat+1
ENDIF
SKIP
ENDDO
GO TOP
DO WHILE .NOT. EOF()
  SELECT B
  SEEK SUBSTR(d->act,1,9)  && Substring must stay at Activ_id,1,9 to get all matches
  IF FOUND()
    pssrmat=pssrmat+1
    IF curline>maxlinesa.AND.mch$'DB'
      DO header1
    ENDIF
    IF area <> SUBSTR(d->act,1,1) .AND. area <> '4' .AND. mch $ 'DB'
      area=SUBSTR(d->act,1,1)
      DO header1
    ENDIF
    IF stnd <> SUBSTR(d->act,5,2) .AND. mch $ 'DB'
      stnd=SUBSTR(d->act,5,2)
      ?'      ***** '+stnd+' : '+TRIM(stndv&stnd)+;
      ' *****'
      curline=curline+1
    ENDIF
    IF mch$'DB'
      ? SPACE(7)+d->act+' '+d->title+' '+DTC(d->es)+' '+DTC(d->ef)+' '+DTC(d->ls);
      +' '+DTC(d->lf)+STR(d->tf,8)+STR(d->od,8)+STR(d->rd,6)+STR(d->pct,6)
      curline=curline+2
      ?
      IF curline>maxlinesa
        DO header1
      ENDIF
      area=SUBSTR(d->act,1,1)
    ENDIF
    IF SUBSTR(d->act,5,2)='PR'  && If this is a Procurement Activity
      schdprmat=schdprmat+1
    ENDIF
    IF SUBSTR(activ_id,5,2)='PR'  && If this is a Procurement Activity
      pssrprmat=pssrprmat+1
    ENDIF
  ENDIF
  SELECT E
  GO TOP
  IF EOF()
    EXIT

```

```

ENDIF
mnas=SUBSTR(nas,1,9)
SEEK SUBSTR(d->act,1,9)  ** Substring must stay at Activ_id,1,9 to get all matches
IF FOUND()
  submmat=submmat+1
  IF SUBSTR(e->nas,5,2)='PR'  ** If this is a Procurement Activity match
    submprmat=submprmat+1
  ENDIF
ENDIF
SELECT D
IF EOF()
  EXIT
ENDIF
mact=SUBSTR(act,1,9)
SKIP
ENDDO
? eop
?? &header_on
? SPACE(17)+'SCHEDULING ANALYSIS SYSTEM: REPORT '+reportch
? &header_mid
? SPACE(50)+'*** SUMMARY FOR REPORT M ***'+SPACE(45)+'PAGE 1'
?
?
? SPACE(40)+'ITEM ONE, PART A: Overall Activity Correspondence'
?
? ' This Schedule file, '+filsched+', contains ';
+LTRIM(STR(schdtot))+' unique Activity ID numbers.'
? ' The PSSR file, '+filpssr_pr+', contains ';
+LTRIM(STR(pssrtot))+' unique Activity ID numbers.'
? ' The Submittal file, '+filsubmi+', contains ';
+LTRIM(STR(submtot))+' unique Activity ID numbers.'
testvar=(pssrmat/pssrtot*100)
SELECT F
GOTO TOP
IF testvar>a2
  SKIP
  IF testvar>a2
    SKIP
  IF testvar>a2
    SKIP
  IF testvar>a2
    SKIP
  ENDIF
ENDIF
ENDIF
ENDIF
? SPACE(10)+LTRIM(STR(pssrmat))+' PSSR Activities, or ';
+LTRIM(STR(pssrmat/pssrtot*100,10,2))+'% of the total PSSR Activities, ';
+ ' matched Activities in the Schedule file. GRADE = '+LTRIM(category)
testvar=(submmat/submtot*100)
GOTO TOP
IF testvar>a2

```

```

SKIP
IF testvar>a2
  SKIP
  IF testvar>a2
    SKIP
    IF testvar>a2
      SKIP
    ENDIF
  ENDIF
ENDIF
ENDIF
? SPACE(10)+LTRIM(STR(submmt))+ ' Submittal Activities, or ' ;
+LTRIM(STR(submmt/submtot*100,10,2))+ '% of the total Submittal Activities, ' ;
+ ' matched Activities in the Schedule file. GRADE = '+LTRIM(category)
? SPACE(15)+ ' (According to the grading scale input earlier, this assumes that the " ' ;
+LTRIM(category)+ " range is from '+LTRIM(STR(a1))+ '% to '+LTRIM(STR(a2))+ '%.) '
?
?
? SPACE(40)+ 'ITEM ONE, PART B: Procurement Activity Correspondence'
?
?' This Schedule file, '+filsched+', contains '+LTRIM(STR(schdpptot));
+ ' unique Activity ID numbers which indicate Procurement Activities.'
?' The PSSR file, '+filpssr_pr+', contains '+LTRIM(STR(pssrptot));
+ ' unique Activity ID numbers which indicate Procurement Activities.'
?' The Submittal file, '+filsubmi+', contains '+LTRIM(STR(submptot));
+ ' unique Activity ID numbers which indicate Procurement Activities.'
testvar=(pssrprmat/schdpptot*100)
GOTO TOP
IF testvar>b2
  SKIP
  IF testvar>b2
    SKIP
    IF testvar>b2
      SKIP
      IF testvar>b2
        SKIP
      ENDIF
    ENDIF
  ENDIF
ENDIF
? SPACE(10)+LTRIM(STR(pssrprmat))+ ' Schedule Procurement Activities, or ' ;
+LTRIM(STR(pssrprmat/schdpptot*100,10,2))+ '% of the total Schedule Procurement Activities, '
? SPACE(12)+ ' matched Procurement Activities in the PSSR file. GRADE = '+LTRIM(category)
testvar=(submptot/schdpptot*100)
GOTO TOP
IF testvar>b2
  SKIP
  IF testvar>b2
    SKIP
    IF testvar>b2

```

```

SKIP
IF testvar>b2
  SKIP
ENDIF
ENDIF
ENDIF
ENDIF
? SFACE(10)+LTRIM(STR(submprmat))+ ' Schedule Procurement Activities, or ' ;
+LTRIM(STR(submprmat/schdprtot*100,10,2))+ '% of the total Schedule Procurement Activities, '
? SPACE(12)+ ' matched Procurement Activities in the Submittal file. GRADE = '+LTRIM(category)
^ SPACE(15)+ ' (According to the grading scale input earlier, this assumes that the "';
+RTRIM(category)+ " range is from '+LTRIM(STR(b1))+ '% to '+LTRIM(STR(b2))+ '%.)'
?
?
? SPACE(40)+ 'ITEM ONE, PART C: Non-Procurement Activity Durations'
?
?' This Schedule file, '+filsched+', contains ' ;
+LTRIM(STR(schdtot-schdprtot))+ ' non-Procurement Activities.'
testvar=(rduration/(schdtot-schdprtot)*100)

GOTO TOP

IF testvar>c2
  SKIP
  IF testvar>c2
    SKIP
    IF testvar>c2
      SKIP
      IF testvar>c2
        SKIP
      ENDIF
    ENDIF
  ENDIF
ENDIF

? SPACE(10)+LTRIM(STR(rduration))+ ', or '+LTRIM(STR(rduration/(schdtot-schdprtot)*100,10,2));
+ '%, of Schedule non-Procurement Activities have "Remaining Durations" exceeding 20 days. GRADE
= '+LTRIM(category)
testvar=(oduration/(schdtot-schdprtot)*100)

GOTO TOP

IF testvar>c2
  SKIP
  IF testvar>c2
    SKIP
    IF testvar>c2
      SKIP
      IF testvar>c2
        SKIP
      ENDIF
    ENDIF
  ENDIF
ENDIF

```

```

ENDIF
? SPACE(10)+LTRIM(STR(oduration))+', or '+LTRIM(STR(oduration/(schdtot-schdprtot)*100,10,2));
+%', of Schedule non-Procurement Activities have "Original Durations" exceeding 20 days. GRADE
= '+LTRIM(category)
? SPACE(15)+' (According to the grading scale input earlier, this assumes that the ";
+RTRIM(category)+'" range is from '+LTRIM(STR(c2))+%' to '+LTRIM(STR(c1))+%'.'
?
?
? SPACE(40)+'ITEM ONE, PART D: Correct Coding '
?
?' This Schedule file, '+filsched+', contains '+LTRIM(STR(schdtot));
+' Activity ID numbers. The following Activity Codes and Activtiy ID Codes'
?' are analyzed for their compliance with the Code Dictionary';
+' developed for the "NTF" system in Primavera.'
testvar=((schdtot-badstndcod)/schdtot*100)

GOTO TOP

IF testvar>d2
SKIP
IF testvar>d2
SKIP
IF testvar>d2
SKIP
IF testvar>d2
SKIP
ENDIF
ENDIF
ENDIF
ENDIF

? SPACE(10)+LTRIM(STR(schdtot-badstndcod))+', or ';
+LTRIM(STR((schdtot-badstndcod)/schdtot*100,10,2))+%', have the correct "STND" ID Code. GRADE =
'+LTRIM(category)
testvar=((schdtot-badareacod)/schdtot*100)

GOTO TOP

IF testvar>d2
SKIP
IF testvar>d2
SKIP
IF testvar>d2
SKIP
IF testvar>d2
SKIP
ENDIF
ENDIF
ENDIF
ENDIF

? SPACE(10)+LTRIM(STR(schdtot-badareacod))+', or ';

```

```
+LTRIM(STR((schdtot-badareacod)/schdtot*100,10,2))+', have the correct "AREA" ID Code. GRADE =  
' +LTRIM(category)  
testvar=((schdtot-badsuarcod)/schdtot*100)
```

GOTO TOP

```
IF testvar>d2  
  SKIP  
  IF testvar>d2  
    SKIP  
    IF testvar>d2  
      SKIP  
      IF testvar>d2  
        SKIP  
      ENDIF  
    ENDIF  
  ENDIF  
ENDIF
```

```
? SPACE(10)+LTRIM(STR(schdtot-badsuarcod))+', or '  
+LTRIM(STR((schdtot-badsuarcod)/schdtot*100,10,2))+', have the correct "SUBAREA" ID Code. GRADE =  
' +LTRIM(category)  
testvar=((schdtot-badtypecod)/schdtot*100)
```

GOTO TOP

```
IF testvar>d2  
  SKIP  
  IF testvar>d2  
    SKIP  
    IF testvar>d2  
      SKIP  
      IF testvar>d2  
        SKIP  
      ENDIF  
    ENDIF  
  ENDIF  
ENDIF
```

```
? SPACE(10)+LTRIM(STR(schdtot-badtypecod))+', or '  
+LTRIM(STR((schdtot-badtypecod)/schdtot*100,10,2))+';  
' +', have the correct "TYPE OF WORK" ID Code. GRADE = '+LTRIM(category)  
testvar=((schdtot-badsortcod)/schdtot*100)
```

GOTO TOP

```
IF testvar>d2  
  SKIP  
  IF testvar>d2  
    SKIP  
    IF testvar>d2  
      SKIP
```

```

    IF testvar>d2
      SKIP
    ENDIF
  ENDIF
ENDIF
ENDIF
? SPACE(10)+LTRIM(STR(schdtot-badsortcod))+', or ' ;
+LTRIM(STR((schdtot-badsortcod)/schdtot*100,10,2))+';
'% , have the correct "SORT" Code. GRADE = '+LTRIM(category)
testvar=((schdtot-badrespod)/schdtot*100)

GOTO TOP

IF testvar>d2
  SKIP
  IF testvar>d2
    SKIP
    IF testvar>d2
      SKIP
      IF testvar>d2
        SKIP
      ENDIF
    ENDIF
  ENDIF
ENDIF
? SPACE(10)+LTRIM(STR(schdtot-badrespod))+', or ' ;
+LTRIM(STR((schdtot-badrespod)/schdtot*100,10,2))+'% , have the correct "RESPONSIBILITY" Code.
GRADE = '+LTRIM(category)
testvar=((schdtot-badlvlsod)/schdtot*100)

GOTO TOP

IF testvar>d2
  SKIP
  IF testvar>d2
    SKIP
    IF testvar>d2
      SKIP
      IF testvar>d2
        SKIP
      ENDIF
    ENDIF
  ENDIF
ENDIF
? SPACE(10)+LTRIM(STR(schdtot-badlvlsod))+', or ' ;
+LTRIM(STR((schdtot-badlvlsod)/schdtot*100,10,2))+'% , have the correct "LVLS" Code. GRADE =
'+LTRIM(category)
testvar=((schdtot-badsubscod)/schdtot*100)

GOTO TOP

```

```

IF testvar>d2
  SKIP
  IF testvar>d2
    SKIP
    IF testvar>d2
      SKIP
      IF testvar>d2
        SKIP
      ENDIF
    ENDIF
  ENDIF
ENDIF

? SPACE(10)+LTRIM(STR(schdtot-badsubscod))+', or ';
+LTRIM(STR((schdtot-badsubscod)/schdtot*100,10,2))+;
', have the correct "SUBCONTRACTORS" Code. GRADE = '+LTRIM(category)
? SPACE(15)+'(According to the grading scale input earlier, this assumes that the ";
+RTRIM(category)+" range is from '+LTRIM(STR(d1))+'% to '+LTRIM(STR(d2))+'%.)'

? eop
?? $header_on
? SPACE(17)+'SCHEDULING ANALYSIS SYSTEM: REPORT '+reportch
? $header_mid
? SPACE(50)+'*** SUMMARY FOR REPORT M ***'+SPACE(45)+'PAGE 2'
?
?
? SPACE(40)+'ITEM TWO, PART A: Negative Float'
?
SELECT G
GOTO TOP

testvar=(negfloat/schdtot*100)
IF testvar<a2
  SKIP
  IF testvar<a2
    SKIP
    IF testvar<a2
      SKIP
      IF testvar<a2
        SKIP
      ENDIF
    ENDIF
  ENDIF
ENDIF

? ' This Schedule file, '+filsched+', contains '+LTRIM(STR(schdtot))+' Activities, of which ';
+LTRIM(STR(negfloat))+', or '+LTRIM(STR(negfloat/schdtot*100,10,2))+' %, have negative float.
GRADE = '+LTRIM(category)
? SPACE(15)+'(According to the grading scale input earlier, this assumes that the ";
+RTRIM(category)+" range is from '+LTRIM(STR(a2))+' to '+LTRIM(STR(a1))
? SPACE(15)+' Activities with negative float.)'
?

```

```

?
? SPACE(40)+'ITEM TWO, PART B: Critical Path Analysis 1'
?
IF critpattot=0
?' IN ORDER TO GET MEANINGFUL OUTPUT FOR THIS SUB-ITEM, REPORT K:, "ACTIVITIES TO CRASH", MUST
BE RUN FIRST.'
ELSE

GOTO TOP

testvar=(critpates/critpattot*100)
IF testvar>b2
SKIP
IF testvar>b2
SKIP
IF testvar>b2
SKIP
IF testvar>b2
SKIP
ENDIF
ENDIF
ENDIF

?' In Schedule file '+filsched+', '+LTRIM(STR(critpates))+' of ';
+LTRIM(STR(critpattot))+' Activities on the four most critical paths, ';
+' or '+LTRIM(STR(critpates/critpattot*100,10,2))+' %, started'
?' on their "Early Start Date". GRADE = '+LTRIM(category)
? SPACE(15)+' (According to the grading scale input earlier, this assumes that the ";
+RTRIM(category)+" range is from '+LTRIM(STR(b1))+'% to '+LTRIM(STR(b2))+'%.)'
ENDIF

?
?
? SPACE(40)+'ITEM TWO, PART C: Critical Path Analysis 2'
?

IF critpattot=0
?' IN ORDER TO GET MEANINGFUL OUTPUT FOR THIS SUB-ITEM, REPORT K:, "ACTIVITIES TO CRASH", MUST
BE RUN FIRST.'
ELSE
GOTO TOP
testvar=(critpatpct/critpattot*100)
IF testvar>c2
SKIP
IF testvar>c2
SKIP
IF testvar>c2
SKIP
IF testvar>c2
SKIP
ENDIF
ENDIF

```

```

        ENDIF
    ENDIF
ENDIF
? '      In Schedule file '+filsched+', '+LTRIM(STR(critpatpct))+ ' of ';
+LTRIM(STR(critpattot))+ ' Activities on the four most critical paths,';
+ ' or '+LTRIM(STR(critpatpct/critpattot*100,10,2))+ '%,'
? '      have a "Percent Complete" value greater than or equal to the';
+ ' porportion of the "Original Duration" value to'
? '      that of the "Remaining Duration".  GRADE = '+LTRIM(category)
? SPACE(15)+' (According to the grading scale input earlier, this assumes that the ";
+RTRIM(category)+" range is from '+LTRIM(STR(c1))+ '% to '+LTRIM(STR(c2))+ '%.)'
ENDIF

```

```

?
?
? SPACE(40)+'ITEM TWO, PART D:  "Actual Start Date" Analysis'
?

```

GOTO TOP

```

testvar=(asdate/schdtot*100)
IF testvar>d2
    SKIP
    IF testvar>d2
        SKIP
        IF testvar>d2
            SKIP
            IF testvar>d2
                SKIP
                SKIP
            ENDIF
        ENDIF
    ENDIF
ENDIF

```

```

? '      This Schedule file, '+filsched+', contains '+LTRIM(STR(schdtot));
+ ' Activities, of which '+LTRIM(STR(asdate))+ ', or ';
+LTRIM(STR(asdate/schdtot*100,10,2))+ '%, will be completed'
? '      if the "Actual Start Date" is greater than 1 week prior to the ';
+ ' Primavera "Data Date", and the "Percent Completed" is'
? '      less than 100.  GRADE = '+LTRIM(category)
? SPACE(15)+' (According to the grading scale input earlier, this assumes that the ";
+RTRIM(category)+" range is from '+LTRIM(STR(d1))+ '% to '+LTRIM(STR(d2))+ '%.)'
?
?
? SPACE(40)+'ITEM TWO, PART E:  "Percent Complete" Greater Than 0'
?

```

GOTO TOP

```

testvar=(pctover0/schdtot*100)
IF testvar<e2
    SKIP

```

```

IF testvar<e2
  SKIP
  IF testvar<e2
    SKIP
    IF testvar<e2
      SKIP
    ENDIF
  ENDIF
ENDIF
ENDIF
ENDIF

? '   This Schedule file, '+filsched+', contains '+LTRIM(STR(schdtot));
+' Activities, of which '+LTRIM(STR(pctover0))+', or ';
+LTRIM(STR(pctover0/schdtot*100,10,2))+ ' %, have either a "Percent Complete"
? '           greater than 0 or a "Remaining Duration" with no "Actual Start Date."  GRADE =
'+LTRIM(category)
? SPACE(15)+' (According to the grading scale input earlier, this assumes that the ";
+RTRIM(category)+" range is from '+LTRIM(STR(e2))+ '% to '+LTRIM(STR(e1))+ '%.)'
?
?
? SPACE(40)+'ITEM TWO, PART F: "Remaining Duration" Greater than "Original Duration"'
?

GOTO TOP

testvar=(rem_oridat/schdtot*100)
IF testvar>f2
  SKIP
  IF testvar>f2
    SKIP
    IF testvar>f2
      SKIP
      IF testvar>f2
        SKIP
      ENDIF
    ENDIF
  ENDIF
ENDIF
ENDIF

? '   This Schedule file, '+filsched+', contains '+LTRIM(STR(schdtot));
+' Activities, of which '+LTRIM(STR(rem_oridat))+', or ';
+LTRIM(STR(rem_oridat/schdtot*100,10,2))+ ' %, have a "Remaining Duration"
? '           greater than their "Original Duration".  GRADE = '+LTRIM(category)
? SPACE(15)+' (According to the grading scale input earlier, this assumes that the ";
+RTRIM(category)+" range is from '+LTRIM(STR(f2))+ '% to '+LTRIM(STR(f1))+ '%.)'
?
? &footer_off
? eop
RETURN
*: EOF: REPM.PRG
^Z

```

```

*:*****
*:
*:      Program: REPO.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/20/89      14:31
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: STND_FND.PRG
*:
*:      Uses: NEW_TEMP.DBF
*:            : NEWSCHED.DBF
*:            : MRG_FILE.DBF
*:            : &FILSCHED1
*:            : &FILSCHED2
*:            : &FILSCHED3
*:            : &FILSCHED4
*:            : &FILSCHED5
*:
*:      Documented 04/27/89 at 10:40      SNAP! version 3.12e
*:*****

```

```

CLOSE DATABASES
CLEAR
@ 10,10 SAY "MERGING FILES PLEASE WAIT"
ERASE mrgndx.ndx
SELECT G
ERASE newsched.dbf
USE new_temp
COPY STRUCTURE TO newsched
SELECT H
USE mrg_file
ZAP

```

```

IF LEN(TRIM(filshed1)) > 0
  STORE filshed1 TO fil_name
  APPEND FROM &filshed1
  GOTO TOP
DO WHILE .NOT. EOF()
  REPL FILE WITH fil_name
  SKIP
ENDDO
ENDIF

```

```

IF LEN(TRIM(filshed2)) > 0
  STORE filshed2 TO fil_name
  GOTO BOTTOM
recnum = RECNO() + 1
APPEND FROM &filshed2
GO recnum

```

```

DO WHILE .NOT. EOF()
  REPL FILE WITH fil_name
  SKIP
ENDDO
ENDIF

IF LEN(TRIM(filshed3)) > 0
  STORE filshed3 TO fil_name
  GOTO BOTTOM
  recnum = RECNO() + 1
  APPEND FROM &filshed3
  GO recnum
  DO WHILE .NOT. EOF()
    REPL FILE WITH fil_name
    SKIP
  ENDDO
ENDIF

IF LEN(TRIM(filshed4)) > 0
  STORE filshed4 TO fil_name
  GOTO BOTTOM
  recnum = RECNO() + 1
  APPEND FROM &filshed4
  GO recnum
  DO WHILE .NOT. EOF()
    REPL FILE WITH fil_name
    SKIP
  ENDDO
ENDIF

IF LEN(TRIM(filshed5)) > 0
  STORE filshed5 TO fil_name
  GOTO BOTTOM
  recnum = RECNO() + 1
  APPEND FROM &filshed5
  GO recnum
  DO WHILE .NOT. EOF()
    REPL FILE WITH fil_name
    SKIP
  ENDDO
ENDIF

ERASE mrgndx.ndx

SELECT H

DO stnd_fnd

SELECT H
ZAP
RETURN

```

\*: EOF: REPO.PRG

^Z

```

*:*****
*:
*:      Program: REPR.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      18:16
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: OPENFILS      (procedure in PROCS.PRG)
*:              : TITLE1.PRG
*:              : PRINTACT.PRG
*:              : CLOSEFIL      (procedure in PROCS.PRG)
*:
*:      Documented 04/27/89 at 10:40      SNAP! version 3.12e
*:*****
DO openfiles
*
** FIND DELETED ACTIVITIES
*
** INITIALIZE AND PRINT TITLE
*
CLEAR
@ 10,10 SAY "RUNNING REPORT R -- FIND DELETED ACTIVITIES"
SELECT 1
GOTO TOP
SELECT 2
GOTO TOP
*
STORE SPACE(10) TO wskey
STORE 0 TO Line,num,page
STORE '1' TO rpt1
STORE '0' TO rpt2
DO title1
*
SELECT 1
DO WHILE .NOT. EOF()
    STORE act TO wskey
    SELECT 2
    FIND wskey
    IF EOF()
        SELECT 1
        num = num + 1
        DO printact
    ENDIF
    SELECT 1
    SKIP 1
ENDDO
Line = Line + 2
?

```

```
? 'THE TOTAL NUMBER OF DELETED ACTIVITIES = ' + STR(num, 3)
DO closefil
*DO TOTOP
RETURN
*: EOF: REPR.PRG
^Z
```

```

*****
*:
*:      Program: REPR.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      18:16
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: OPENFILS      (procedure in PROCS.PRG)
*:              : TITLE1.PRG
*:              : PRINTACT.PRG
*:              : CLOSEFIL      (procedure in PROCS.PRG)
*:
*:      Documented 04/27/89 at 10:40      SNAP! version 3.12e
*****
DO openfiles
*
** FIND DELETED ACTIVITIES
*
** INITIALIZE AND PRINT TITLE
*
CLEAR
@ 10,10 SAY "RUNNING REPORT R -- FIND DELETED ACTIVITIES"
SELECT 1
GOTO TOP
SELECT 2
GOTO TOP
*
STORE SPACE(10) TO wskey
STORE 0 TO Line,num,page
STORE '1' TO rpt1
STORE '0' TO rpt2
DO title1
*
SELECT 1
DO WHILE .NOT. EOF()
    STORE act TO wskey
    SELECT 2
    FIND &wskey
    IF EOF()
        SELECT 1
        num = num + 1
        DO printact
    ENDIF
SELECT 1
SKIP 1
ENDDO
Line = Line + 2
?

```

```
? 'THE TOTAL NUMBER OF DELETED ACTIVITIES = '+ STR(num,3)
DO closefil
*DO TOTOP
RETURN
*: EOF: REPR.PRG
^Z
```

```

*:*****
*:
*:      Program: REPT.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      6:48
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: OPENFILS      (procedure in PROCS.PRG)
*:              : TITLE1.PRG
*:              : PRINTACT.PRG
*:              : CLOSEFIL      (procedure in PROCS.PRG)
*:
*:      Documented 04/27/89 at 10:40      SNAP! version 3.12e
*:*****

```

```
DO openfil.s
```

```

*
** IN CURRENT SCHEDULE FIND ACTIVITIES WHICH HAVE INCONSISTENCY
** BETWEEN PERCENT COMPLETES AND ACTUAL START/FINISH DATES
*
** INITIALIZE AND PRINT TITLE
CLEAR
@ 10,5 SAY "RUNNING REPORT T -- FIND ACTIVITIES WHICH HAVE INCONSISTENCY"
@ 11,5 SAY "BETWEEN PERCENT COMPLETES AND ACTUAL START/FINISH DATES"
*
SELECT 2
GOTO TOP
*
STORE 0 TO num,page,Line
STORE '3' TO rpt1
STORE '1' TO rpt2
DO title1
*
DO WHILE .NOT. EOF()
  IF pct = 0 .AND. DIOC(as) <> ' / / '
    comments = 'HAS ACTUAL START DATE BUT NO PERCENT COMPLETE'
    DO printact
    num = num + 1
    SKIP
    LOOP
  ENDIF
*
  IF pct > 0 .AND. DIOC(as) = ' / / '
    comments = 'HAS NON-ZERO PCT BUT NO ACTUAL START DATE'
    DO printact
    num = num + 1
    SKIP
    LOOP
  ENDIF

```

```
*
IF pct = 100 .AND. DTOC(af) = ' / / '
  comments = 'HAS 100% PCT BUT NO ACTUAL FINISH DATE'
  DO printact
  num = num + 1
  SKIP
  LOOP
ENDIF
SKIP 1
ENDDO
Line = Line + 2
?
? 'THE TOTAL NUMBER OF PCT/DATE INCONSISTENT ACTIVITIES = '+STR(num,3)
*DO TOTOP
DO closefil
RETURN
*: EOF: REPT.PRG
^Z
```

```

*****
*:
*:      Program: REPU.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      18:13
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: OPENFILS      (procedure in PROCS.PRG)
*:              : TITLE1.PRG
*:              : PRINTACT.PRG
*:              : CLOSEFIL      (procedure in PROCS.PRG)
*:
*:      Documented 04/27/89 at 10:40      SNAP! version 3.12e
*****

```

```

DO openfiles
*
** FIND DESCRIPTION CHANGED ACTIVITIES
*
** INITIALIZE AND PRINT TITLE
*
*
CLEAR
@10,10 SAY "REPORT U -- FIND DESCRIPTION CHANGED ACTIVITIES"
SELECT 1
GOTO TOP
SELECT 2
GOTO TOP
*
STORE SPACE(10) TO wkey
STORE 0 TO Line,num,page
STORE '4' TO rpt1
STORE '0' TO rpt2
DO title1
Line = Line + 1
*
SELECT 1
DO WHILE .NOT. EOF()
    STORE act TO wkey
    STORE TITLE TO wstitle
    SELECT 2
    FIND wkey
    IF .NOT. EOF()
        *
        ** CHANGE OF TITLE
        *
        IF TITLE <> wstitle
            DO printact
            SELECT 1

```

```
DO printact
Line = Line + 1
num = num +1
SKIP 1
LOOP
ENDIF
ENDIF
SELECT 1
SKIP 1
ENDDO
*
Line = Line + 2
?
? 'THE TOTAL NUMBER OF ACTIVITIES FOUND = ' + STR(num,3)
*DO TOTOP
DO closefil
RETURN

*: EOF: REPU.PRG
^Z
```

```

*:*****
*:
*:      Program: REPV.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      18:14
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: OPENFILS      (procedure in PROCS.PRG)
*:              : TITLE1.PRG
*:              : PRINTACT.PRG
*:              : CJOSEFIL      (procedure in PROCS.PRG)
*:
*:      Documented 04/27/89 at 10:40      SNAP! version 3.12e
*:*****
DO openfiles
*
** FIND ORIGINAL DURATION CHANGED ACTIVITIES
*
** INITIALIZE AND PRINT TITLE
*
CLEAR
@ 10,10 SAY "RUNNING REPORT V --- FIND ORIGINAL DURATION CHANGED ACTIVITIES"

SELECT 1
GOTO TOP
SELECT 2
GOTO TOP
*
STORE SPACE(10) TO wskey
STORE 0 TO Line,num,page
STORE '5' TO rpt1
STORE '1' TO rpt2
comment* = ' '
DO title1
Line = Line + 1
*
STORE 0 TO temp
SELECT 1
DO WHILE .NOT. EOF()
    STORE act TO wskey
    STORE od TO wsod
    SELECT 2
    FIND wskey
    IF .NOT. EOF()
        *
        ** NEW OD > OLD OD AND NEAR CRITICAL PATH
        *
        IF od > wsod .AND. tf < 5 .AND. pat < 100

```

```

temp = (od - wsod) / od * 100
IF temp > 10
  temp2 = STR(temp)
  comments = 'INCREASED RATIO IS ' + LTRIM(temp2) + ' PERCENT'
  DO printact
  SELECT 1
  comments = ' '
  DO printact
  Line = Line + 1
  num = num + 1
  SKIP 1
  LOOP
ENDIF
ENDIF
ENDIF
SELECT 1
SKIP 1
ENDDO
Line = Line + 2
?
? 'THE TOTAL NUMBER OF ACTIVITIES FOUND = ' + STR(num,3)
*DO TOTOP
DO closefil
RETURN
*: EOF: REPV.PRG
^Z

```

```

*****
*:
*:      Program: REPW.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      18:15
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: OPENFILS      (procedure in PROCS.PRG)
*:              : TITLE1.PRG
*:              : PRINTACT.PRG
*:              : CLOSEFIL      (procedure in PROCS.PRG)
*:
*:      Documented 04/27/89 at 10:40      SNAP! version 3.12e
*****

```

```

DO openfiles
*
** PROGRESS CHANGED ACTIVITIES
*
** INITIALIZE AND PRINT TITLE
*
CLEAR
@ 10,10 SAY "RUNNING REPORT W -- PROGRESS CHANGED ACTIVITIES"

```

```

SELECT 1
GOTO TOP
SELECT 2
GOTO TOP
*
STORE SPACE(10) TO wskey
STORE 0 TO Line,num,page
STORE '6' TO rpt1
STORE '1' TO rpt2
DO title1
Line = Line + 1
*
STORE 0 TO temp
SELECT 1
DO WHILE .NOT. EOF()
    STORE act TO wskey
    STORE as TO wsas
    STORE af TO wsaf
    STORE pct TO wspct
    SELECT 2
    FIND wskey
    IF .NOT. EOF()
        *
        ** CHANGE OF PROGRESS
        *

```

```

IF pct > 0 .AND. pct <> wspct
  IF pct < wspct
    comments = '*** CURRENT PCT LESS THAN PREVIOUS PCT'
  ELSE
    comments = ' '
  ENDIF
  DO printact
  SELECT 1
  comments = ' '
  DO printact
  Line = Line + 1
  num = num + 1
  SKIP 1
  LOOP
ENDIF
IF DTOC(af) <> DTOC(wsaf) .OR. DTOC(as) <> DTOC(wsas) .AND. pct > 0
  DO printact
  SELECT 1
  DO printact
  Line = Line + 1
  num = num + 1
  SKIP 1
  LOOP
ENDIF
ENDIF
SELECT 1
SKIP 1
ENDDO
*
Line = Line + 2
?
? 'THE TOTAL NUMBER OF ACTIVITIES FOUND = '+STR(num,3)
*DO TOTO
DO closefil
RETURN
*: EOF: REPW.PRG
^Z

```

```

*:*****
*:
*:      Program: REPX.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      22:44
*:
*:      Called by: MAINX.PRG
*:
*:      Calls: OPENFILS      (procedure in PROCS.PRG)
*:              : TITLE1.PRG
*:              : PRINTPRE.PRG
*:              : CLOSEFIL      (procedure in PROCS.PRG)
*:
*:      Documented 04/27/89 at 10:40      SNAP! version 3.12e
*:*****
DO openfil:
*
** INITIALIZE AND PRINT TITLE
*
CLEAR
@ 10,10 SAY "RUNNING REPORT X -- FIND LOGIC CHANGES"

SELECT 1
GOTO TOP
SELECT 2
GOTO TOP
SELECT 5
GOTO TOP
SELECT 6
GOTO TOP
*
PUBLIC wsact1, wssucl, printy, recnum
STORE SPACE(10) TO wsact, wssuc
STORE SPACE(12) TO wsact1, wssucl
STORE 0 TO Line, num, page, printy, recnum, rectemp
STORE '7' TO rpt1
DO title1
Line = Line - 1
*
SELECT 2
DO WHILE .NOT. EOF()
    recnum = RECNO()
    printy = 0
    STORE act TO wsact
    wsact1 = 'A' + act + 'A'
*
** CHECK IF THE ACTIVITY EXISTS IN PREVIOUS FILE
*
SELECT 1

```

```

FIND &wsact
IF EOF()          && THIS IS A NEW ACTIVITY IN CURRENT FILE
  SELECT 2
  SKIP 1          && SKIP THIS ACTIVITY
  LOOP
ENDIF
*
** COMPARE RELATION IN BOTH FILES
*
SELECT 6
FIND &wsact
IF .NOT. EOF()
  DO WHILE act = SUBSTR(wsact1,2,10)
    STORE suc TO wssuc
    wssuc1 = 'B' + suc + 'B'
    wsactsuc= act + suc
    STORE lag TO wslag
    STORE rel TO wsrel
    *
    SELECT 5
    FIND &wsactsuc
    IF EOF()
      Line = Line + 1          && RELATION ADDED IN CURRENT LOGIC
      SELECT 2
      FIND &wsact
      DO printpre
      FIND &wssuc
      ?? " "+act+" "+TITLE
      SELECT 1
      FIND &wssuc
      IF EOF()
        SELECT 6
        ?? rel+STR(lag,6)+" SUCCESSOR IS NEW ACTIVITY"
        SELECT 1
        FIND &wsact
        DO printpre
      ELSE
        SELECT 6
        ?? rel+STR(lag,6)+" RELATION ADDED"
        SELECT 1
        FIND &wsact
        DO printpre
        SELECT 1
        FIND &wssuc
        ?? " "+act+" "+TITLE
      ENDIF
    *
  ELSE
    && SUCCESSOR EXISTS, CHECK FOR
    && RELATION OR LAG CHANGED
  DO CASE
  CASE rel <> wsrel
    SELECT 5
    rectemp = RECNO()

```

```

GOTO RECNO() + 1
IF act = SUBSTR(wsact1,2,10) .AND. suc = SUBSTR(wssuc1,2,10) .AND. rel = warel
  IF lag <> wslag
    Line = Line + 1      ** CHECK FOR MULTIPLE RELATIONS
    SELECT 2
    FIND &wsact
    DO printpre
    FIND &wsuc
    ?? " "+act+" "+TITLE
    SELECT 6
    ?? rel+STR(lag,6)+" LAG CHANGED"
    SELECT 1
    FIND &wsact
    DO printpre
    FIND &wsuc
    ?? " "+act+" "+TITLE
    SELECT 5
    ?? rel+STR(lag,6)
  ENDIF
  SELECT 6
  SKIP
  LOOP
ENDIF
GOTO rectemp
*
Line = Line + 1
SELECT 2
FIND &wsact
DO printpre
FIND &wsuc
?? " "+act+" "+TITLE
SELECT 6
?? rel+STR(lag,6)+" RELATION CHANGED"
*
SELECT 1
FIND &wsact
DO printpre
FIND &wsuc
?? " "+act+" "+TITLE
SELECT 5
?? rel+STR(lag,6)
*
CASE lag <> wslag
  Line = Line + 1
  SELECT 2
  FIND &wsact
  DO printpre
  FIND &wsuc
  ?? " "+act+" "+TITLE
  SELECT 6
  ?? rel+STR(lag,6)+" LAG CHANGED"
  *

```

```

SELECT 1
FIND &wsact
DO printpre
FIND &wssuc
?? " +act+" "+TITLE
SELECT 5
?? rel+STR(lag,6)
*
ENDCASE
ENDIF
SELECT 6
SKIP
LOOP
ENDDO
ENDIF
*
SELECT 5
FIND &wsact
IF .NOT. EOF()
DO WHILE act = SUBSTR(wsact1,2,10)
STORE suc TO wssuc
wsactsuc= act + suc
SELECT 6
FIND &wsactsuc
IF EOF()
SELECT 2
FIND &wssuc
IF EOF()
Line = Line + 1
SELECT 2
FIND &wsact
DO printpre
SELECT 1
FIND &wsact
DO printpre
FIND &wssuc
?? " +act+" "+TITLE
SELECT 5
?? rel+STR(lag,6)+" SUCCESSOR IS DELETED ACTIVITY"
ELSE:
Line = Line + 1
SELECT 2
FIND &wsact
DO printpre
FIND &wssuc
?? " +act+" "+TITLE
SELECT 6
?? rel+STR(lag,6)+" RELATION DELETED"
*
SELECT 1
FIND &wsact
DO printpre

```

```
FIND @wsauc
?? " "+act+" "+TITLE
SELECT 5
?? rel+STR(lag,6)
ENDIF
ENDIF
SELECT 5
SKIP
LOOP
ENDDO
ENDIF
*
SELECT 2
GOTO recnum
SKIP
LOOP
ENDDO
Line = Line + 2
?
? '** END OF LOGIC COMPARISON **'
DO closefil
RETURN
*: EOF: REPX.PRG
^Z
```

```

*:*****
*:
*:      Program: QUIT.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/20/89      14:51
*:
*:      Called by: REPNI.PRG
*:                  : KEYPRESS.PRG
*:
*:      Documented 04/27/89 at 10:40          SNAP! version 3.12e
*:*****
** QUIT.PRG - Clean up all files, Quit Pro-Man;
   SET COLOR TO &menucol
CLEAR
CLOSE ALL
CLEAR ALL
* Erase all Pro-Man .NDX files (but don't use DOS wildcard)
SET CONSOLE OFF
SET TALK OFF
SET ECHO OFF
SET SAFETY OFF
IF FILE('pssr_act.ndx')
  ERASE pssr_act.ndx
ENDIF
IF FILE('schd_act.ndx')
  ERASE schd_act.ndx
ENDIF
IF FILE('subm_nas.ndx')
  ERASE subm_nas.ndx
ENDIF
IF FILE('tempndx.ndx')
  ERASE tempndx.ndx
ENDIF
IF FILE('schd_str.ndx')
  ERASE schd_str.ndx
ENDIF
IF FILE('schd_seq.ndx')
  ERASE schd_seq.ndx
ENDIF
IF FILE('sch2_act.ndx')
  ERASE sch2_act.ndx
ENDIF
IF FILE('sch1_act.ndx')
  ERASE sch1_act.ndx
ENDIF
IF FILE('succ_ndx.ndx')
  ERASE succ_ndx.ndx
ENDIF
IF FILE('mrgndx.ndx')

```

```
ERASE mrgndx.ndx
ENDIF
IF FILE('schd_seq.ndx')
  ERASE schd_seq.ndx
ENDIF
*@5,10 SAY 'NOW EXITING PROMAN'
SET COLOR TO
QUIT
*: EOF: QUIT.PRG
^Z
```

```

*:*:*****
*:
*:      Program:  REPN.PRG
*:
*:      System:  PROJECT MANAGEMENT TOOLS
*:      Author:  ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/05/89      0:01
*:
*:      Called by:  REPN1.PRG
*:
*:      Calls:  ACTST      (procedure in PROCS.PRG)
*:              CODEST    (procedure in PROCS.PRG)
*:              PRECST    (procedure in PROCS.PRG)
*:              PROGST    (procedure in PROCS.PRG)
*:
*:      Uses:  DATAEXCH.DBF
*:              &ASCIIFILE
*:              SCHDINFO.DBF
*:              &SCHDFIL
*:              SUCINFO.DBF
*:              &SUCFIL
*:
*:      Indexes:  TEMPNDX.NDX
*:
*:      Documented 04/27/89 at 10:40      SNAP! version 3.12e
*:*:*****
SET BELL OFF
SET TALK OFF
CLEAR
@ 10,10 SAY '**** CONVERTING '+ asciifile+' TO DATABASE FORMAT ****'
* Begin taking data from asciifile

SELECT F  && Set up for reading of Data Exchange Standard into fields
USE dataexch  && dataexch.DBF
ZAP
APPEND FROM &asciifile SDF
SELECT G
Crea &schdfil FROM schdinfo
SELECT H
Crea &sucfil FROM sucinfo

SELECT F
GO TOP
DO WHILE .NOT. EOF ()

IF SUBSTR(ALL,1,4)='PROJ'  && 1 required record in file
    datadate=SUBSTR(ALL,6,1)
    projid=SUBSTR(ALL,14,4)
    projname=SUBSTR(ALL,20,48)
    contraname=SUBSTR(ALL,69,36)
    arrow_prec=SUBSTR(ALL,106,1)

```

```

    proj_userd=SUBSTR(ALL,108,35)
ENDIF

SKIP

N=1
DO WHILE SUBSTR(ALL,1,4)='CLDR'.AND.N<6    ** 1 required & >=1 optional records
    calencod&n=SUBSTR(ALL,6,4)
    workdays&n=SUBSTR(ALL,11,7)
    calendscr&n=SUBSTR(ALL,19,30)
    SKIP
    N=N+1
ENDDO

SKIP

IF SUBSTR(ALL,1,4)='HOLI'                    ** 1 required record
    hcalencod&n=SUBSTR(ALL,6,4)
    N=1
    m=11
    DO WHILE N<14                            ** Up to 14 holidays
        holiday&n=SUBSTR(ALL,m,7)
        N=N+1
        m=m+8
        IF holiday&n=' '
            EXIT
        ENDIF
    ENDDO
ENDIF

SKIP

DO WHILE SUBSTR(ALL,1,4)='ACTV'                ** Strip off all Activity data
    activ_id  = SUBSTR(ALL,6,10)                ** 4 required fields
    activ_dscr = SUBSTR(ALL,17,50)
    activ_dur  = SUBSTR(ALL,68,3)
    activ_cost = SUBSTR(ALL,72,8)
    IF SUBSTR(ALL,81,7)<>' '                    ** 6 optional fields
        start_net = SUBSTR(ALL,81,7)
    ENDIF
    IF SUBSTR(ALL,89,7)<>' '
        finish_nlt = SUBSTR(ALL,89,7)
    ENDIF
    IF SUBSTR(ALL,97,8)<>' '
        unitprice = SUBSTR(ALL,97,8)
    ENDIF
    IF SUBSTR(ALL,106,7)<>' '
        esti_units = SUBSTR(ALL,106,7)
    ENDIF
    IF SUBSTR(ALL,114,4)<>' '
        unit_dscr = SUBSTR(ALL,114,4)
    ENDIF

```

```

IF SUBSTR(ALL,119,4)<>' '
  acalencode = SUBSTR(ALL,119,4)
ENDIF
DO actst
  SKIP
ENDDO

SELECT G
INDEX ON act TO tempndx
SELECT F

DO WHILE ((SUBSTR(ALL,1,4)='CODE') .AND. (.NOT. EOF()))
  activ_id   = SUBSTR(ALL,6,10)
  responsibl = SUBSTR(ALL,17,4)
  modnum     = SUBSTR(ALL,22,5)
  workarea   = SUBSTR(ALL,28,4)
  hamact     = SUBSTR(ALL,33,1)
  breakdown  = SUBSTR(ALL,35,12)
  weathers    = SUBSTR(ALL,48,1)
  act_type   = SUBSTR(ALL,50,4)
  spec       = SUBSTR(ALL,55,3)
  build      = SUBSTR(ALL,64,7)
  calcd      = SUBSTR(ALL,72,4)
  usrdcode   = SUBSTR(ALL,77,56)
  DO codest
    SKIP + 1
  ENDDO
ENDDO

DO WHILE ((SUBSTR(ALL,1,4)='LIBR') .AND. (.NOT. EOF()))
  resid      = SUBSTR(ALL,6,4)
  descr      = SUBSTR(ALL,11,30)
  unitpr     = SUBSTR(ALL,42,8)
  unitdes    = SUBSTR(ALL,51,4)
  totestquan = SUBSTR(ALL,56,7)
  quanperiod = SUBSTR(ALL,64,7)
  quantodate = SUBSTR(ALL,72,7)
  stdate     = SUBSTR(ALL,80,7)
  enddate    = SUBSTR(ALL,88,7)
  SKIP + 1
ENDDO

DO WHILE ((SUBSTR(ALL,1,4)='RESC') .AND. (.NOT. EOF()))
  actidres   = SUBSTR(ALL,6,10)
  residres   = SUBSTR(ALL,17,4)
  quanid     = SUBSTR(ALL,23,1)
  estquan    = SUBSTR(ALL,25,5)
  quanperres = SUBSTR(ALL,31,7)
  quandteres = SUBSTR(ALL,39,7)
  SKIP + 1
ENDDO

DO WHILE ((SUBSTR(ALL,1,4) = 'PREC') .AND. (.NOT. EOF()))

```

```
accidpr = SUBSTR(6,10)
sucact  = SUBSTR(17,10)
suctype = SUBSTR(28,1)
lagamt  = SUBSTR(ALL,30,3)
DO precst.
SKIP + 1
ENDDO
```

```
DO WHILE ((SUBSTR(ALL,1,4) = 'PROG') .AND. (.NOT. EOF()))
actidprog = SUBSTR(ALL,6,10)
actst     = SUBSTR(ALL,17,7)
actf      = SUBSTR(ALL,25,7)
remdur    = SUBSTR(ALL,33,3)
earned    = SUBSTR(ALL,37,3)
unitper   = SUBSTR(ALL,41,7)
unitdate  = SUBSTR(ALL,49,7)
DO progst
SKIP + 1
ENDDO
```

ENDDO

```
*: EOF: REPN.PRG
^Z
```

```

*:*****
*:
*:      Program: GETSCHED.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/16/89      14:11
*:
*:      Called by: MENUTHRE.PRG
*:
*:      Documented 04/27/89 at 10:40          SNAP! version 3.12e
*:*****
** GETSCHED.PRG - Prompt user for filenames for SCHEDULE.DBF & SUCCESOR.DBF
SET COLOR TO
CLEAR
@0,5 SAY 'Input the entire filename, including filename extension if present, of'
@1,5 SAY 'the Schedule "SCHEDULE.DBF" file to be compared against PSSR and/or'
@2,5 SAY 'Submittal files. In order to run Reports which require the Schedule data,'
@3,5 SAY 'a filename MUST be      here. (This file is generated as a .DBF export'
@4,5 SAY 'file from Primavera, using Export File Report EX-01. For more specific'
@5,5 SAY 'information about the necessary format for this file, please refer to'
@6,5 SAY 'the PROMAN User Manual.)'
DO WHILE .T.
  filsched = filsched + "      "
  @8,1 SAY 'INPUT SCHEDULE "Schedule" FILENAME: ' GET filsched PICTURE '@S50@!'
  @9,0 CLEAR
  READ
  filsched=LTRIM(RTRIM(filsched))
  IF FILE(filsched)
    @9,15 SAY 'VALID FILENAME'
    EXIT
  ELSE
    SET COLOR TO &errcol
    @9,15 SAY 'CANNOT FIND THIS FILENAME - WOULD YOU LIKE TO:'
    SET COLOR TO
    @10,5 SAY ' 1) QUIT THIS PROCESS AND RETURN TO THE MENU?'
    ch=2
    @11,5 SAY ' 2) INPUT AN ALTERNATE FILENAME?      SELECT 1 OR 2 : 'GET ch PICTURE '9'
    READ
    IF ch=1
      option = 0
      RETURN
    ENDIF
  ENDIF
ENDDO
@12,5 SAY 'Next, input the entire filename, including filename extension if present,'
@13,5 SAY 'of the Schedule "SUCCESOR" Dbase file to be compared against PSSR and/or'
@14,5 SAY 'Submittal files. In order to run Reports which require the Schedule data,'
@15,5 SAY 'a filename MUST be input here. (This file is generated as a .DBF export'
@16,5 SAY 'file from Primavera, using Export File Report EX-02. For more specific'
@17,5 SAY 'information about the necessary format for this file, please refer to'

```

```

@18,5 SAY 'the PROMAN User Manual.)'
DO WHILE .T.
  filsucces = filsucces + "          "
  @20,1 SAY 'INPUT SCHEDULE "Successor" FILENAME: ' GET filsucces PICTURE '@S50@!'
  @21,0 CLEAR
  READ
  filsucces=LTRIM(RTRIM(filsucces))
  IF filsucces=filsched
    SET COLOR TO &errcol
    @21,15 SAY 'THIS FILENAME IS THE SAME AS YOUR "Schedule" FILENAME INPUT ABOVE'
    SET COLOR TO
    @22,15 SAY 'RE-INPUT'
    WAIT
    LOOP
  ENDIF
  IF FILE(filsucces)
    @21,15 SAY 'VALID FILENAME'
    @22,0
    WAIT
    EXIT
  ELSE
    SET COLOR TO &errcol
    @21,15 SAY 'CANNOT FIND THIS FILENAME - WOULD YOU LIKE TO:'
    SET COLOR TO
    @22,5 SAY ' 1) QUIT THIS PROCESS AND RETURN TO THE MENU?'
    ch=2
    @23,5 SAY ' 2) INPUT ALTERNATE FILENAME?      SELECT 1 OR 2 : 'GET ch PICTURE '9'
    READ
    IF ch=1
      option = 0
      RETURN
    ENDIF
  ENDIF
ENDDO
RETURN
*: EOF: GETSCHED.PRG
^2

```

```

*:*****
*:
*:      Program: SCHEDULE.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      1:12
*:
*:      Called by: MENUTHRE.PRG
*:
*:      Uses: &FILSCHED
*:            : SCHETEMP.DBF
*:            : &FILSCHED.DBF
*:            : FILELIST.DBF
*:
*:      Indexes: SCHD_ACT.NDX
*:
*:      Documented 04/27/89 at 10:40      SNAP! version 3.12e
*:*****
** SCHEDULE.PRG - Process and clean up SCHEDULE.DBF, the main Primavera export
CLEAR
@5,25 SAY 'PROCESSING SCHEDULE FILE'
@6,22 SAY "PLEASE DON'T TOUCH KEYBOARD"
SELECT D
filsched = UPPER(filsched)
filsucces = UPPER(filsucces)
USE &filsched
IF TYPE("MH_DAY") <> "U"
  CLEAR
  @ 10,10 SAY "The file '"+TRIM(filsched)+"' has been processed already."
  @ 12,10 SAY "Processing of this schedule and the associated successor"
  @ 13,10 SAY "file, '"+TRIM(filsucces)+"' will not be performed."
  @ 15,10 SAY " "
  WAIT
  option = 0
  RETURN
ENDIF
USE
SELECT A
USE schetemp
ZAP
APPEND FROM &filsched
ERASE schd_act.ndx
INDEX ON act TO schd_act
GOTO TOP
SET DELETE ON
N=0
manhrs=0
dollars=0
mact = "ZZZZZZZZZZ"
DO WHILE .NOT. EOF()

```

```

IF mact <> act
  IF TRIM(rut) = '$' .AND. upd <> 0.00  && Move Dollars
    REPLACE dol_day WITH upd
  ELSE
    IF TRIM(rut) = 'MH' .AND. upd <> 0.00  && Move Man Hours
      REPLACE mh_day WITH upd
    ENDIF
  ENDIF
  mact = act
  SKIP
ELSE
  IF TRIM(rut) = '$' .OR. TRIM(rut) = 'MH'
    mrut = TRIM(rut)
    mupd = upd
    DELETE
    SKIP -1
    IF mrut = '$' .AND. mupd <> 0.00
      REPLACE dol_day WITH mupd
    ELSE
      IF mrut = 'MH'
        REPLACE mh_day WITH mupd
      ENDIF
    ENDIF
    SKIP
  ELSE
    DELETE
    SKIP
  ENDIF
ENDIF
ENDDO
PACK
SET DELETE OFF
GOTO TOP
DO WHILE .NOT. EOF()
  N = N + 1
  IF dol_day > 0.00
    dollars = dollars + 1
  ENDIF
  IF mh_day > 0.00
    manhrs = manhrs + 1
  ENDIF
  SKIP
ENDDO
ERASE &filsched
GOTO TOP
COPY ALL TO &filsched
GOTO TOP
DELETE ALL
PACK
?
? STR(manhrs,7)+' Activities require some level of Man-Hours.'
? STR(dollars,7)+' Activities require some level of Dollars.'

```

```
? STR(N,7)+' Activities are included in the schedule database.'  
?  
sched_done=.T.  
* start of filelist update  
SELECT A  
USE  
USE filelist  
GOTO TOP  
REPLACE schedule WITH filsched  
REPLACE successor WITH filsucces  
USE  
SELECT D  
USE &filsched  
* end of filelist update  
RETURN  
*: EOF: SCHEDULE.PRG  
^Z
```

```

*:*****
*:
*:      Program: GETSUBMI.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/16/89      14:18
*:
*:      Called by: MENUTHRE.PRG
*:
*:      Documented 04/27/89 at 10:40          SNAP! version 3.12e
*:*****
** GETSUBMI.PRG - Prompt user for filename for submittal file
CLEAR
@1,5 SAY 'Input the entire filename, including filename extension if present, of'
@2,5 SAY 'the Submittal Dbase file to be compared against Schedule and/or'
@3,5 SAY 'PSSR files. In order to run Reports which require the Submittal data,'
@4,5 SAY 'a filename MUST be input here. (For specific information about the'
@5,5 SAY 'necessary format for this file, please refer to the PROMAN User Manual.)'
DO WHILE .T.
  filsubmi = filsubmi + "      "
  @7,1 SAY 'INPUT SUBMITTAL FILENAME: ' GET filsubmi PICTURE '@S50@!'
  @8,0 CLEAR
  READ
  filsubmi=LTRIM(RTRIM(filsubmi))
  IF FILE(filsubmi)
    @9,15 SAY 'VALID FILENAME'
    @10,0
    WAIT
    EXIT
  ELSE
    SET COLOR TO serrcol
    @9,15 SAY 'CANNOT FIND THIS FILENAME - WOULD YOU LIKE TO:'
    SET COLOR TO
    @10,5 SAY ' 1) QUIT THIS PROCESS AND RETURN TO THE MENU?'
    ch=2
    @11,5 SAY ' 2) INPUT AN ALTERNATE FILENAME?      SELECT 1 OR 2 : 'GET ch PICTURE '9'
    READ
    IF ch=1
      option = 0
      RETURN
    ENDIF
  ENDIF
ENDDO
RETURN
*: EOF: GETSUBMI.PRG
^Z

```

```

*:*****
*:
*:      Program: SUBMIT.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      1:13
*:
*:      Called by: MENUTHRE.PRG
*:
*:      Uses: &FILSUBMI
*:            : FILELIST.DBF
*:
*:      Documented 04/27/89 at 10:40      SNAP! version 3.12e
*:*****
** SUBMIT.PRG - Process submittal file (filename user's choice)
SET COLOR TO &extracol
CLEAR
@2,20 SAY 'PROCESSING SUBMITTAL FILE .....'
@3,25 SAY "PLEASE DON'T TOUCH KEYBOARD"
SELECT E
USE &filsubmi && Process submittal data
DO WHILE .NOT. EOF()
  IF SUBSTR(nas,5,1)='.'
    REPL nas WITH TRIM(SUBSTR(nas,1,4)+SUBSTR(nas,6,7))
  ENDIF
  SKIP
ENDDO
submi_done=.T.
SET COLOR TO &menucol
* start of file list update
SELECT A
USE
USE filelist
GOTO TOP
REPLACE submittal WITH filsubmi
USE
SELECT E
*end of filelist update
RETURN
*: EOF: SUBMIT.PRG
^Z

```

```

*:*****
*:
*:      Program: GETPSSR.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/16/89      14:16
*:
*:      Called by: MENUTHRE.PRG
*:
*:      Documented 04/27/89 at 10:40          SNAP! version 3.12e
*:*****
** GETPSSR.PRG - Get user's filenames for PSSR_PR & PSSR_SC ASCII files
*   Mark McReynolds, 1/3/88
SET COLOR TO
CLEAR
@1,5 SAY 'Input the entire filename, including filename extension if present, of'
@2,5 SAY 'the PSSR "Procurement" ASCII file to be compared against Schedule and/or'
@3,5 SAY 'Submittal files. In order to run Reports which require the PSSR data,'
@4,5 SAY 'a filename MUST be input here. (For specific information about the'
@5,5 SAY 'necessary format for this file, please refer to the PROMAN User Manual.)'
DO WHILE .T.
    filpssr_pr = filpssr_pr + "          "
    @7,1 SAY 'INPUT PSSR "Procurement" FILENAME: ' GET filpssr_pr PICTURE '@S50@!'
    @8,0 CLEAR
    READ
    filpssr_pr=LTRIM(RTRIM(filpssr_pr))
    IF FILE(filpssr_pr)
        @9,15 SAY 'VALID FILENAME'
        EXIT
    ELSE
        SET COLOR TO ferrcol
        @9,15 SAY 'CANNOT FIND THIS FILENAME - WOULD YOU LIKE TO:'
        SET COLOR TO
        @10,5 SAY ' 1) QUIT THIS PROCESS AND RETURN TO THE MENU?'
        ch=2
        @11,5 SAY ' 2) INPUT AN ALTERNATE FILENAME?      SELECT 1 OR 2 : 'GET ch PICTURE '9'
        READ
        IF ch=1
            option = 0
            RETURN
        ENDDIF
    ENDDO
    @11,5 SAY 'Input a PSSR "SubContract" ASCII file? ' GET sc_exist PICTURE 'Y'
    READ
    IF sc_exist
        @14,5 SAY 'Input the entire filename, including filename extension if present, of'
        @15,5 SAY 'the PSSR "SubContract" ASCII file to be compared against Schedule and/or'
        @16,5 SAY 'Submittal files. (For specific information about the necessary format for'
        @17,5 SAY 'this file, please refer to the PROMAN User Manual.)'

```

```

DO WHILE .T.
  filpssr_sc = filpssr_sc + "
  @19,1 SAY 'INPUT PSSR "SubContract" FILENAME: ' GET filpssr_sc PICTURE '@S50@!'
  @20,0 CLEAR
  READ
  filpssr_sc=LTRIM(RTRIM(filpssr_sc))
  IF filpssr_sc=filpssr_pr
    SET COLOR TO &errcol
    @20,15 SAY 'THIS FILENAME IS THE SAME AS YOUR "Procurement" PSSR FILENAME.'
    @21,15 SAY 'INPUT AGAIN.'
    SET COLOR TO
    LOOP
  ENDIF
  IF FILE(filpssr_sc)
    @20,15 SAY 'VALID FILENAME'
    @21,0
    WAIT
    EXIT
  ELSE
    SET COLOR TO &errcol
    @20,15 SAY 'CANNOT FIND THIS FILENAME - WOULD YOU LIKE TO:'
    SET COLOR TO
    @21,5 SAY ' 1) QUIT THIS PROCESS AND RETURN TO THE MENU?'
    ch=2
    @22,5 SAY ' 2) INPUT ALTERNATE FILENAME?   SELECT 1 OR 2 : 'GET ch PICTURE '9'
    READ
    IF ch=1
      option = 0
      RETURN
    ENDIF
  ENDIF
ENDDO
ENDIF
RETURN
*: EOF: GETPSSR.PRG
^Z

```

```

*****
*:
*:      Program: PSSR.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERI/ASC/RCE
*:      Last modified: 04/27/89      1:22
*:
*:      Called by: MENUTHRE.PRG
*:
*:      Uses: PSSR_PR.DBF
*:            : AA.DBF
*:            : &FILPSSR_PR
*:            : PSSR_SC.DBF
*:            : &FILPSSR_SC
*:            : FILELIST.DBF
*:
*:      Documented 04/27/89 at 10:40          SNAP! version 3.12e
*****
** PSSR.PRG - Creates PSSR_PR.DBF from PSSRS.ART (or user's choice) ASCII
* file, and PSSR_SC.DBF from PSSRR.ART (or user's choice) ASCII file, merges
SET COLOR TO &outputcol
CLEAR
@5,9 SAY 'CONVERTING PSSR "Procurement" FILE FROM ASCII TO DBASE FORMAT'
@6,25 SAY "PLEASE DON'T TOUCH KEYBOARD"
SELECT B
USE pssr_pr
ZAP
SELECT A
USE aa
ZAP
APPEND FROM &filpssr_pr SDF
GO TOP
mprrepdate=SPACE(13)
mprreptime=SPACE(5)
mprrepjob=SPACE(6)
mprrendper=SPACE(8)
SKIP 7
IF SUBSTR(ALL,120,1)$'0123456789'
    mprrepdate=SUBSTR(ALL,120,7)  ** Get the date report was printed
    mprreptime=SUBSTR(ALL,128,5) ** Get the time report was printed
ENDIF
SKIP 2
IF SUBSTR(ALL,1,3)='JOB'
    mprrepjob=SUBSTR(ALL,4,6)  ** Get the report job number
ENDIF
SKIP 2
IF SUBSTR(ALL,119,6)='ENDING' .AND. SUBSTR(ALL,126,1)$'0123456789'
    mprrendper=SUBSTR(ALL,126,7)  ** Get ending period of these activities
ENDIF
D= ' '

```

```

DO WHILE .NOT. EOF()
  IF SUBSTR(ALL,1,1) $'0123456789'
    SELECT E  && pssr_pr.dbf
    APPEND BLANK
    SELECT A  && aa.dbf
    REPL b->activ_id WITH SUBSTR(ALL,1,12),b->descript WITH SUBSTR(ALL,15,42),;
      b->schedclass WITH SUBSTR(ALL,57,5),b->req_no WITH SUBSTR(ALL,65,5)
    REPL b->p_o_no WITH SUBSTR(ALL,73,7),b->vendorname WITH SUBSTR(ALL,80,14),;
      b->remarks WITH SUBSTR(ALL,94,33)
    SKIP
    REPL b->advertize WITH SUBSTR(ALL,18,7),b->reqtoproc WITH SUBSTR(ALL,27,7),;
      b->bids_out WITH SUBSTR(ALL,36,7),b->bids_in WITH SUBSTR(ALL,45,7)
    REPL b->kebid_eval WITH SUBSTR(ALL,54,7),b->cebid_eval WITH SUBSTR(ALL,63,7),;
      b->award_p_o WITH SUBSTR(ALL,72,7),b->ce_submit WITH SUBSTR(ALL,81,7)
    REPL b->ce_subm_ap WITH SUBSTR(ALL,90,7),b->fab_ship WITH SUBSTR(ALL,99,7),;
      b->arrivesite WITH SUBSTR(ALL,108,9),b->required WITH SUBSTR(ALL,126,7)
    SKIP  && The next REPLACE gets the WORKING DAYS required for each activity
    REPL b->dadvertize WITH SUBSTR(ALL,22,3),b->dreqtoproc WITH SUBSTR(ALL,31,3),;
      b->dbids_out WITH SUBSTR(ALL,40,3),b->dbids_in WITH SUBSTR(ALL,49,3)
    REPL b->dkebid_eva WITH SUBSTR(ALL,58,3),b->dcebid_eva WITH SUBSTR(ALL,67,3),;
      b->daward_p_o WITH SUBSTR(ALL,76,3),b->dce_submit WITH SUBSTR(ALL,85,3)
    REPL b->dce_subm_a WITH SUBSTR(ALL,94,3),b->dfab_ship WITH SUBSTR(ALL,103,3),;
      b->darrivesit WITH SUBSTR(ALL,112,3),b->drequired WITH SUBSTR(ALL,129,4)
  ENDIF
  SKIP
ENDDO
ZAP  && aa.dbf
IF sc_exist  && Process pssr_sc.dbf IF user has selected this file.
  @8,9 SAY 'CONVERTING PSSR "Subcontract" FILE FROM ASCII TO DBASE FORMAT'
  @9,25 SAY "PLEASE DON'T TOUCH KEYBOARD"
  SELECT C
  USE pssr_sc
  ZAP
  SELECT A  && aa.dbf
  APPEND FROM &filpssr_sc SDF
  GO TOP
  mscrepdate=SPACE(13)
  mscreptime=SPACE(5)
  mscrepjob=SPACE(6)
  mscendper=SPACE(8)
  SKIP 7
  IF SUBSTR(ALL,120,1)$'0123456789'
    mscrepdate=SUBSTR(ALL,120,7)  && Get the date report was printed
    mscreptime=SUBSTR(ALL,128,5)  && Get the time report was printed
  ENDIF
  SKIP 2
  IF SUBSTR(ALL,1,3)='JOB'
    mscrepjob=SUBSTR(ALL,4,6)  && Get the report job number
  ENDIF
  SKIP 2
  IF SUBSTR(ALL,119,6)='ENDTNG' .AND. SUBSTR(ALL,126,1)$'0123456789'
    mscendper=SUBSTR(ALL,126,7)  && Get ending period of these activities

```

```

ENDIF
DO WHILE .NOT. EOF()
  IF SUBSTR(ALL,1,1) $'0123456789'
    SELECT C    && psar_sc.dbf
    APPEND BLANK
    SELECT A
    REPL c->activ_id WITH SUBSTR(ALL,1,12),c->dascript WITH SUBSTR(ALL,15,42),;
      c->schedclass WITH SUBSTR(ALL,57,5),c->req_no WITH SUBSTR(ALL,65,5)
    REPL c->p_o_no WITH SUBSTR(ALL,73,7),c->vendorname WITH SUBSTR(ALL,80,14),;
      c->remarks WITH SUBSTR(ALL,94,32)
    SKIP
    REPL c->advertize WITH SUBSTR(ALL,18,7),c->pr_bid_doc WITH SUBSTR(ALL,27,7),;
      c->bids_out WITH SUBSTR(ALL,36,7),c->bids_in WITH SUBSTR(ALL,45,7)
    REPL c->bid_eval WITH SUBSTR(ALL,54,7),c->ce_approve WITH SUBSTR(ALL,63,7),;
      c->award_cont WITH SUBSTR(ALL,72,7),c->mobilize_c WITH SUBSTR(ALL,81,7)
    REPL c->required WITH SUBSTR(ALL,126,7)
    SKIP  && The next two REPLA commands gets the DAYS required for each activity
    REPL c->dadvertize WITH SUBSTR(ALL,22,3),c->dprbid_doc WITH SUBSTR(ALL,31,3),;
      c->dbids_out WITH SUBSTR(ALL,40,3),c->dbids_in WITH SUBSTR(ALL,49,4)
    REPL c->dbid_eval WITH SUBSTR(ALL,58,3),c->dce_approv WITH SUBSTR(ALL,67,3),;
      c->daward_con WITH SUBSTR(ALL,76,3),c->dmobilize WITH SUBSTR(ALL,85,3)
    REPL c->drequired WITH SUBSTR(ALL,129,4)
  ENDIF
  SKIP
ENDDO
ZAP  && aa.dbf
@11,10 SAY 'MERGING PSSR "Procurement" AND "Subcontract" DBASE FILES'
@12,25 SAY "PLEASE DON'T TOUCH KEYBOARD"
SELECT B  && psar_pr.dbf
GO BOTTOM
SELECT C  && psar_sc.dbf
GO TOP
DO WHILE .NOT. EOF()
  SELECT B
  APPEND BLANK
  REPL activ_id WITH c->activ_id, dascript WITH c->dascript,;
    schedclass WITH c->schedclass, req_no WITH c->req_no
  REPL p_o_no WITH c->p_o_no, vendorname WITH c->vendorname,;
    remarks WITH c->remarks, advertize WITH c->advertize
  REPL reqtoproc WITH c->pr_bid_doc, bids_out WITH c->bids_out,;
    bids_in WITH c->bids_in, kebid_eval WITH c->bid_eval
  REPL cebid_eval WITH c->ce_approve, award_p_o WITH c->award_cont,;
    arrivesite WITH c->mobilize_c, required WITH c->required
  REPL dadvertize WITH c->dadvertize, dreqtproc WITH c->dprbid_doc,;
    dbids_out WITH c->dbids_out, dbids_in WITH c->dbids_in
  REPL dkebid_eva WITH c->dbid_eval, dcebid_eva WITH c->dce_approv,;
    daward_p_o WITH c->daward_con
  REPL darrrivesit WITH c->dmobilize, drequired WITH c->drequired
  SKIP
  SELECT C
  SKIP
ENDDO

```

```

ENDIF
SELECT B
GO TOP
DO WHILE .NOT. EOF()
  F=8
  DO WHILE F<20
    fn=FIELD(F)
    om=''
    IF &fn<>' '
      om=SUBSTR(&fn,3,3)
      REPL &fn WITH (&om+'/' +SUBSTR(&fn,1,2)+'/' +SUBSTR(&fn,6,2))
    ENDIF
    F=F+1
  ENDDO
  SKIP
ENDDO
SET COLOR TO &menucol
CLEAR
pssr_done=.T.
* Start of filelist update
SELECT A
USE
USE filelist
GOTO TOP
REPLACE pssr_proc WITH UPPER(filpssr_pr)
IF sc_exist
  REPLACE pssr_subs WITH UPPER(filpssr_sc)
ENDIF
USE
* End of filelist update
SELECT B
RETURN
*: EOF: PSSR.PRG
^2

```

```
*:*****
*:
*:      Program: PAR_E.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      15:56
*:
*:      Called by: SETPARMS.PRG
*:
*:      Documented 04/27/89 at 10:40      SNAP! version 3.12a
*:*****
* Parameter setup for report e
```

CLEAR

```
@1,21 SAY 'REPORT E: PSSR/SCHEDULE/SUBMITTAL COMPARISON 1'
@3,5 SAY '      Report E identifies Activities which have matching data in the'
@4,5 SAY 'PSSR and Submittal files but have mismatching submittal dates, and'
@5,5 SAY 'have less than a specified quantity of Float. By default this Float'
@6,5 SAY 'is set at 10 days.'
@8,5 SAY '      However, the user can alternatively supply his own value for'
@9,5 SAY 'the Float. If you wish to accept the default, simply press <Enter>'
@10,5 SAY 'following the prompt. If you would rather supply your own value,'
@11,5 SAY 'type it in and press <Enter>.'
@13,10 SAY 'Float Value in Working Days > ' GET refloat PICTURE '999'
```

READ

RETURN

\*: EOF: PAR\_E.PRG

^Z

\*:\*\*\*\*\*

\*:

\*: Program: PAR\_F.PRG

\*:

\*: System: PROJECT MANAGEMENT TOOLS

\*: Author: ASC/RCE and USA-CERL

\*: Copyright (c) 1989, USA-CERL/ASC/RCE

\*: Last modified: 04/26/89 15:56

\*:

\*: Called by: SETPARMS.PRG

\*:

\*: Documented 04/27/89 at 10:40 SNAP! version 3.12e

\*:\*\*\*\*\*

\* Parameter setup for report f

CLEAR

@1,21 SAY 'REPORT F: PSSR/SCHEDULE/SUBMITTAL COMPARISON 2'

@3,5 SAY ' Report F identifies Activities which have matching data in the'

@4,5 SAY 'PSSR and Submittal files but have mismatching submittal dates, and'

@5,5 SAY 'have a time difference between their PSSR submittal and approval dates'

@6,5 SAY 'of less than a specified percentage of their Float. By default this'

@7,5 SAY 'Float percentage is set at 20%.'

@9,5 SAY ' However, the user can alternatively supply his own value for'

@10,5 SAY 'this Float percentage. If you wish to accept the default, simply press'

@11,5 SAY '<Enter> following the prompt. If you would rather supply your own'

@12,5 SAY 'percentage, type it in and press <Enter>.'

@14,10 SAY 'Percentage of Float (as described above) > ' GET rpercent PICTURE '999'

READ

RETURN

\*: EOF: PAR\_F.PRG

^Z

```

*:*****
*:
*:      Program: PAR_G.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      15:57
*:
*:      Called by: SETPARMS.PRG
*:
*:      Documented 04/27/89 at 10:41      SNAP! version 3.12e
*:*****
* Get parameters for Report G

```

```
CLEAR
```

```

@1,17 SAY 'REPORT G: RESOURCE LOADING ANALYSIS - MANPOWER VARIANCE'
@3,5 SAY '      Report G analyzes those Activities requiring more than a particular'
@4,5 SAY 'number of men per day.  Input the number of men per day per Activity ABOVE'
@5,5 SAY 'which to search (use a number between 0 and 9999), or press <Enter> to use'
DO WHILE .T.

```

```

@6,5 SAY 'the default of 20 men per day per Activity: ' GET rgmn PICTURE '9999'
READ

```

```
IF rgmn<0.OR.rgmn>9999
```

```
  SET COLOR TO &errcol
```

```
  @8,10 SAY 'CHOICE IS OUT OF RANGE - PLEASE CHOOSE A NUMBER BETWEEN 0 AND 9,999.'
```

```
  SET COLOR TO
```

```
ELSE
```

```
  @8,10 SAY 'Valid choice.'
```

```
  EXIT
```

```
ENDIF
```

```
ENDDO
```

```

@10,5 SAY 'Next, input the threshold of standard deviations above which to analyze'
@11,5 SAY 'Activities (use a number between 0 and 99.99, or press <Enter> to use the'
DO WHILE .T.

```

```

@12,5 SAY 'the default of 1.00: ' GET rgsd PICTURE '99.99'
READ

```

```
IF rgsd<0.OR.rgsd>99.99
```

```
  SET COLOR TO &errcol
```

```
  @14,10 SAY 'CHOICE IS OUT OF RANGE - PLEASE CHOOSE A NUMBER BETWEEN 0 AND 99.99.'
```

```
  SET COLOR TO
```

```
ELSE
```

```
  @14,10 SAY 'Valid choice.'
```

```
  EXIT
```

```
ENDIF
```

```
ENDDO
```

```
CLEAR
```

```

@1,17 SAY 'REPORT G: RESOURCE LOADING ANALYSIS - MANPOWER VARIANCE'
@3,5 SAY '      Finally, you may choose one of the following Activity Codes or'

```

```
@4,5 SAY 'Activity ID Codes to establish the grouping for Mean and Standard'
@5,5 SAY 'Deviation calculations.'
@7,10 SAY '1 STND Activity ID Code'
@8,10 SAY '2 RESPonsibility Activity Code'
@9,10 SAY '3 WAD Activity Code'
@10,10 SAY '4 SORT Details Activity Code'
@11,10 SAY '5 SUBcontractS Activity Code'
@12,10 SAY '6 AREA Activity ID Code'
@13,10 SAY '7 SUB-ARea Activity ID CODE'
@14,10 SAY '8 TYPE of Work Activity ID Code'
DO WHILE .T.
  @16,20 SAY 'Enter the number for one Code : ' GET rrcode PICTURE '9'
  READ
  IF .NOT.rrcode$'12345678'
    SET COLOR TO &errcol
    @18,20 SAY 'WRONG CHOICE - SELECT AGAIN'
    SET COLOR TO
  ELSE
    @18,20 SAY 'Valid Code'
    EXIT
  ENDIF
ENDDO

RETURN
*: EOF: PAR_G.PRG
^Z
```

\*:\*\*\*\*\*~\*\*\*\*\*

\*:  
\*: Program: PAR\_H.PRG  
\*:  
\*: System: PROJECT MANAGEMENT TOOLS  
\*: Author: ASC/RCE and USA-CERL  
\*: Copyright (c) 1989, USA-CERL/ASC/RCE  
\*: Last modified: 04/26/89 15:57  
\*:  
\*: Called by: SETPARMS.PRG  
\*:  
\*: Documented 04/27/89 at 10:41 SNAP! version 3.12e  
\*:\*\*\*\*\*

\* Get Parameters for Report H

CLEAR

@1,19 SAY 'REPORT H: RESOURCE LOADING ANALYSIS - FUNDING VARIANCE'

@3,5 SAY ' Report H analyzes those Activities requiring more than a particular'

@4,5 SAY 'number of dollars per day. Input the number of dollars per day per'

@5,5 SAY 'Activity ABOVE which to search (use a number between \$0 and \$99,999), or'

DO WHILE .T.

@6,5 SAY 'press <Enter> to use the default of \$2000 per day per Activity: ' GET rhdl PICTURE  
'99,999'

READ

IF rhdl<0.OR.rhdl>99999

SET COLOR TO serrcol

@8,10 SAY 'CHOICE IS OUT OF RANGE - PLEASE CHOOSE A NUMBER BETWEEN 0 AND 99,999'

SET COLOR TO

ELSE

@8,10 SAY 'Valid choice.'

EXIT

ENDIF

ENDDO

@10,5 SAY 'Next, input the threshold of standard deviations above which to analyze'

@11,5 SAY 'Activities (use a number between 0 and 99.99, or press <Enter> to use the'

DO WHILE .T.

@12,5 SAY 'the default of 1: ' GET rhsd PICTURE '99.99'

READ

IF rhsd < 0.0 .OR. rhsd > 99.99

SET COLOR TO serrcol

@14,10 SAY 'YOUR CHOICE IS OUT OF RANGE. PLEASE CHOOSE A NUMBER BETWEEN 0 AND 99.99.'

SET COLOR TO

ELSE

@14,10 SAY 'Valid choice.'

EXIT

ENDIF

ENDDO

CLEAR

@1,19 SAY 'REPORT H: RESOURCE LOADING ANALYSIS - FUNDING VARIANCE'

```
@3,5 SAY '      Finally, you may choose one of the following Activity Codes or'
@4,5 SAY 'Activity ID Codes to establish the grouping for Mean and Standard'
@5,5 SAY 'Deviation calculations.'
@7,10 SAY '1  STND Activity ID Code'
@8,10 SAY '2  RESPonsibility Activity Code'
@9,10 SAY '3  WAD Activity Code'
@10,10 SAY '4  SORT Details Activity Code'
@11,10 SAY '5  SUBcontractS Activity Code'
@12,10 SAY '6  AREA Activity ID Code'
@13,10 SAY '7  SUB-ARea Activity ID CODE'
@14,10 SAY '8  TYPE of Work Activity ID Code'
```

```
DO WHILE .T.
```

```
  @16,20 SAY 'Enter the number for one Code : ' GET rhcode PICTURE '9'
```

```
  READ
```

```
  IF .NOT.rhcode$'12345678'
```

```
    SET COLOR TO &errcol
```

```
    @18,20 SAY 'WRONG CHOICE - SELECT AGAIN'
```

```
    SET COLOR TO
```

```
    rhcode='1'
```

```
  ELSE
```

```
    @18,20 SAY 'Valid Code'
```

```
    EXIT
```

```
  ENDIF
```

```
ENDDO
```

```
RETURN
```

```
*: EOF: PAR_H.PRG
```

```
^Z
```

```

*:*****
*:
*:      Program: PAR_I.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      15:57
*:
*:      Called by: SETPARMS.PRG
*:
*:      Documented 04/27/89 at 10:41      SNAP! version 3.12e
*:*****
* Get Parameters for Report I

```

```

CLEAR
@1,20 SAY 'REPORT I: RESOURCE LOADING ANALYSIS - TIME VARIANCE'
@3,5 SAY '      Report I analyzes those Activities requiring more than a particular'
@4,5 SAY 'number days to complete. Input the number of days per Activity ABOVE'
@5,5 SAY 'which to search (use a number between 1 and 9,999), or press <Enter>'
DO WHILE .T.
@6,5 SAY 'to use the default of 40 days per Activity: ' GET ridy PICTURE '9,999'
READ
IF ridy<1.OR.ridy>9999
    SET COLOR TO &errcol
    @8,10 SAY 'YOUR CHOICE IS OUT OF RANGE. PLEASE CHOOSE A NUMBER BETWEEN 1 AND 9,999.'
    SET COLOR TO
ELSE
    @8,10 SAY 'Valid choice.'
EXIT
ENDIF
ENDDO
@10,5 SAY 'Next, input the threshold of standard deviations above which to analyze'
@11,5 SAY 'Activities (use a number between 0 and 99.99, or press <Enter> to use the'
DO WHILE .T.
@12,5 SAY 'the default of 1: ' GET risd PICTURE '99.99'
READ
IF risd<0.OR.risd>99.99
    SET COLOR TO &errcol
    @14,10 SAY 'YOUR CHOICE IS OUT OF RANGE. PLEASE CHOOSE A NUMBER BETWEEN 0 AND 99.99.'
    SET COLOR TO
ELSE
    @14,10 SAY 'Valid choice.'
EXIT
ENDIF
ENDDO

CLEAR
@1,20 SAY 'REPORT I: RESOURCE LOADING ANALYSIS - TIME VARIANCE'
@3,5 SAY '      Finally, you may choose one of the following Activity Codes or'
@4,5 SAY 'Activity ID Codes to establish the grouping for Mean and Standard'
@5,5 SAY 'Deviation calculations.'

```

Q7,10 SAY '1 STND Activity ID Code'  
Q8,10 SAY '2 RESponsibility Activity Code'  
Q9,10 SAY '3 WAD Activity Code'  
Q10,10 SAY '4 SORT Details Activity Code'  
Q11,10 SAY '5 SUBcontractS Activity Code'  
Q12,10 SAY '6 AREA Activity ID Code'  
Q13,10 SAY '7 Sub-ARea Activity ID COde'  
Q14,10 SAY '8 TYPE of Work Activity ID Code'

DO WHILE .T.

Q16,20 SAY 'Enter the number for one Code : ' GET ricode PICTURE '9'

READ

IF .NOT.ricode\$'12345678'

SET COLOR TO &errcol

Q18,20 SAY 'WRONG CHOICE - SELECT AGAIN'

ricode = '1'

SET COLOR TO

ELSE

Q18,20 SAY 'Valid Code'

EXIT

ENDIF

ENDDO

RETURN

\*: EOF: PAR\_I.PRG

^Z

```
*****
*:
*:      Program: PAR_K.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/26/89      16:00
*:
*:      Called by: SETPARMS.PRG
*:
*:      Documented 04/27/89 at 10:41      SNAP! version 3.12e
*****
* Get Parameters for Report K
```

```
CLEAR
@ 1,27 SAY "REPORT K: ACTIVITIES TO CRASH"
@ 3, 5 SAY "Report K will find the 4 most critical paths in the "
@ 4, 5 SAY "schedule and print those. Report K will also find those"
@ 5, 5 SAY "activities which meet certain criteria. It checks for the"
@ 6, 5 SAY "a certain values of Man Power Loading and Duration."
@ 14,10 SAY "What value for Man Power Loading to use: " GET mpl PICTURE '999'
READ
@ 15,10 SAY "What value for Duration to use: " GET durat PICTURE '99999'
READ
@ 16,10 SAY "What value for Relation Duration to use: " GET reldur PICTURE '999'
READ
RETURN

*: EOF: PAR_K.PRG
^Z
```



```

filsch21 = filsched + "          "
@17,4 SAY 'Input the filename of your LATEST Schedule file: 'GET filsch21
READ
filsch21=TRIM(filsch21)
IF FILE(filsch21)
  @19,15 SAY 'VALID FILENAME'
  EXIT
ELSE
  SET COLOR TO &errcol
  @19,15 SAY 'CANNOT FIND '+TRIM(filsch21)+' - WOULD YOU LIKE TO:'
  SET COLOR TO &menucol
  @21,15 SAY ' 1) Return to the Main Menu?'
  ch=2
  @22,15 SAY ' 2) Input an alternate filename?      Select 1 OR 2 : 'GET ch PICTURE '9'
  IF ch=1
    option = 0
    RETURN
  ENDIF
  @17,1 CLEAR TO 22,79
ENDIF
ENDDO

```

CLEAR

```

@1,29 SAY [REPORT L: DELAYS IN DESIGN]
@3,5 SAY '      Following is a list of STND Code values present in the two Schedule'
@4,5 SAY 'files you have entered:'
@6,10 SAY '01 = General                11 = Equipment'
@7,10 SAY '02 = Site Utilities          12 = Furnishings'
@8,10 SAY '03 = Concrete                 13 = Special Construction'
@9,10 SAY '04 = Masonry                 14 = Conveying Systems'
@10,10 SAY '05 = Metal                     15 = Mechanical'
@11,10 SAY '06 = Wood and Plastics        DR - DDrawings'
@12,10 SAY '07 = Moisture-Thermal Control    PM - Prep Meetings'
@13,10 SAY '08 = Doors, Windows & Glass     PR - Procurement'
@14,10 SAY '09 = Finishes                     SC = SubContract Award'
@15,10 SAY '10 = Specialties'

```

DO WHILE .T.

```

@17,5 SAY [You may select the STND code item on which to run Report L, or press]
@18,5 SAY [<RETURN> to accept the default Code, 'DR' for Design Drawings: ] GET stnd PICTURE '!!'
READ
stnd=TRIM(stnd)
IF .NOT.stnd$'01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,DR,PM,PR,SC'
  SET COLOR TO &errcol
  @20,10 SAY 'THAT STND CODE DOES NOT EXIST - PLEASE RE-ENTER.'
  SET COLOR TO &menucol
ELSE
  EXIT
ENDIF
ENDDO

```

CLEAR

```
@1,29 SAY [REPORT L: DELAYS IN DESIGN]
@3,5 SAY 'You may also select the Float threshold value (in days of Float) and'
@4,5 SAY 'percentage of Float lost between Schedule updates, above which to'
@5,5 SAY 'in Report L. Or, you can press <Enter> to accept the default'
@6,10 SAY 'values below.'
@8,10 SAY 'ENTER DAYS OF FLOAT : 'GET ufloat PICTURE '999'
@9,10 SAY 'ENTER PERCENTAGE OF FLOAT : ' GET upercent PICTURE '999%'
READ
upercent = upercent/100  && convert from percentage to decimal equiv.
```

RETURN

\*: EOF: PAR\_L.PRG

^Z

```

*:*****
*:
*:      Program: REPM_INT.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      6:28
*:
*:      Called by: SETPARMS.PRG
*:
*:      Uses: GRADING1.DBF
*:            : GRADING2.DBF
*:
*:      Documented 04/27/89 at 10:41      SNAP! version 3.12e
*:*****
** REP_INT.PRG - Get user-specified data for Report M
SET COLOR TO
CLEAR
@1,1 SAY " "
TEXT
REPORT M: CONTRACTOR GRADING

```

The DATA DATE is required to run this program. The schedule data date reflects the effective date of schedule information as computed in primavera.

Please enter the DATA DATE below. The report will not be run without this value. If no value is entered you will be returned to the Main Menu.

Enter the DATA DATE in the form: MM/DD/YY. The slashes will be placed automatically and only a valid date will be accepted.

ENDTEXT

```

DC WHILE .T.
SET CONFIRM ON
@17,32 GET datadate
READ
SET CONFIRM OFF
IF DTOC(datadate) = " / / "
  @19,10 SAY "Since the data date was left blank, you will be"
  @20,10 SAY "returned to the main menu unless you enter an 'N'"
  @21,10 SAY "at this time."
  @22,10 SAY " "
  yn = "Y"
  @23,20 SAY "Your choice: " GET yn
READ
yn=UPPER(yn)
IF yn <> "N"
  option = 0
RETURN

```

```

ENDIF
@17,10 CLEAR TO 23,79
ELSE
EXIT
ENDIF
ENDDO
CLEAR
@1,2 SAY " "
TEXT
REPORT M: CONTRACTOR GRADING

```

Report M enables the user to set scales by which to "grade" or rate the contractor's performance in a number of areas, and then to analyze this performance.

In the following screens, you will be given an opportunity to set various scales by which performance will be judged. The allowable range of threshold values will be shown next to each entry box. The default value is in the box; to accept it simply press the <Enter> key. To choose another value, type that value into the entry box. An entire page be accepted at once by pressing the <PgDn> key.

```

ENDTEXT
WAIT

```

```

CLEAR

```

```

COPY FILE gradldef.dbf TO grading1.dbf
SELECT F
USE grading1
SET COLOR TO &extracol
@0,25 SAY 'GRADING ITEM 1: SCHEDULE REPORTING'
@1,28 SAY 'Performance Category: Poor'
SET COLOR TO
@3,1 SAY 'A) Between      % and      % of PSSR and submittal (from submittal'
@4,1 SAY ' database) Activities directly correspond to schedule Activities.'
@5,1 SAY 'B) Between      % and      % of procurement Activities in the Schedule'
@6,1 SAY ' are tied into the corresponding PSSR and submittal (from submittal'
@7,1 SAY ' database) items.'
@8,1 SAY 'C) Between      % and      % of construction Activities (i.e.,'
@9,1 SAY ' nonprocurement Activities) have durations exceeding 20 days.'
@10,1 SAY 'D) Between      % and      % of Schedule Activities are coded correctly.'
@3,11 GET a1 PICTURE '999.9'
@3,23 GET a2 PICTURE '999.9'
@5,11 GET b1 PICTURE '999.9'
@5,23 GET b2 PICTURE '999.9'
@8,11 GET c1 PICTURE '999.9'
@8,23 GET c2 PICTURE '999.9'
@10,11 GET d1 PICTURE '999.9'
@10,23 GET d2 PICTURE '999.9'
READ
SKIP

```

```

SET COLOR TO &extracol
@13,26 SAY 'Performance Category: Marginal'
SET COLOR TO
@15,1 SAY 'A) Between      % and      % of PSSR and submittal (from submittal'
@16,1 SAY ' database) Activities directly correspond to schedule Activities.'
@17,1 SAY 'B) Between      % and      % of procurement Activities in the Schedule'
@18,1 SAY ' are tied into the corresponding PSSR and submittal (from submittal'
@19,1 SAY ' database) items.'
@20,1 SAY 'C) Between      % and      % of construction Activities (i.e.,'
@21,1 SAY ' nonprocurement Activities) have durations exceeding 20 days.'
@22,1 SAY 'D) Between      % and      % of Schedule Activities are coded correctly.'
@15,11 GET a1 PICTURE '999.9'
@15,23 GET a2 PICTURE '999.9'
@17,11 GET b1 PICTURE '999.9'
@17,23 GET b2 PICTURE '999.9'
@20,11 GET c1 PICTURE '999.9'
@20,23 GET c2 PICTURE '999.9'
@22,11 GET d1 PICTURE '999.9'
@22,23 GET d2 PICTURE '999.9'
READ
SKIP
CLEAR
SET COLOR TO &extracol
@0,25 SAY 'GRADING ITEM 1: SCHEDULE REPORTING'
@1,25 SAY 'Performance Category: Acceptable'
SET COLOR TO
@3,1 SAY 'A) Between      % and      % of PSSR and submittal (from submittal'
@4,1 SAY ' database) Activities directly correspond to schedule Activities.'
@5,1 SAY 'B) Between      % and      % of procurement Activities in the Schedule'
@6,1 SAY ' are tied into the corresponding PSSR and submittal (from submittal'
@7,1 SAY ' database) items.'
@8,1 SAY 'C) Between      % and      % of construction Activities (i.e.,'
@9,1 SAY ' nonprocurement Activities) have durations exceeding 20 days.'
@10,1 SAY 'D) Between      % and      % of Schedule Activities are coded correctly.'
@3,11 GET a1 PICTURE '999.9'
@3,23 GET a2 PICTURE '999.9'
@5,11 GET b1 PICTURE '999.9'
@5,23 GET b2 PICTURE '999.9'
@8,11 GET c1 PICTURE '999.9'
@8,23 GET c2 PICTURE '999.9'
@10,11 GET d1 PICTURE '999.9'
@10,23 GET d2 PICTURE '999.9'
READ
SKIP
SET COLOR TO &extracol
@13,28 SAY 'Performance Category: Good'
SET COLOR TO
@15,1 SAY 'A) Between      % and      % of PSSR and submittal (from submittal'
@16,1 SAY ' database) Activities directly correspond to schedule Activities.'
@17,1 SAY 'B) Between      % and      % of procurement Activities in the Schedule'
@18,1 SAY ' are tied into the corresponding PSSR and submittal (from submittal'
@19,1 SAY ' database) items.'

```

```

@20,1 SAY 'C) Between      % and      % of construction Activities (i.e.,'
@21,1 SAY ' nonprocurement Activities) have durations exceeding 20 days.'
@22,1 SAY 'D) Between      % and      % of Schedule Activities are coded correctly.'
@15,11 GET a1 PICTURE '999.9'
@15,23 GET a2 PICTURE '999.9'
@17,11 GET b1 PICTURE '999.9'
@17,23 GET b2 PICTURE '999.9'
@20,11 GET c1 PICTURE '999.9'
@20,23 GET c2 PICTURE '999.9'
@22,11 GET d1 PICTURE '999.9'
@22,23 GET d2 PICTURE '999.9'
READ
SKIP
CLEAR
SET COLOR TO &extracol
@0,25 SAY 'GRADING ITEM 1: SCHEDULE REPORTING'
@1,26 SAY 'Performance Category: Excellent'
SET COLOR TO
@3,1 SAY 'A) Between      % and      % of PSSR and submittal (from submittal'
@4,1 SAY ' database) Activities directly correspond to schedule Activities.'
@5,1 SAY 'B) Between      % and      % of procurement Activities in the Schedule'
@6,1 SAY ' are tied into the corresponding PSSR and submittal (from submittal'
@7,1 SAY ' database) items.'
@8,1 SAY 'C) Between      % and      % of construction Activities (i.e.,'
@9,1 SAY ' nonprocurement Activities) have durations exceeding 20 days.'
@10,1 SAY 'D) Between      % and      % of Schedule Activities are coded correctly.'
@3,11 GET a1 PICTURE '999.9'
@3,23 GET a2 PICTURE '999.9'
@5,11 GET b1 PICTURE '999.9'
@5,23 GET b2 PICTURE '999.9'
@8,11 GET c1 PICTURE '999.9'
@8,23 GET c2 PICTURE '999.9'
@10,11 GET d1 PICTURE '999.9'
@10,23 GET d2 PICTURE '999.9'
READ
USE
*****
CLEAR
SELECT C
COPY FILE grad2def.dbf TO grading2.dbf
USE grading?
SET COLOR TO &extracol
@0,25 SAY 'GRADING ITEM 2: SCHEDULE PROGRESS'
@1,28 SAY 'Performance Category: Poor'
SET COLOR TO
@3,1 SAY 'A ) There are between      and      specific Activities that have'
@4,1 SAY ' negative Float.'
@5,1 SAY 'B) Between      % and      % of Activities on the four most critical'
@6,1 SAY ' paths (which could have started during this time period), started'
@7,1 SAY ' on their "Early Start Date".'
@8,1 SAY 'C) Between      % and      % of Activities on the four most critical'
@9,1 SAY ' paths (which could have started during this time period), have a "Percent'

```

```

@10,1 SAY ' Complete" value equal to or higher than the porportion to the days'
@11,1 SAY ' expended and the days remaining, based on current schedule progress.'
@12,1 SAY 'D) Between      % and      % of Activities have "Actual Start Dates"'
@13,1 SAY ' which will reach "Percent Complete" if the "Actual Start Date" is'
@14,1 SAY ' over 1 week earlier than the "Data Date".'
@15,1 SAY 'E) Between      % and      % of Activities have "Percent Complete"'
@16,1 SAY ' values greater than 0.0% or a "Remaining Duration" with no "Actual'
@17,1 SAY ' Start Date".'
@18,1 SAY 'F) Between      % and      % of Activities have a "Remaining Duration"'
@19,1 SAY ' greater than their "Original Duration".'
USE grading2
@3,22 GET a1 PICTURE '999999'
@3,33 GET a2 PICTURE '999999'
@5,11 GET b1 PICTURE '999.9'
@5,23 GET b2 PICTURE '999.9'
@8,11 GET c1 PICTURE '999.9'
@8,23 GET c2 PICTURE '999.9'
@12,11 GET d1 PICTURE '999.9'
@12,23 GET d2 PICTURE '999.9'
@15,11 GET e1 PICTURE '999.9'
@15,23 GET e2 PICTURE '999.9'
@18,11 GET f1 PICTURE '999.9'
@18,23 GET f2 PICTURE '999.9'
READ
SKIP
CLEAR
SET COLOR TO 6extracol
@0,25 SAY 'GRADING ITEM 2: SCHEDULE PROGRESS'
@1,26 SAY 'Performance Category: Marginal'
SET COLOR TO
@3,1 SAY 'A) There are between      and      specific Activities that have'
@4,1 SAY ' negative Float.'
@5,1 SAY 'B) Between      % and      % of Activities on the four most critical'
@6,1 SAY ' paths (which could have started during this time period), started'
@7,1 SAY ' on their "Early Start Date".'
@8,1 SAY 'C) Between      % and      % of Activities on the four most critical'
@9,1 SAY ' paths (which could have started during this time period), have a "Percent'
@10,1 SAY ' Complete" value equal to or higher than the porportion to the days'
@11,1 SAY ' expended and the days remaining, based on current schedule progress.'
@12,1 SAY 'D) Between      % and      % of Activities have "Actual Start Dates"'
@13,1 SAY ' which will reach "Percent Complete" if the "Actual Start Date" is'
@14,1 SAY ' over 1 week earlier than the "Data Date".'
@15,1 SAY 'E) Between      % and      % of Activities have "Percent Complete"'
@16,1 SAY ' values greater than 0.0% or a "Remaining Duration" with no "Actual'
@17,1 SAY ' Start Date".'
@18,1 SAY 'F) Between      % and      % of Activities have a "Remaining Duration"'
@19,1 SAY ' greater than their "Original Duration".'
@3,21 GET a1 PICTURE '999999'
@3,32 GET a2 PICTURE '999999'
@5,11 GET b1 PICTURE '999.9'
@5,23 GET b2 PICTURE '999.9'
@8,11 GET c1 PICTURE '999.9'

```

```

@8,23 GET c2 PICTURE '999.9'
@12,11 GET d1 PICTURE '999.9'
@12,23 GET d2 PICTURE '999.9'
@15,11 GET e1 PICTURE '999.9'
@15,23 GET e2 PICTURE '999.9'
@18,11 GET f1 PICTURE '999.9'
@18,23 GET f2 PICTURE '999.9'
READ
SKIP
CLEAR
SET COLOR TO &extracol
@0,25 SAY 'GRADING ITEM 2: SCHEDULE PROGRESS'
@1,25 SAY 'Performance Category: Acceptable'
SET COLOR TO
@3,1 SAY 'A) There are between          and          specific Activities that have'
@4,1 SAY ' negative Float.'

```

05,1 SAY 'B) Between % and % of Activities on the four most critical'  
 06,1 SAY ' paths (which could have started during this time period), started'  
 07,1 SAY ' on their "Early Start Date".'  
 08,1 SAY 'C) Between % and % of Activities on the four most critical'  
 09,1 SAY ' paths (which could have started during this time period), have a "Percent'  
 10,1 SAY ' Complete" value equal to or higher than the porportion to the days'  
 11,1 SAY ' expended and the days remaining, based on current schedule progress.'  
 12,1 SAY 'D) Between % and % of Activities have "Actual Start Dates"  
 13,1 SAY ' which will reach "Percent Complete" if the "Actual Start Date" is'  
 14,1 SAY ' over 1 week earlier than the "Data Date".'  
 15,1 SAY 'E) Between % and % of Activities have "Percent Complete"  
 16,1 SAY ' values greater than 0.0% or a "Remaining Duration" with no "Actual'  
 17,1 SAY ' Start Date".'  
 18,1 SAY 'F) Between % and % of Activities have a "Remaining Duration"  
 19,1 SAY ' greater than their "Original Duration".'  
 03,21 GET a1 PICTURE '999999'  
 03,32 GET a2 PICTURE '999999'  
 05,11 GET b1 PICTURE '999.9'  
 05,23 GET b2 PICTURE '999.9'  
 08,11 GET c1 PICTURE '999.9'  
 08,23 GET c2 PICTURE '999.9'  
 12,11 GET d1 PICTURE '999.9'  
 12,23 GET d2 PICTURE '999.9'  
 15,11 GET e1 PICTURE '999.9'  
 15,23 GET e2 PICTURE '999.9'  
 18,11 GET f1 PICTURE '999.9'  
 18,23 GET f2 PICTURE '999.9'  
 READ  
 SKIP  
 CLEAR  
 SET COLOR TO &extracol  
 00,25 SAY 'GRADING ITEM 2: SCHEDULE PROGRESS'  
 01,25 SAY 'Performance Category: Excellent'  
 SET COLOR TO  
 03,1 SAY 'A) There are between and specific Activities that have'  
 04,1 SAY ' negative Float.'  
 05,1 SAY 'B) Between % and % of Activities on the four most critical'  
 06,1 SAY ' paths (which could have started during this time period), started'  
 07,1 SAY ' on their "Early Start Date".'  
 08,1 SAY 'C) Between % and % of Activities on the four most critical'  
 09,1 SAY ' paths (which could have started during this time period), have a "Percent'  
 10,1 SAY ' Complete" value equal to or higher than the porportion to the days'  
 11,1 SAY ' expended and the days remaining, based on current schedule progress.'  
 12,1 SAY 'D) Between % and % of Activities have "Actual Start Dates"  
 13,1 SAY ' which will reach "Percent Complete" if the "Actual Start Date" is'  
 14,1 SAY ' over 1 week earlier than the "Data Date".'  
 15,1 SAY 'E) Between % and % of Activities have "Percent Complete"  
 16,1 SAY ' values greater than 0.0% or a "Remaining Duration" with no "Actual'  
 17,1 SAY ' Start Date".'  
 18,1 SAY 'F) Between % and % of Activities have a "Remaining Duration"  
 19,1 SAY ' greater than their "Original Duration".'  
 03,21 GET a1 PICTURE '999999'

```

@3,32 GET a2 PICTURE '999999'
@5,11 GET b1 PICTURE '999.9'
@5,23 GET b2 PICTURE '999.9'
@8,11 GET c1 PICTURE '999.9'
@8,23 GET c2 PICTURE '999.9'
@12,11 GET d1 PICTURE '999.9'
@12,23 GET d2 PICTURE '999.9'
@15,11 GET e1 PICTURE '999.9'
@15,23 GET e2 PICTURE '999.9'
@18,11 GET f1 PICTURE '999.9'
@18,23 GET f2 PICTURE '999.9'
READ
USE
*
CLEAR
@8,10 SAY 'Select REPORT M Options Desired:'
DO WHILE .T.
    @10,10 SAY 'Summary Report (S), Detailed Report (D), or Both (B) > ' GET mch PICTURE '!'
    READ
    @12,0
    IF .NOT.mch$'SDB'
        SET COLOR TO &errcol
        @12,20 SAY 'NOT A VALID CHOICE - SELECT S, D OR B'
        SET COLOR TO
    ELSE
        EXIT
    ENDIF
ENDDO
RETURN  && Return to MAIN.PRG
*: EOF: REPM_INT.PRG
^Z

```

```

*:*****
*:
*:      Program: PAR_O.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/21/89      5:06
*:
*:      Called by: SETPARMS.PRG
*:
*:      Calls: CHECK      (procedure in PROCS.PRG)
*:              : DISPERR      (procedure in PROCS.PRG)
*:
*:      Documented 04/27/89 at 10:41      SNAP! version 3.12e
*:*****
* Program to Get Parameters for Report O
DO WHILE .T.
  CLEAR
  @ 1,1 SAY " "
  TEXT
REPORT O: SLIPPAGE -- REPORT O will look at up to five schedule files and
compare the values of the float, the original duration, early start date,
and the productivity rate (actual duration over original duration). This
report will identify those activities which have changed and check to
see how they compare with the mean. Files must be entered with the most
recent file first, followed by successively older files.
  ENDTEXT

  SET CONFIRM ON
  STORE 1 TO numfiles
  STORE 0 TO fail

DO WHILE .T.
  STORE 0 TO fail
  IF numfiles > 5
    EXIT
  UNDEF
  @ 8,5 SAY 'INPUT THE FILENAME FOR SCHEDULE FILE '
  IF numfiles = 1
    filsched1 = filsched1 + "      "
    @ 8,42 SAY numfiles PICTURE '9'
    @ 9,20 GET filsched1
    READ
    @ 10,20 SAY " "
    IF filsched1 = ' '
      EXIT
    ENDIF
    filsched1 = UPPER(filsched1)
    DO check WITH filsched1,fail
    IF option = 0
      RETURN

```

```

ENDIF
IF fail <> 1
    STORE numfiles + 1 TO numfiles
ENDIF
ENDIF
IF numfiles = 2
    filsched2 = filsched2 + "
@ 8,42 SAY numfiles PICTURE '9'
@ 9,20 GET filsched2
READ
@ 10,20 SAY " "
IF filsched2 = ' '
    EXIT
ENDIF
filsched2 = UPPER(filsched2)
DO check WITH filsched2, fail
IF option = 0
    RETURN
ENDIF
IF fail <> 1
    IF filsched2 = filsched1
        DO disperr WITH 1, filsched2
        IF option = 0
            RETURN
        ENDIF
    STORE 1 TO fail
    ENDIF
ENDIF
IF fail <> 1
    STORE numfiles + 1 TO numfiles
ENDIF
ENDIF

IF numfiles = 3
    filsched3 = filsched3 + "
@ 8,42 SAY numfiles PICTURE '9'
@ 9,20 GET filsched3
READ
@ 10,20 SAY " "
IF filsched3 = ' '
    EXIT
ENDIF
filsched3 = UPPER(filsched3)
DO check WITH filsched3, fail
IF option = 0
    RETURN
ENDIF
IF fail <> 1
    IF (filsched3 = filsched2) .OR. (filsched3=filsched1)
        DO disperr WITH 1, filsched3
        IF option = 0
            RETURN
        ENDIF
    ENDIF
ENDIF

```

```

        ENDIF
        STORE 1 TO fail
    ENDIF
ENDIF
IF fail <> 1
    STORE numfiles+1 TO numfiles
ENDIF
ENDIF

IF numfiles = 4
    filsched4 = filsched4 + "
@ 8,42 SAY numfiles PICTURE '9'
@ 9,20 GET filsched4
READ
@ 10,20 SAY " "
IF filsched4 = ' '
    EXIT
ENDIF
filsched4 = UPPER(filsched4)
DO check WITH filsched4,fail
IF option = 0
    RETURN
ENDIF
IF fail <> 1
    IF (filsched4=filsched3) .OR. (filsched4=filsched2) .OR. (filsched4=filsched1)
        DO disperr WITH 1,filsched4
        IF option = 0
            RETURN
        ENDIF
        STORE 1 TO fail
    ENDIF
ENDIF
IF fail <> 1
    STORE numfiles + 1 TO numfiles
ENDIF
ENDIF

IF numfiles = 5
    filsched5 = filsched5 + "
@ 8,42 SAY numfiles PICTURE '9'
@ 9,20 GET filsched5
READ
@ 10,20 SAY " "
IF filsched5 = ' '
    EXIT
ENDIF
filsched5 = UPPER(filsched5)
DO check WITH filsched5,fail
IF option = 0
    RETURN
ENDIF
IF fail <> 1

```

```

        IF (filsched5=filsched4) .OR. (filsched5=filsched3) .OR. (filsched5=filsched2) .OR.
(filsched5=filsched1)
        DO disperr WITH 1,filsched5
        IF option = 0
            RETURN
        ENDIF
        STORE 1 TO fail
    ENDIF
ENDIF
IF fail <> 1
    STORE numfiles + 1 TO numfiles
ENDIF
ENDIF
ENDDO
numfiles = numfiles - 1
IF numfiles >= 2
    RETURN
ELSE
    CLEAR
    @ 10,10
    TEXT
At least two      es      >      to run this report.

```

If you select "R" you may enter files again. If you enter a "Q", the report will be skipped. If you enter a "D", you will see a list of database files, then be given the opportunity to enter files again.

```

ENDTEXT
o_confirm = 'R'
DO WHILE .T.
    @ 19,20 SAY "Your choice (R,Q,D): " GET o_confirm
    READ
    o_confirm = UPPER(o_confirm)
    DO CASE
        CASE o_confirm = "R"
            EXIT
        CASE o_confirm = "D"
            CLEAR
            DIR
            WAIT
        CASE o_confirm = "Q"
            numfiles = 0
            RETURN
    ENDCASE
    @ 19,20 SAY ""
    o_confirm = "R"
ENDDO
ENDIF
SET CONFIRM OFF
RETURN
ENDDO

```

\*: EOF: PAR\_O.PRG

^Z



```

ELSE
  IF .NOT. FILE(ntfsched2)
    DO disperr WITH 3,ntfsched2
  ELSE
    EXIT
  ENDIF
ENDIF
IF option = 0
  RETURN
ENDIF
ENDDO

DO WHILE .T.
  ntfllogic2 = ntfllogic2 + "      "
  @ 13, 5 SAY 'INPUT THE FILENAME FOR THE PREVIOUS LOGIC DATABASE '
  @ 15,20 GET ntfllogic2
  READ
  ntfllogic2 = TRIM(ntfllogic2)
  @ 16,10 SAY " "
  IF (ntfllogic2=ntfllogic1) .OR. (ntfllogic2=ntfsched2) .OR. (ntfllogic2=ntfsched1)
    DO disperr WITH 1,ntfllogic2
  ELSE
    IF .NOT. FILE(ntfllogic2)
      DO disperr WITH 3,ntfllogic2
    ELSE
      EXIT
    ENDIF
  ENDIF
  IF option = 0
    RETURN
  ENDIF
ENDDO
RETURN

*: EOF: NTFST.PRG
^Z

```

\*:\*\*\*\*\*

\*:  
\*: Program: HEADER1.PRG

\*:  
\*: System: PROJECT MANAGEMENT TOOLS  
\*: Author: ASC/RCE and USA-CERL  
\*: Copyright (c) 1989, USA-CERL/ASC/RCE  
\*: Last modified: 04/27/89 1:14

\*:  
\*: Called by: REPA.PRG  
\*: : REPB.PRG  
\*: : REPC.PRG  
\*: : REPD.PRG  
\*: : REPE.PRG  
\*: : REPF.PRG  
\*: : REPM.PRG

\*: Documented 04/27/89 at 10:41 SNAP! version 3.12e

\*:\*\*\*\*\*

\*\* HEADER1.PRG

? eop

page=page+1

?? &header\_on

? SPACE(18)+'PROJECT MANAGEMENT TOOLS: REPORT '+reportch

? &header\_mid

? SPACE(8)+'AREA : '+areav&area+SPACE(76)+'PAGE #' +SUBSTR(STR(page), 6,9)

? &header\_off

? SPACE(7)+' SCHEDULE

EARLY EARLY

LATE LATE TOTAL ORIG REM PCT'

? SPACE(7)+'ACTIVITY ID TITLE (from Schedule files)

START FINISH

START FINISH FLOAT DUR DUR COM'

? SPACE(7)+'-----

-----

?

curline=8 && Current line

header2=.T.

RETURN

\*: EOF: HEADER1.PRG

^2

```

*:*****
*:
*:      Program: HEADER3.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      1:16
*:
*:      Called by: REPJ.PRG
*:
*:      Documented 04/27/89 at 10:41      SNAP! version 3.12e
*:*****
** HEADER3.PRG - Header for Report J
? eop
page=page+1
?? $header_on
? SPACE(17)+'PROJECT MANAGEMENT TOOLS: REPORT '+reportch
? $header_mid
? SPACE(44)+'OUT-OF-SEQUENCE ACTIVITIES ON FLOOR '+F+      :      '+floorv&f+SPACE(20)+' PAGE
#+SUBSTR(STR(page),      6,9)
? $header_off
? '      SCHEDULE                                          EARLY      EARLY      LATE
      LATE      TOTAL  ORIG  REM   PCT  SORT'
? '      ACTIVITY ID  TITLE (from Schedule files)          START      FINISH
START    FINISH    FLOAT  DUR   DUR   COM  CODE'
? '      -----
-----
?
curline=8  ## Current line
header2=.T.
RETURN
*: EOF: HEADER3.PRG
^Z

```

```

*:*****
*:
*:      Program: HEADER4.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      1:17
*:
*:      Called by: REPJ.PRG
*:
*:      Documented 04/27/89 at 10:41      SNAP! version 3.12e
*:*****
** HEADER4.PRG - Header for Report J
? eop
page=page+1
?? &header_on
? SPACE(17)+'PROJECT MANAGEMENT TOOLS: REPORT '+reportch
? &header_mid
? SPACE(20)+'THE FOLLOWING DRYWALL ACTIVITIES WERE BEGUN BEFORE THE EARLIEST ROOFING ACTIVITY WAS
STARTED'+SPACE(10)+'PAGE #'+STR(page,6)
? &header_off
? '      SCHEDULE                                EARLY      EARLY      LATE
      LATE      TOTAL  ORIG  REM   PCT  SORT'
? '      ACTIVITY ID  TITLE (from Schedule files)          START      FINISH
START    FINISH    FLOAT  DUR   DUR   COM  CODE'
? '      -----
-----
?
curline=8  && Current line
header2=.T.
RETURN
*: EOF: HEADER4.PRG
^Z

```

```

*:*****
*:
*:      Program: FIND1.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      2:47
*:
*:      Called by: REPK.PRG
*:
*:      Calls: FIND2.PRG
*:            : FIND3.PRG
*:
*:      Indexes: SUCC_ACT.NDX
*:              : SUCC_SUC.NDX
*:
*:      Documented 04/27/89 at 10:41      SNAP! version 3.12a
*:*****

```

PARAMETERS PATH,npath

PRIVATE msec,mflg

```

STORE 0 TO msec
SELECT B
SET INDEX TO succ_act
STORE 1 TO loc
STORE "" TO curr
STORE 0 TO cur_rec
DO WHILE loc <= LEN(PATH)
  DO WHILE SUBSTR(PATH,loc,1) <> "."
    STORE curr + SUBSTR(PATH,loc,1) TO curr
    STORE loc + 1 TO loc
    IF loc > LEN(PATH)
      EXIT
    ENDIF
  ENDDO
  STORE loc + 1 TO loc
  STORE VAL(curr) TO cur_rec
  IF cur_rec <> 0
    SELECT D
    GOTO cur_rec
    SELECT B
    SEEK d->act
    SELECT D
    STORE 0 TO cur_rec
    STORE "" TO curr
    DO find2
    IF curline > maxlinesk - 3
      IF "P" $ output
        EJECT

```

```

ENDIF
STORE .T. TO newpage
STORE 0 TO curline
ENDIF
ENDIF
ENDDO
?
?
?
DO find3 WITH 3

IF curline > maxlinesk - 7
DO find3 WITH 7
ENDIF
? " Activities on this Critical Path with less than "+LTRIM(STR(mpl))+ " men per day"
?
? " ACTIVITY ID      MEN/DAY"
? " -----      -----"
?
DO find3 WITH 5
STORE 1 TO msec
STORE .T. TO mflg
STORE 1 TO loc
STORE "" TO curr
STORE 0 TO cur_rec
DO WHILE loc <= LEN(PATH)
DO WHILE SUBSTR(PATH,loc,1) <> "."
STORE curr + SUBSTR(PATH,loc,1) TO curr
STORE loc + 1 TO loc
IF loc > LEN(PA  ;
EXIT
ENDIF
ENDIF
STORE loc + 1 TO loc
STORE VAL(curr) TO cur_rec
IF cur_rec <> 0
SELECT D
GOTO cur_rec
STORE 0 TO cur_rec
STORE "" TO curr
IF mh_day < mpl .AND. mh_day > 0
? " "+act+STR(mh_day,12)
DO find3 WITH 1
STORE .F. TO mflg
ENDIF
ENDIF
ENDDO
STORE 0 TO msec
IF mflg
? " NONE"
DO find3 WITH 1
ENDIF

```

```

?
?
?
DO find3 WITH 3

IF curline > maxlinesk - 8
  DO find3 WITH 8
ENDIF
? " Activities on this Critical Path with more than "+LTRIM(STR(durat))+ " days remaining duration"
?
? " ACTIVITY ID      REMAINING"
? "                DURATION "
? " -----"
?
DO find3 WITH 6
STORE .T. TO mflg
STORE 2 TO msec
STORE 1 TO loc
STORE "" TO curr
STORE 0 TO cur_rec
DO WHILE loc <= LEN(PATH)
  DO WHILE SUBSTR(PATH,loc,1) <> "."
    STORE curr + SUBSTR(PATH,loc,1) TO curr
    STORE loc + 1 TO loc
    IF loc > LEN(PATH)
      EXIT
    ENDIF
  ENDDO
  STORE loc + 1 TO loc
  STORE VAL(curr) TO cur_rec
  IF cur_rec <> 0
    SELECT D
    GOTO cur_rec
    STORE 0 TO cur_rec
    STORE "" TO curr
    IF rd > durat
      ? " "+act+STR(rd,13)
      DO find3 WITH 1
      STORE .F. TO mflg
    ENDIF
  ENDIF
  ENDDO
  STORE 0 TO msec
  IF mflg
    ? "      NONE"
    DO find3 WITH 1
  ENDIF
?
?
?
DO find3 WITH 3

```

```

IF curline > maxlinesk - 8
  DO find3 WITH 8
ENDIF

? " Activities on this Critical Path with relation durations greater than "+LTRIM(STR(reldur))+
percent"
?
? " ACTIVITY ID      LAG      REMAINING      RELATION"
? "                DURATION    DURATION"
? " -----      -"
?
DO find3 WITH 6
SELECT B
SET INDEX TO succ_suc
STORE .T. TO mflg
STORE 3 TO msec
STORE 1 TO loc
STORE "" TO curr
STORE 0 TO cur_rec
DO WHILE loc <= LEN(PATH)
  DO WHILE SUBSTR(PATH,loc,1) <> "."
    STORE curr + SUBSTR(PATH,loc,1) TO curr
    STORE loc + 1 TO loc
    IF loc > LEN(PATH)
      EXIT
    ENDIF
  ENDDO
  STORE loc + 1 TO loc
  STORE VAL(curr) TO cur_rec
  IF cur_rec <> 0
    SELECT D
    GOTO cur_rec
    SELECT B
    SEEK d->act
    STORE 0 TO cur_rec
    STORE "" TO curr
    IF d->rd > 0
      IF 100*(lag/d->rd) > reldur
        ? " "+d->act+STR(lag,7)+STR(d->rd,11)+STR(100*(lag/d->rd),11)
        DO find3 WITH 1
        STORE .F. TO mflg
      ENDIF
    ENDIF
  ENDIF
ENDIF
ENDDO
STORE 0 TO msec
IF mflg
  ? "      NONE"
  DO find3 WITH 1
ENDIF
?
STORE .T. TO newpage

```

RETURN

\*: EOF: FIND1.PRG

^Z

```

*:*****
*:
*:      Program: STND_FND.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      0:20
*:
*:      Called by: REPO.PRG
*:
*:      Indexes: MRGNDX.HDX
*:
*:      Documented 04/27/89 at 10:41      SNAP! version 3.12e
*:*****

```

```

STORE 0 TO sdev
STORE .T. TO newpage
STORE 0 TO page
STORE 0 TO matches
STORE 0 TO curline
STORE 0 TO areamat
INDEX ON SUBSTR(act,5,2) + act TO mrgndx
GO TOP
newpage = .T.

```

```

DO WHILE .NOT. EOF()
  STORE SUBSTR(act,5,2) TO stnd
  STORE RECNO() TO start
  STORE 0 TO N,mean,prod,prodsq
  DO WHILE (SUBSTR(act,5,2) = stnd) .AND. .NOT. EOF()
    STORE prod + ((af-as)/od) TO prod
    STORE prodsq + (((af-as)/od)**2) TO prodsq
    STORE N + 1 TO N
    SKIP + numfiles
  ENDDO
  GO start
  STORE prod / N TO mean
  IF (N > 1)
    sdev = SQRT((prodsq - (prod**2)/N))/(N-1)
  ELSE
    sdev=0 0
  ENDIF
  IF newpage
    ? eop
    curline = 0
    page = page + 1
    ? #header_on
    ? SPACE(17)+'SCHEDULING ANALYSIS SYSTEM: REPORT 0'
    IF SUBSTR(act,5,2)$'01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,DR,PM,PR,SC'
      ? ' ICS STANDARD CODE = '+stnd+ ' : '+stndv&stnd+SPACE(36)+'PAGE #' +STR(page,6)
    ELSE
      ? ' ICS STANDARD CODE = '+stnd+ ' : '+stnd+SPACE(36)+'PAGE #' +STR(page,6)
    ENDIF
  ENDIF

```

```

ENDIF
? $header_off
? [ ACTIVITY      TITLE      EARLY      EARLY ]
??[  LATE      LATE      ACTUAL      ACTUAL      TOTAL  REM  PCT  ORIG  PROD  NUMBER ]
? [ ID      START      FINISH      START      FINISH      FLOAT  DUR  COM  DUR  RATE  STND DEVS]
? [ -----      -----      -----      -----      -----      -----      -----      -----      -----      -----]
??[ -----      -----      -----      -----      -----      -----      -----      -----      -----      -----]
?
newpage = .F.
ENDIF
DO WHILE (SUBSTR(act,5,2) = stnd) .AND. .NOT. EOF()
  STORE od TO orig
  STORE es TO early
  STORE tf TO float
  IF od <> 0
    STORE (af-as)/od TO prod
  ENDIF
  STORE .F. TO diff
  STORE RECNO() TO cur_rec
  STORE 1 TO temp
  DO WHILE temp < numfiles
    SKIP + 1
    IF orig <> od
      STORE .T. TO diff
    ENDIF
    IF early <> es
      STORE .T. TO diff
    ENDIF
    IF float <> tf
      STORE .T. TO diff
    ENDIF
    IF od <> 0 .AND. prod <> ((af-as)/od)
      STORE .T. TO diff
    ENDIF
    IF diff
      STORE numfiles + 1 TO temp
    ELSE
      STORE temp + 1 TO temp
    ENDIF
  ENDDO
  IF diff
    GO cur_rec
    STORE areamat + 1 TO areamat
    IF od = 0
      STORE 1 TO prod
    ENDIF
    ? ' ' +act+ ' ' +TITLE+ ' ' +DIOC(es)+ ' ' +DIOC(ef)+ ' ' +DIOC(ls)
    ?? ' ' +DIOC(lf)+ ' ' +DIOC(as)+ ' ' +DIOC(af)+STR(tf,7)
    ?? ' ' +STR(rd,6)+STR(pct,6)+STR(od,7)+STR(prod,8,2)
    IF (prod > mean+sdev)
      ?? STR(((prod-mean)/sdev),9,2)

```

```

ENDIF
SELECT G
APPEND BLANK
REPL act WITH h->act, TITLE WITH h->title es WITH h->es
REPL esa WITH h->esa, ef WITH h->ef, ofa WITH h->ofa
REPL ls WITH h->ls, lsa WITH h->lsa, lf WITH h->lf, lfa WITH h->lfa
REPL as WITH h->as, af WITH h->af, tf WITH h->tf, ffl WITH h->ffl
REPL od WITH h->od, rd WITH h->rd, pct WITH h->pct, resp WITH h->resp
REPL lvls WITH h->lvls, SORT WITH h->sort, rcp WITH h->rcp
REPL rut WITH h->rut, upd WITH h->upd, evc WITH h->evc
REPL dol_day WITH h->dol_day, mh_day WITH h->mh_day
REPL changed WITH prod
SELECT H
STORE matches + 1 TO matches
STORE curline + 1 TO curline
SKIP + (numfiles - 1)
ELSE
SELECT G
APPEND BLANK
REPL act WITH h->act, TITLE WITH h->title, es WITH h->es
REPL esa WITH h->esa, ef WITH h->ef, ofa WITH h->ofa
REPL ls WITH h->ls, lsa WITH h->lsa, lf WITH h->lf, lfa WITH h->lfa
REPL as WITH h->as, af WITH h->af, tf WITH h->tf, ffl WITH h->ffl
REPL od WITH h->od, rd WITH h->rd, pct WITH h->pct, resp WITH h->resp
REPL lvls WITH h->lvls, SORT WITH h->sort, rcp WITH h->rcp
REPL rut WITH h->rut, upd WITH h->upd, evc WITH h->evc
REPL dol_day WITH h->dol_day, mh_day WITH h->mh_day
REPL changed WITH 1
SELECT H
ENDIF
IF curline > maxlineso - 3
  newpage=.T.
  EXIT
ENDIF
IF .NOT. EOF()
  SKIP
ENDIF
ENDDO
IF SUBSTR(act, 5, 2) <> stnd
  ?
  IF stnd$'01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,DR,PM,PR,SC'
    ? SPACE(25)+'++++ For '+stnd+' : '+TRIM(stndv&stnd)+' STATISTICS ARE : MEAN = '
  ELSE
    ? SPACE(25)+'++++ For '+stnd+' : '+' STATISTICS ARE : MEAN = '
  ENDIF
  ?? LTRIM(STR(mean, 9, 2))+'; STANDARD DEVIATION = '+LTRIM(STR(sdev, 9, 2))+' ++++'
  ? SPACE(25)+'There were '+LTRIM(RTRIM(STR(areamat)))+' activities which had slipped.'
  newpage=.T.
ENDIF
STORE 0 TO areamat
ENDDO
SELECT G

```

```

GO TOP
DO WHILE .NOT. EOF()
  STORE .F. TO fnd
  IF changed <> 1
    STORE .T. TO fnd
  EXIT
ENDIF
SKIP +1
ENDDO
IF .NOT. fnd
  ZAP
ELSE
  ?
  ? 'The new schedule file is NEWSCHED.DBF. The changed field indicates the productivity rate.'
  ?
ENDIF
? eop
?
? &footer_on
? SPACE(50)+'*** END OF REPORT O ***'
? SPACE(20)+'*** THERE WERE '+LTRIM(STR(matches))+' ACTIVITY ID NUMBERS WHICH MATCHED THESE SEARCH
CRITERIA. ***'
? &footer_off
? eop
RETURN
*: EOF: STND_END.PRG
^Z

```

\*:\*\*\*\*\*

\*:  
\*:       Program: TITLE1.PRG

\*:  
\*:       System: PROJECT MANAGEMENT TOOLS  
\*:       Author: ASC/RCE and USA-CERL  
\*:       Copyright (c) 1989, USA-CERL/ASC/RCE  
\*:       Last modified: 04/27/89       4:58

\*:  
\*:       Called by: REPR.PRG  
\*:                 : REPS.PRG  
\*:                 : REPT.PRG  
\*:                 : REPU.PRG  
\*:                 : REPV.PRG  
\*:                 : REPW.PRG  
\*:                 : REPX.PRG  
\*:                 : PRINTACT.PRG  
\*:                 : PRINTPRE.PRG

\*:       Calls: TOTOP               (procedure in PROCS.PRG)

\*:       Documented 04/27/89 at 10:41               SNAP! version 3.12e

\*:\*\*\*\*\*

\*  
\* THIS PROGRAM IS TO PRINT REPORT TITLE, PAGE NUMBER, DATE,  
\* ACTIVITY CONTENTS FOR "SCHDULE.PRG"

\*  
SET TALK OFF  
DO totop  
Line = 2  
? fintro\_on  
? fheader\_on  
?       sheader\_mid  
? SPACE(40)+'NATIONAL TEST FACILITY SCHEDULE ANALYSIS PROGRAM (1.0b)'  
Line = Line + 2  
? fheader\_off

JO CASE  
CASE rpt1 = '1'  
? "THE FOLLOWING ACTIVITIES HAVE BEEN DELETED FROM THE MOST RECENT SCHEDULE"  
CASE rpt1 = '2'  
? "THE FOLLOWING ACTIVITIES HAVE BEEN ADDED TO THE MOST RECENT SCHEDULE"  
CASE rpt1 = '3'  
? "THE FOLLOWING ACTIVITIES HAVE INCONSISTENCY BETWEEN PCT AND ACTUAL START/FINISH DATES"  
CASE rpt1 = '4'  
? "THE FOLLOWING ACTIVITIES HAVE CHANGES IN DESCRIPTION BETWEEN SCHEDULES"  
CASE rpt1 = '5'  
? SPACE(44)+ 'THE FOLLOWING ACTIVITIES HAVE SIGNIFICANT CHANGES IN ORIGINAL DURATION BETWEEN SCHEDULES'  
Line = Line + 1  
? "(CURRENT OD INCREASED, TOTAL FLOAT LESS THAN 5, AND INCREASING RATIO : 10 % )"  
CASE rpt1 = '6'

```

? "THE FOLLOWING ACTIVITIES HAVE CHANGES IN THE CURRENT SCHEDULE"
CASE rpt1 = '7'
? "THE FOLLOWING ACTIVITIES HAVE CHANGES IN RELATION TO THEIR SUCCESSORS IN THE CURRENT SCHEDULE"
ENDCASE
Line = Line + 2
?
? 'REPORT WAS RUN ON '
?? DATE()
IF rpt1 <> '3'
?? SPACE(43)+ "THE CURRENT FILE IS: "
?? UPPER(ntfsched1)
ELSE
?? SPACE(43)+ "IN THE CURRENT FILE: "
?? UPPER(ntfsched1)
ENDIF
?? SPACE(20)+ 'PAGE # '
page = page +1
?? STR(page,3)
Line = Line + 1
IF rpt1 <> '3'
? SPACE(70)+"THE PREVIOUS FILE IS: "
?? UPPER(ntfsched2)
ENDIF
Line = Line +2
?
IF rpt1 <> '7'
? 'T '
?? SPACE(57)+ 'EARLY    EARLY    LATE    LATE    ACTUAL    ACTUAL    TOTAL ORIG REM PCT
COMMENTS'
Line = Line + 1
? 'L NUMBER DESCRIPTION'
?? SPACE(38)+ 'START    FINISH    START    FINISH    START    FINISH    FLOAT DUR DUR COM'
ELSE
? 'T ACT    ACTIVITY'+SPACE(49)
?? 'ACTUAL    ACTUAL    TOTAL ORIG REM PCT ACTIVITY    ACTIVITY'+SPACE(39)
?? 'REL LAG COMMENT'
Line = Line + 1
? 'L NUMBER DESCRIPTION'+SPACE(46)
?? 'START    FINISH    FLOAT DUR DUR COM NUMBER    DESCRIPTION'
ENDIF
?
*
Line = Line + 2
*: EOF: TITLE1.PRG
^Z

```

```

*****
*:
*:      Program: PRINTACT.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/05/89      9:16
*:
*:      Called by: REPR.PRG
*:                : REPS.PRG
*:                : REPT.PRG
*:                : REPU.PRG
*:                : REPV.PRG
*:                : REPW.PRG
*:
*:      Calls: TITLE1.PRG
*:
*:      Documented 04/27/89 at 10:41      SNAP! version 3.12e
*****
*
* SUBROUTINE TO PRINT ONE ACTIVITY
*
Line = Line + 1
IF Line > 56
  DO title1
  Line = Line + 1
ENDIF
? act
?? ' '
?? TITLE
?? ' '
?? es
?? ' '
?? ef
?? ' '
?? ls
?? ' '
?? lf
?? ' '
?? ns
?? ' '
?? af
?? ' '
?? tf
?? ' '
?? od
?? ' '
?? rd
?? ' '
?? pct
*

```

```
IF rpt2 = '1'  
  ?? '  
  ?? comments  
ENDIF  
*: EOF: PRINTACT.PRG  
^Z
```

```

*:*****
*:
*:      Program: PRINTPRE.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      2:36
*:
*:      Called by: REPX.PRG
*:
*:      Calls: TITLE1.PRG
*:
*:      Documented 04/27/89 at 10:42      SNAP! version 3.12e
*:*****
*
* SUBROUTINE TO PRINT ONE PREDECESSOR ACTIVITY
*
Line = Line + 1
IF Line > 56
  DO title1
  Line = Line + 1
ENDIF
? act+ " +TITLE+SPACE(9)+DIOC(as)+SPACE(2)+DIOC(af)+STR(tf,8)+STR(od,6)
?? STR(rd,6)+STR(pct,6,2)
*
*: EOF: PRINTPRE.PRG
^Z

```

```

*:*****
*:
*:      Program: FIND2.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      2:48
*:
*:      Called by: FIND1.PRG
*:
*:      Documented 04/27/89 at 10:42      SNAP! version 3.12e
*:*****

```

```
IF newpage
```

```
  curline = 6
```

```
  page = page + 1
```

```
  ? eop
```

```
  ? &header_on
```

```
  ? SPACE(17)+"SCHEDULING ANALYSIS SYSTEM: REPORT K"
```

```
  ?
```

```
  ? " CRITICAL PATH #"+STR(npath,3)+SPACE(36)+"PAGE #"+STR(page,3)
```

```
  ? &header_off
```

```
  ? " ACTIVITY          TITLE                                EARLY    EARLY  "
```

```
  ??"  LATE            LATE          ACTUAL    ACTUAL    TOTAL  REM  PCT  ORIG  LAG  REL  "
```

```
  ? " ID                                                     START    FINISH  "
```

```
  ??"  START          FINISH        START    FINISH    FLOAT  DUR  COM  DUR   " "
```

```
  ? " -----" "
```

```
  ??"  -----" "
```

```
  ?
```

```
  newpage = .F.
```

```
ENDIF
```

```
? " "+act+"      "+TITLE+"      "+DIOC(es)+"      "+DIOC(ef)+"      "+DIOC(ls)
```

```
?? "      "+DIOC(lf)+"      "+DIOC(as)+"      "+DIOC(af)+STR(tf,7)
```

```
?? STR(rd,7)+STR(pct,6)+STR(od,6)+STR(b->lag,6)+"      "+b->rel
```

```
curline = curline + 1
```

```
IF curline >= maxlinesk
```

```
  STORE .T. TO newpage
```

```
ENDIF
```

```
RETURN
```

```
*: EOF: FIND2.PRG
```

```
^Z
```

```

*:*****
*:
*:      Program: FIND3.PRG
*:
*:      System: PROJECT MANAGEMENT TOOLS
*:      Author: ASC/RCE and USA-CERL
*:      Copyright (c) 1989, USA-CERL/ASC/RCE
*:      Last modified: 04/27/89      3:43
*:
*:      Called by: FIND1.PRG
*:
*:      Documented 04/27/89 at 10:42      SNAP! version 3.12e
*:*****

```

PARAMETERS mline

```

STORE curline + mline TO curline
IF curline > maxlinesk
  page = page + 1
  ? eop
  ? &header_on
  ? SPACE(17)+"SCHEDULING ANALYSIS SYSTEM: REPORT K"
  ?
  ? " Critical Path #"+STR(npath,3)+SPACE(36)+"PAGE #"+STR(page,3)
  ? &header_off
  ?
  STORE 3 TO curline
  DO CASE
  CASE msec = 1
    ? " ACTIVITY ID      MEN/DAY"
    ? " -----"
    ?
    STORE 3 TO curline
  CASE msec = 2
    ? " ACTIVITY ID      REMAINING"
    ? "                DURATION "
    ? " -----"
    ?
    STORE 4 TO curline
  CASE msec = 3
    ? " ACTIVITY ID      LAG      REMAINING  RELATION"
    ? "                DURATION  DURATION"
    ? " -----"
    ?
    STORE 4 TO curline
  ENDCASE
  newpage = .F.
ENDIF

RETURN
*: EOF: FIND3.PRG
^Z

```

## USA/ ERL DISTRIBUTION

### Chief of Engineers

ATTN: CEHEC-IM-LP (2)  
ATTN: CEHEC-IM-LH (2)  
ATTN: CECC-P  
ATTN: CECW  
ATTN: CERD-L  
ATTN: CEMP-C  
ATTN: CEMP-CP  
ATTN: CEMP-CM  
ATTN: CEMP-CE

### US Army Engineer Districts

ATTN: C/Const. Div. (41)

### US Army Engr Divisions

ATTN: C/Const. Div (13)

### General Services Administration

St. Louis, MO 63120  
Kansas City, MO 64131

DLA ATTN: DLA-WI 22304

DNA ATTN: NADS 20305

Fort Belvoir, VA 22060

ATTN: CECC-R

### NAVFAC

ATTN: Division Offices (11)  
ATTN: Facilities Engr Cmd (9)  
ATTN: Naval Constr Battalion Ctr

### Omaha District

ATTN: CEMRO-CD 68102

Defense Technical Info. Center 22304

ATTN: DTIC-FAB (2)